The Journal of

Membrane Biology

An international journal
for studies on the structure, function and genesis
of biomembranes

Volumes 81–90 1984–1986

Editorial Board

W.R. Loewenstein, Miami, Editor-in-Chief

P.F. Baker, Kings, London
G. Blobel, Rockefeller
D. Branton, Harvard
P. Cuatrecasas,
Burroughs Wellcome
J.M. Diamond, California, L.A.
I.S. Edelman, Columbia
D. Engelman, Yale
S. Fleischer, Vanderbilt
J.G. Forte, California, Berkeley
G. Giebisch, Yale
G. Guidotti, Harvard
J. Handler, N.I.H.
D.A. Haydon, Cambridge
L. Heppel, Cornell
J.F. Hoffman, Yale
W.L. Hubbell, California, L.A.
R.B. Kelly, California, S.F.
A. Klug, Cambridge
P. Läuger, Konstanz
A.L. Lehninger, Johns Hopkins
S.E. Luria, MIT
E.A.C. MacRobbie, Cambridge
V.T. Marchesi, Yale
H.M. McConnell, Stanford
S. McLaughlin, SUNY, Stony Brook
C. Miller, Brandeis
Y.A. Ovchinnikov,
USSR Acad. Sc. Moscow
G.E. Palade, Yale
D. Papahadjopoulos, California, S.F.
E. Racker, Cornell
S.G. Schultz, Texas
S.J. Singer, California, S.D.
C.L. Slayman, Yale
K.R. Spring, N.I.H.
C.F. Stevens, Yale
W. Stoeckenius, California, S.F.
D. Urry, Alabama
H.H. Ussing, Copenhagen

D.J. Fritts, Assistant to the Editor

Springer-Verlag New York Inc.

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Printed in West Germany

© 1986 by Springer-Verlag New York Inc.

Author Index—Volumes 81–90

Aboulafia, J., Lacaz-Vieira, F.: Hydrosmotic Salt Effect in Toad Skin: Urea Permeability and Glutaraldehyde Fixation of Water Channels 87:249

Admon, A., Pick, U., Avron, M.: ATP-Induced ΔpH Formation in Chloroplast ATP Synthase Proteoliposomes 86:45

Agus, Z.S. *see* Kelepouris, E., et al. 88:113

Ahnen, D.J., *see* Mircheff, A.K., et al. 83:95

Aiton, J.F., *see* Tivey, D.R., et al. 87:93

Albert, A.D., Lane S.A., Yeagle, P.L.: ^{2}H and ^{31}P Nuclear Magnetic Resonance Studies of Membranes Containing Bovine Rhodopsin 87:211

Allemand, D., De Renzis, G., Maistre, C., Girard, J.-P., Payan, P.: Uptake of Valine and Analine by a Neutral Amino-Acid Carrier in Sea Urchin Eggs: Cyclic Variations in the Early Cleavage Stage 87:217

Alonso-Romanowski, S., *see* Urry, D.W., et al. 81:205

Altszuler, N., *see* Cherksey, B.D., et al. 84:105

Alvarez, O., *see* Moczydlowski, E., et al. 83:273

Amblard, G., Sandeaux, R., Sandeaux, J., Gavach, C.: Transport of Potassium Ions across Planar Lipid Membranes by the Antibiotic, Grisorixin: I. The Equilibrium State and Self-Diffusion K^+ Fluxes 88:15

Anagnostopoulos, T., *see* Edelman, A., et al. 90:137

Andersen, J.P., Jorgensen, P.L.: Conformational States of Sarcoplasmic Reticulum Ca^{2+}-ATPase as Studied by Proteolytic Cleavage 88:187

Anderson, R.J., *see* Dillingham, M.A. 88:277

Andrews, S.B., *see* Kirk, R.G., et al. 82:137

Anner, B.M., *see* Apell, H.J., et al. 85:49

Apell, H.J., Marcus, M.M., Anner, B.M., Oetliker, H., Läuger, P.: Optical Study of Active Ion Transport in Lipid Vesicles containing Reconstituted Na, K-ATPase 85:49

Arienti, G., *see* Binaglia, L., et al. 90:29

Arispe, N., *see* Soria, B., et al. 84:127

Armstrong, W. McD., *see* Zeldin, D.C., et al. 84:193

Aronson, P.S., *see* Knickelbein, R.G., et al. 88:199

Atlan, H., Snyder, D., Panet, R.: Ouabain-Resistant Na^+, K^+ Transport System in Mouse NIH 3T3 Cells 81:181

Avron, M., see Admon, A., et al. 86:45

Azarnia, R., Loewenstein, W.R.: Intercellular Communication and the Control of Growth: X. Alteration of Junctional Permeability by the *src* Gene. A Study with Temperature-Sensitive Mutant Rous Sarcoma Virus 82:191

Azarnia, R., Loewenstein, W.R.: Intercellular Communication and the Control of Growth: XI. Alteration of Junctionional Permeability by the *src* Gene in a Revertant Cell with Normal Cytoskeleton 82:207

Azarnia, R., Loewenstein, W.R.: Intercellular Communication and the Control of Growth: XII. Alteration of Junctional Permeability by Simian Virus 40. Roles of the Large and Small T Antigens 82:213

Azarnia, R., *see* Werner, R., et al. 87:253

Baker, P.F., *see* Knight, D.E. 83:147

Balakir, R.A., *see* Liang, C.T., et al. 90:145

Bannai, S., Tateishi, N.: Role of Membrane Transport in Metabolism and Function of Glutathione in Mammals (*Topical Review*) 89:1

Barlet, C., *see* Ben Abdelkhalek, M., et al. 89:225

Barnes, J., *see* Liang, C.T., et al. 90:145

Barry, P.H.: Slow Potential Changes due to Transport Number Effects in Cells with Unstirred Membrane Invaginations or Dendrites 82:221

Bass, L., McNally, D.S.: The Ratio of Nonstationary Tracer Fluxes into and out of a Hollow Circular Cylinder (*Letter to the Editor*) 81:263

Baxendale, L.M., *see* Garcia-Diaz, J.F., et al. 85:143

Bayerdörffer, E., Eckhardt, L., Haase, W., Schulz, I.: Electrogenic Calcium Transport in Plasma Membrane of Rat Pancreatic Acinar Cells 84:45

Bayerdörffer, E., Haase, W., Schulz, I.: Na^+/Ca^{2+} Countertransport in Plasma Membrane of Rat Pancreatic Acinar Cells 87:107

Bayerdörffer, E., Streb, H., Eckhardt, L., Haase, W., Schulz, I.: Characterization of Calcium Uptake into Rough Endoplasmic Reticulum of Rat Pancreas 81:69

Bayerdörffer, E., *see* Streb, H., et al. 81:241

Beaty, G., *see* Lopez-Vancell, R., et al. 81:171

Bebernitz, G., *see* Montrose, M.H., et al. 88:55

Beck, F.X., *see* Rick, R., et al. 83:235

Begenisich, T., *see* McKinney, L.C., et al. 83:177

Beilby, M.J.: Current-Voltage Characteristic, of the Proton Pump at *Chara* Plasmalemma: I. H Dependence 81:113

Beilby, M.J.: Potassium Channels and Different States of *Chara* Plasmalemma 89:241

Ben Abdelkhalek, M., Barlet, C., Doucet, A.: Presence of an Extramitrochondrial Anion-Stimulated ATPase in the Rabbit Kidney: Localization along the Nephron and Effect of Corticosteroids 89:225

Bengha, Gh., Borza, V., Popescu, O., Pop, V.I., Muresan, A.: Water Exchange through Erythrocyte Membranes: Nuclear Magnetic Resonance Studies on Resealed Ghosts Compared to Human Erythrocytes 89:127

Benos, D., *see* Lazorick, K., et al. 86:69

Bentzel, C.J., *see* Fromm, M., et al. 87:141

Benz, R., *see* Delger, J.P. 84:181

Benz, R., *see* Kasianowicz, J., et al. 82:179

Bers, D.M., Philipson, K.D., Peskoff, A.: Calcium at the Surface of Cardiac Plasma Membrane Vesicles: Cation Binding Surface Charge Screening, and Na-Ca Exchange 85:251

Bezanilla, F.: Gating of Sodium and Potassium Channels (*Topical Review*) 88:97

Biagi, B.A.: Effects of the Anion Transport Inhibitor, SITS, on the Proximal Straight Tubule of the Rabbit Perfused *in Vitro* 88:25

Bifano, E.M., Novak, T.S., Freedman, J.C.: Relationship between the Shape and the Membrane Potential of Human Red Blood Cells 82:1

Bildstein, C.L., *see* Tse, S.S., et al. 82:249

Binaglia, L., Roberti, R., Freysz, L., Arienti, G., Corazzi, L., Porcellati, G.: Compartmentation of Newly Synthesized Phosphatidylethanolamine in Rat Brain Microsomes 90:29

Bindslev, N., Wright, E.M.: Histidyl Residues at the Active Site of the Na/Succinate Cotransporter in Rabbit Renal Brush Borders 81:159

Birnbaumer, L., *see* Lefkowitz, R.J., et al. 87:1

Bisson, M.A.: Calcium Effects on Electrogenic Pump and Passive Permeability of the Plasma Membrane of *Chara corallina* 81:59

Blangero, C., Teissié, J.: Ionic Modulation of Electrically Induced Fusion of Mammalian Cells 86:247

Blasie, J.K., Herbette, L., Pachence, J.: Biological Membrane Structure as "Seen" by X-ray and Neutron Diffraction Techniques (*Topical Review*) 86:1

Blostein, R., *see* Weigensberg, A.M. 86:37

Boni, L.T., *see* Hui, S.W., et al. 84:137
Borisova, M.P., Brutyan, R.A., Ermishkin, L.N.: Mechanism of Anion-Cation Selectivity of Amphotericin B Channels 90:13
Borza, V., *see* Benga, Gh., et al. 89:127
Boucrot, P., *see* Vallet-Strouve, C., et al. 84:73
Bourguet, J., *see* Parisi, M., et al. 86:239
Bowen, K.A., Tam, K., Colombini, M.: Evidence for Titratable Gating Charges Controlling the Voltage Dependence of the Outer Mitochondrial Membrane Channel, VDAC 86:51
Bowler, J.M., *see* Lewis, S.A., et al. 83:119
Bradley, R.J., *see* Urry, D.W., et al. 81:205
Brandt, N.R., *see* Corbett, A.M., et al. 86:267
Bray, J.J., *see* Leader, J.P., et al. 81:19
Brown, C.D.A., Murer, H.: Characterization of a Na:K:2Cl Cotransport System in the Apical Membrane of a Renal Epithelial Cell Line (LLC-PK_1) 87:131
Brown, M.F., *see* Miljanich, G.P., et al. 85:79
Brugnara, C., *see* Dagher, G., et al. 86:145
Brunschwig, J.P., *see* Corbett, A.M., et al. 86:267
Brunt, J. van, *see* Caldwell, J.H., et al. 89:85
Brutyan, R.A., *see* Borisova, M.P., et al. 90:13
Büchner, K.-H., Rosenheck, K., Zimmermann, U.: Characterization of the Mobile Charges in the Membrane of *Valonia utricularis* 88:131
Butt, A.G., *see* Lewis, S.A., et al. 83:119
Cabantchik, Z.I., *see* Cacciola, S.O., et al. 81:139
Cabrini, G., Verkman, A.S.: Mechanism of Interaction of the Cyanine Dye DiS-C_3-(5) with Renal Brush-Border Vesicles 90:163
Cacciola, S.O., Sigrist, H., Reist, M., Cabantchik, Z.I., Zahler, P.: Functional Evidence for Distinct Interaction of Hydrophobic Arylisothiocyanates with the Erythrocyte Anion Transport Protein 81:139
Cafiso, D.S., *see* Raines, D.E. 82:241
Caldwell, J.H., Brunt, J. van, Harold, F.M.: Calcium-Dependent Anion Channel in the Water Mold *Blastocladiella emersonii* 89:85
Cameron, R.S., *see* Castle, J.D., et al. 87:13
Canessa, M., *see* Dagher, G., et al. 86:145
Canessa, M., *see* Escobales, N. 90:21
Cantley, L.C., *see* English, L.H. 85:199
Caron, M.G., *see* Lefkowitz, R.J., et al. 87:1
Carpenter, G., *see* Soderquist, A.M. 90:97
Case, R.M., Cook, D.I., Hunter, M., Steward, M.C., Young, J.A.: Transepithelial Transport of Nonelectrolytes in the Rabbit Mandibular Salivary Gland 84:239
Cassim, J.Y., *see* Draheim, J.E. 86:229
Castaing, M., Morel, F., Lehn, J.-M.: Transport of Alkali Cations through Thin Lipid Membranes by (222)C_{10} Cryptand, an Ionizable Mobile Carrier 89:251
Castle, J.D., Cameron, R.S., Patterson, P.L., Ma, A.K.: Identification of High Molecular Weight Antigens Structurally Related to Gamma-Glutamyl Transferase in Epithelial Tissues 87:13
Caswell, A.H., *see* Corbett, A.M., et al. 86:267
Cereijido, M., Robbins, E., Sabatini, D.D., Stefani, E.: Cell-to-Cell Communication in Monolayers of Epithelioid Cells (MDCK) as a Function of the Age of the Monolayer 81:41
Cereijido, M., *see* Gonzalez-Mariscal, L., et al. 86:113
Cereijido, M., *see* López-Vancell, R., et al. 81:171
Cerione, R.A., *see* Lefkowitz, R.J., et al. 87:1
Chanady, G.A., *see* Singh, A.P., et al. 84:183
Chavez de Ramirez, B., see Gonzalez-Mariscal, L., et al. 86:113
Chen, C.-C., Tsuchiya, T., Yamane, Y., Wood, J.M., Wilson, T.H.: $Na^+(Li^+)$-Prolin Cotransport in *Escherichia coli* 84:157
Chen, C.-C., *see* Seto-Young, D., et al. 84:259
Cherksey, B.D., Mendelsohn, S.A., Zadunaisky, J.A., Altszuler, N.: Direct Insertion and Fluorescence Studies of Rhodamine-labeled β-Adrenergic Receptors in Cell Membranes 84:105
Chien, D.Y., *see* Moura, T.F., et al. 81:105
Christensen, H.N.: On the Strategy of Kinetic Discrimination of Amino Acid Transport Systems (*Topical Review*) 84:97
Christophersen, P., *see* Vestergaard-Bogind, B., et al. 88:67
Ciani, S., *see* Fox, J. 84:9
Civan, E.D., *see* Garty, H., et al. 87:67
Civan, M.M., *see* Delong, J. 82:25; 87:174
Civan, M.M., *see* Garty, H., et al. 87:67
Civan, M.M., *see* Kelepouris, E., et al. 88:113
Clark, R.B., *see* Moore, L.E., et al. 89:131
Clausen, C., *see* Latta, R., et al. 82:67
Codina, J., *see* Lefkowitz, R.J., et al. 87:1
Coelho, H.S.L., *see* Sorenson, M.M., et al. 90:219
Coleman, H.A., Findlay, G.P.: Ion Channels in the Membrane of *Chara inflata* 83:109
Colombini, M., *see* Bowen, K.A., et al. 86:51
Colombini, M., *see* Doring, C. 83:81,87
Colombini, M., *see* Holden, M.J., et al. 87:151
Cook, D.I., *see* Case, R.M., et al. 84:239
Cooper, S., *see* Masur, S.K., et al. 89:39
Corazzi, L., *see* Binaglia, L., et al. 90:29
Corbett, A.M., Caswell, A.H., Brandt, N.R., Brunschwig, J.P.: Determinants of Triad Junction Reformation: Identification and Isolation of an Endogenous Promotor for Junction Reformation in Skeletal Muscle 86:267
Corcia, A., *see* Zeldin, D.C., et al. 84:193
Costa, C.J., Kirschner, L.B., Cragoe, E.J., Jr.: Identification of Apical Membranes from Tight Epithelia Using Spin-Labeled Amiloride and Electron Paramagnetic Resonance Spectroscopy 82:49
Cragoe, E.J., Jr., *see* Costa, C.J., et al. 82:49
Cragoe, E.J., Jr., *see* Garvin, J.L., et al. 87:45; 90:107
Cragoe, E.J., Jr., *see* Li, J.H.-Y., et al. 83:45
Cuatrecasas, P., *see* May, W.S., Jr. 88:205
Curtain, C.C., *see* Gordon, L.M., et al. 84:81
Curti, D., Marchbanks, R.M.: Kinetics of Irreversible Inhibition of Choline Transport in Synaptosomes by Ethylcholine Mustard Aziridinium 82:259
Cuthbert, A.W., Hickman, M.E.: Indirect Effects of Adenosine Triphosphate on Chloride Secretion in Mammalian Colon 86:157
Dagher, G., Brugnara, C., Canessa, M.: Effect of Metabolic Depletion on the Furosemide-Sensitive Na and K Fluxes in Human Red Cells 86:145
Dahl, G., *see* Werner, R., et al. 87:253
Dainty, J., *see* Ferrier, J.M., et al. 85:245
Dainty, J., *see* Ross, S.M., et al. 85:233
Danko, M., see McKinney, L.C., et al. 83:177
Das, S., Singhal, G.S.: Role of Interfacial Structured Water in Membrane: Osmotic Properties of L-*x*-Egg Lecithin Liposomes 86:221
De, B.K., *see* Friedberg, I., et al. 83:251
Delong, J., Civan, M.M.: Apical Sodium Entry in Split Frog Skin: Current-Voltage Relationship 82:25
Delong, J., Civan, M.M.: *Reply to*: Time-Dependent Phenomena in Voltage-Clamped Epithelia (*Letter to the Editor*) 87:154
De Renzis, G., *see* Allemand, D., et al. 87:217

Dilger, J.P., Benz, R.: Optical and Electrical Properties of Thin Monoolein Lipid Bilayers 85:181
Dillingham, M.A., Anderson, R.J.: Purinergic Regulation of Basal and Arginine Vasopressin-Stimulated Hydraulic Conductivity in Rabbit Cortical Collecting Tubule 88:277
Dirnberger, G., Keiper, W., Schnakenberg, J., Stieve, H.: Comparison of Time Constants of Single Channel Patches, Quantum Bumps, and Noise Analysis in *Limulus* Ventral Photoreceptors 83:39
Diwan, J.J.: Ba^{2+} Uptake and the Inhibition by Ba^{2+} of K^+ Flux into Rat Liver Mitochondria 84:165
Dix, J.A., Verkman, A.S., Solomon, A.K.: Binding of Chloride and a Disulfonic Stilbene Transport Inhibitor to Red Cell Band 3 89:211
Dobbins, J.W., *see* Knickelbein, R.G., et al. 88:199
Doerge, A., *see* Mills, J.W., et al. 86:211
Dolgaya, E.V., *see* Mironov, S.L. 86:197
Dörge, A., *see* Rick, R., et al. 83:235
Doring, C., Colombini, M.: Voltage Dependence and Ion Selectivity of the Mitochondrial Channel, VDAC, are Modified by Succinic Anhydride 83:81
Dorogi, P.L., Solomon, A.K.: Interaction of Thiourea with Band 3 in Human Red Cell Membranes 84:37
Doucet, A., *see* Ben Abdelkhalek, M., et al. 89:225
Dowgert, M.F., *see* Wolfe, J., et al. 86:127
Draheim, J.E., Cassim, J.Y.: Effects of Polyhydric Alcohols on the Conformational Stability of the Purple Membrane 86:229
Dratz, E.A., *see* Miljanich, G.P., et al. 85:79
Dumont, M.E., Trewhella, J., Engelman, D.M., Richards, F.M.: Stability of Transmembrane Regions in Bacteriorhodopsin Studied by Progressive Proteolysis 88:233
Dunne, M.J., *see* Findlay, I., et al. 83:169; 88:165
Eckhardt, L., *see* Bayerdörffer, E., et al. 81:69; 84:45
Edelman, A., Garabedian, M., Anagnostopoulos, T.: Mechanisms of 1,25 $(OH)_2D_3$-Induced Rapid Changes of Membrane Potential in Proximal Tubule: Role of Ca^{2+}-Dependent K^+-Channels 90:137
Ehrlich, B.E., Schen, C.R., Spudich, J.L.: Bacterial Rhodopsins Monitored with Fluorescent Dyes in Vesicles and *in Vivo* 82:89
Elgavish, A., Elgavish, G.A.: *In Vitro* Ethanol Effects on the Transport Properties of Isolated Renal Brush Border Membrane Vesicles 88:123
Elgavish, G.A., *see* Elgavish, A. 88:123
Ellory, J.C., *see* Hall, A.C. 85:205
Engelhardt, W.V., *see* Luciano, L., et al. 82:145
Engelman, D.M., *see* Dumont, M.E., et al. 88:233
English, L.H., Cantley, L.C.: Delta Endotoxin Inhibits Rb^+ Uptake, Lowers Cytoplasmic pH and Inhibits a K^+-ATPase in *Manduca sexta* CHE Cells 85:199
Ermishkin, L.N., *see* Borisova, M.P., et al. 90:13
Ernst, S.A., *see* Russo, M.A., et al. 85:1
Escobales, N., Canessa, M.: Amiloride-Sensitive Na^+ Transport in Human Red Cells: Evidence for a Na/H Exchange System 90:21
Eskesen, K., Lim, J.J., Ussing, H.H.: Evaluation of Transport Pathways for Na^+ across Frog Skin Epithelium by means of Presteady-State Flux Ratio 86:99
Eskesen, K., Ussing, H.H.: Determination of the Electromotive Force of Active Sodium Transport in Frog Skin Epithelium (*Rana temporaria*) from Presteady-State Flux Ratio Experiments 86:105
Essig, A., *see* Garcia-Diaz, J.F. 85:143; 87:173
Essig, A., *see* Klemperer, G., et al. 90:89
Feracci, H., Rigal, A., Maroux, S.: Biosynthesis and Intracellular Pool of Aminopeptidase N in Rabbit Enterocytes 83:139
Feracci, H., *see* Moktari, S., et al. 89:53
Ferrier, J.M., Dainty, J., Ross, S.M.: Theory of Negative Capacitance in Membrane Impedance Measurements 85:245
Ferrier, J.M., *see* Ross, S.M., et al. 85:233
Field, M., *see* Shorofsky, S.R., et al. 81:1
Field, M., *see* Worman, H.J. 87:233
Findlay, G.P., *see* Coleman, H.A. 83:109
Findlay, G.P., *see* Tyerman, S.D., et al. 89:139, 153
Findlay, I., Dunne, M.J., Petersen, O.H.: ATP-Sensitive Inward Rectifier and Voltage- and Calcium-Activated K^+ Channels in Cultured Pancreatic Islet Cells 88:165
Findlay, I., Dunne, M.J., Petersen, O.H.: High-Conductance K^+ Channel in Pancreatic Islet Cells can be Activated and Inactivated by Internal Calcium 83:169
Finkelstein, A., *see* Raymond, L., et al. 84:173
Finn, A.L., *see* Narvarte, J. 84:1
Fisher, R.S., *see* Jensen, P.K., et al. 82:95
Forte, J.G., *see* Wolosin, J.M. 83:261
Foskett, J.K., Machen, T.E.: Vibrating Probe Analysis of Teleost Opercular Epithelium: Correlation between Active Transport and Leak Pathways of Individual Chloride Cells 85:25
Fox, J., Ciani, S.: Experimental and Theoretical Studies on Tl^+ Interactions with the Cation-Selective Channel of the Sarcoplasmic Reticulum 84:9
Fozzard, H.A., *see* Shorofsky, S.R., et al. 81:1
Freedman, J.C., *see* Bifano, E.M., et al. 82:1
Freysz, L. *see* Binaglia, L., et al. 90:29
Friedberg, I., Weisman, G.A., De, B.K.: Permeability Change in Transformed Mouse Fibroblasts Caused by Ionophores, and its Relationship to Membrane Permeabilization by Exogenous ATP 83:251
Friedberg, I., *see* Heppel, L.A., et al. 86:189
Fröbe, U., *see* Kohlhardt, M., et al. 89:163
Fromm, M., Palant, C.E., Bentzel, C.J., Hegel, U.: Protamine Reversibly Decreases Paracellular Cation Permeability in *Necturus* Gallbladder 87:141
Furuya, K., Hirano, H., Nishiyama, F., Kukita, F., Yamagishi, S.: Intracellular Binding of Cationized Ferritin Prolongs the Time Course of Sodium Channel Inactivation in Squid Giant Axons 89:75
Gäggeler, H.P., *see* Truscello, A., et al. 89:173
Gambale, F., *see* Usai, C., et al. 82:15
Garabedian, M., *see* Edelman, A., et al. 90:137
Garcia-Diaz, J.F., Baxendale, L.M., Klemperer, G., Essig, A.: Cell K Activity in Frog Skin in the Presence and Absence of Cell Current 85:143
Garcia-Diaz, J.F., Essig, A.: Time-Dependent Phenomena in Voltage-Clamped Epithelia (*Letter to the Editor*) 87:173
Garcia-Diaz, J.F., *see* Klemperer, G., et al. 90:89
Garson, M.J., *see* Steward, M.C. 86:203
Garty, H.: Amiloride Blockable Sodium Fluxes in Toad Bladder Membrane Vesicles 82:269
Garty, H.: Mechanisms of Aldosterone Action in Tight Epithelia 90:193
Garty, H., Civan, E.D., Civan, M.M.: Effects of Internal and External pH on Amiloride-Blockade Na^+ Transport across Toad Urinary Bladder Vesicles 87:67
Garvin, J.L., Simon, S.A., Cragoe, E.J., Mandel, L.J.: Binding of ^{3}H-Phenamil, an Irreversible Amiloride Analog, to Toad Urinary Bladder: Effects of Aldosterone and Vasopressin 90:107

Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J.: Phenamil: An Irreversible Inhibitor of Sodium Channels in the Toad Urinary Bladder 87:45
Gavach, C., *see* Amblard, G., et al. 88:15
Geletyuk, V.I., Kazachenko, V.N.: Single Cl^- Channels in Molluscan Neurons: Multiplicity of the Conductance States 86:9
Giebisch, G., *see* Oberleithner, H., et al. 88:139
Giles, W.R., *see* Moore, L.E., et al. 89:131
Giordana, B., Parenti, P., Hanozet, G.M., Sacchi, V.F.: Electrogenic K^+-Basic Amino-Acid Cotransport in the Midgut of Lepidopteran Larvae 88:45
Giordana, B., *see* Hanozet, G.M. et al. 81:233
Girard, J.P., *see* Allemand, D., et al. 87:217
Girsch, S.J., Peracchia, C.: Lens Cell-to-Cell Channel Protein: I. Self-Assembly into Liposomes and Permeability Regulation by Calmodulin 83:217
Goings, G.E., *see* Manjunath, C.K., et al. 85:159
Gonzalez-Mariscal, L., Chavez de Ramirez, B., Cereijido, M.: Tight Junction Formation in Cultured Epithelial Cells (MDCK) 86:113
Gordon, L.M., Looney, F.D., Curtain, C.C.: Spin Probe Clustering in Human Erythrocyte Ghosts 84:81
Gorvel, J.-P., *see* Moktari, S., et al. 89:53
Grag, G.M., *see* Mircheff, A.K., et al. 83:95
Gray, M.A., Montgomery, R.A.P., Williams, A.J.: Asymmetric Block of a Monovalent Cation-Selective Channel of Rabbit Cardiac Sarcoplasmic Reticulum by Succinyl Choline 88:85
Grinstein, S., Rothstein, A.: Mechanisms of Regulation of the Na^+/H^+ Exchanger (*Topical Review*) 90:1
Gronowicz, G., *see* Masur, S.K., et al. 89:39
Guerrero, J.R., *see* Requena, J., et al. 84:229
Guerritore, A., *see* Hanozet, G.M., et al. 81:233
Guggino, W., *see* Oberleithner, H., et al. 88:139
Gutknecht, J.: Proton/Hydroxide Conductance through Lipid Bilayer Membranes 82:105
Gutknecht, J., *see* Walter, A., et al. 90:207
Haase, W., *see* Bayerdörffer, E., et al. 84:45; 87:107
Haase, W., *see* Scheuring, U., et al. 90:123
Haase, W., *see* Streb, H., et al. 81:241
Hall, A.C., Ellory, J.C.: Measurements and Stoichiometry of Bumetanide-Sensitive (2 Na:1K:3Cl) Cotransport in Ferret Red Cells 85:205
Handler, J.S., *see* Moran, A., et al. 82:59
Hanozet, G.M., Giordana, B., Parenti, P., Guerritore, A.: L-and D-Alanine Transport in Brush Border Membrane Vesicles from Lepidopteran Midgut: Evidence for Two Transport Systems 81:233
Hanozet, G.M., *see* Giordana, B., et al. 88:45
Harold, F.M., *see* Caldwell, J.H., et al. 89:85
Harris, R.D., *see* Urry, D.W., et al. 81:205
Hayhurst, R.A., *see* O'Neil, R.G. 85:169
Hegel, U., *see* Fromm, M., et al. 87:141
Henderson, G.B., Zevely, E.M.: Characterization of the Multiple Transport Routes for Methotrexate in L1210 Cells Using Phthalate as a Model Anion Substrate 85:263
Henderson, G.B., Zevely, E.M.: Properties of an Anion/H^+ Cotransport System in L1210 Cells that Utilizes Phthalate as a Nonphysiological Substrate 89:99
Heppel, L.A., Weisman, G.A., Friedberg, I.: Permeabilization of Transformed Cells in Culture by External ATP (*Topical Review*) 86:189
Herbette, L., *see* Blasie, J.K., et al. 86:1
Herzig, J.W., *see* Kohlhardt, M., et al. 89:163
Heukelom, J.S. van, *see* Zuidema, T., et al. 88:293
Hickman, M.E., *see* Cuthbert, A.W. 86:157
Hirano, H., *see* Furuya, K., et al. 89:75
Hokin, L.E., *see* Sekar, M.C. 89:193
Holden, M.J., Colombini, M., Sze, H.: Channel Formation in Phospholipid Bilayer Membranes by the Toxin of *Helminthosporium maydis*, Race T 87:151
Holmes, S.J., *see* Tosteson, M.T., et al. 87:35
Horn, L.W.: Measurements of Amino Acid Transport in Internally Dialyzed Giant Axons 89:185
Hosokawa, K., *see* Ikehara, T., et al. 90:231
Hudson, R.L., *see* Moran, W.M., et al. 87:55
Huff, J.W., Reinach, P.S.: Mechanism of Inhibition of Net Ion Transport across Frog Corneal Epithelium by Calcium Channel Antagonists 85:215
Hui, S.W., Isac, T., Boni, L.T., Sen, A.: Action of Polyethylene Glycol on the Fusion of Human Erythrocyte Membranes 84:137
Hungerford, R.T., Lindenmayer, G.E.: Effects of Membrane Potential on Sodium-Dependent Calcium Uptake by Sarcolemma-Enriched Preparations from Canine Ventricle 84:207
Hunter, M., *see* Case, R.M., et al. 84:239
Hunziker, A., Orme, F.W., Macey, R.I.: Transport of Hydrophobic Ions in Erythrocyte Membrane: I. Zero Membrane Potential Properties 84:147
Ichikawa, S., *see* Sakai, Y., et al. 89:65
Iehara T., *see* Matubayasi, N., et al. 90:37
Ikegami, A., *see* Kimura, Y. 85:255
Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Miyamoto, H.: Effects of Nystatin on Intracellular Contents and Membrane Transport of Alkali Cations and Cell Volume in HeLa Cells 90:231
Ikekawa, N., *see* Saito, Y., et al. 83:187
Imada, T., *see* Saito, Y., et al. 83:187
Inada, Y., *see* Saito, Y., et al. 83:187
Irvine, R.F., *see* Streb, H., et al. 81:241
Isac, T., *see* Hui, S.W., et al. 84:137
Isenberg, G., *see* Moore, L.E., et al. 81:29
Islam, A., *see* Mircheff, A.K., et al. 83:95
Isobe, A., *see* Sakai, Y., et al. 89:65
Iwatsuki, N., Petersen, O.H.: Action of Tetraethylammonium on Calcium-Activated Potassium Channels in Pig Pancreatic Acinar Cells Studied by Patch-Clamp Single-Channel and Whole-Cell Current Recording 86:139
Jensen, P.K., Fisher, R.S., Spring, K.R.: Feedback Inhibition of NaCl Entry in *Necturus* Gallbladder Epithelial Cells 82:95
Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M.: Evidence for Coupled Transport of Bicarbonate and Sodium in Cultured Bovine Corneal Endothelial Cells 81:189
Johnson, E.A., Kootsey, J.M.: A Minimum Mechanism for Na^+-Ca^{++} Exchange: Net and Unidirectional Ca^{++} Fluxes as Functions of Ion Composition and Membrane Potential 86:167
Jørgensen, P.L., *see* Andersen, J.P. 88:187
Kahn, M.E., Smith, H.O.: Transformation in *Haemophilus:* A Problem in Membrane Biology (*Topical Review*) 81:89
Kamaya, H., Ma, S., Lin, S.H.: Dose-Dependent Nonlinear Response of the Main Phase-Transition Temperature of Phospholipid Membranes to Alcohols 90:157
Kamaya, H., *see* Matubayasi, N., et al. 90:37
Kami-Ike, N., *see* Kishimoto, U., et al. 86:27
Kami-Ike, N., *see* Takeuchi, Y., et al. 86:17
Kapoor, S.C., *see* Russo, M.A., et al. 85:1
Karan, D., *see* Moura, T.F., et al. 81:105
Kasianowicz, J., Benz, R., McLaughlin, S.: The Kinetic Mechanism by which CCCP (Carbonyl Cyanide m-Chlorophenylhydrazone) Transports Protons across Membranes 82:179
Kawahara, K.: Ba^{2+}-Sensitive Potassium Permeability of the Apical Membrane in Newt Kidney Proximal Tubule 88:283
Kazachenko, V.N., *see* Geletyuk, V.J. 86:9

Keiper, W., *see* Dirnberger, G., et al. 83:39
Kelepouris, E., Agus, Z.S., Civan, M.M.: Intracellular Calcium Activity in Split Frog Skin Epithelium: Effect of cAMP 88:113
Keller, S.K., *see* Jentsch, T.J., et al. 81:189
Kikuchi, T., *see* Saito, Y., et al. 83:187
Kimmich, G.A., *see* Montrose, M.H., et al. 88:55
Kimmich, G.A., *see* Restrepo, D. 87:59; 89:269
Kimura, Y., Ikegami, A.: Local Dielectric Properties around Polar Region of Lipid Bilayer Membranes 85:225
Kirk, R.G., Andrews, S.B., Lee, P.: Rubidium Uptake in Single Cells 82:137
Kirschner, L.B., *see* Costa, C.J., et al. 82:49
Kishimoto, U., Takeuchi, Y., Ohkawa, T., Kami-Ike, N.: A Kinetic Analysis of the Electrogenic Pump of *Chara corallina*: III. Pump Activity during Action Potential 86:27
Kishimoto, U., *see* Takeuchi, Y., et al. 86:17
Kitasato, H., Marunaka, Y.: Na^+-Sensitive Component of 3-O-Methylglucose Uptake in Frog Skeletal Muscle 87:225
Klemperer, G., Garcia-Diaz, J.F., Nagel, W., Essig, A.: Basolateral Membrane Potential and Conductance in Frog Skin Exposed to High Serosal Potassium 90:89
Klemperer, G. *see* Garcia-Diaz, J.F., et al. 85:143
Knickelbein, R.G., Aronson, P.S., Dobbins, J.W.: Substrate and Inhibitor Specificity of Anion Exchangers on the Brush Border Membrane of Rabbit Ileum 88:199
Knight, D.E., Baker, P.F.: The Chromaffin Granule Proton Pump and Calcium-Dependent Exocytosis in Bovine Adrenal Medullary Cells 83:147
Koch, A.R., *see* Moffett, D.F. 86:89
Koch, M., *see* Jentsch, T.J., et al. 81:189
Kohlhardt, M., Fröbe, U., Herzig, J.W.: Modification of Single Cardiac Na^+ Channels by DPI 201-106 89:163
Kollewe, K., *see* Scheuring, U., et al. 90:123
Kootsey, J.M., *see* Johnson, E.A. 86:167
Kreman, M., *see* Zampighi, G. 88:33
Krulwich, T.A.: Bioenergetics of Alkophilic Bacteria (*Topical Review*) 89:113
Krupka, R.M.: Asymmetrical Binding of Phloretin to the Glucose Transport System of Human Erythrocytes 83:71
Krupka, R.M.: Reaction of the Glucose Carrier of Erythrocytes with Sodium Tetrathionate: Evidence for Inward-Facing and Outward-Facing Carrier Conformations 84:35
Kukita, F., *see* Furuya, K., et al. 89:75
Lacaz-Vieira, F., *see* Aboulafia, J. 87:249
Landowne, D.: Molecular Motion Underlying Activation and Inactivation of Sodium Channels in Squid Giant Axons 88:173
Lane, S.A., *see* Albert, A.D., et al. 87:211
Larson, D.M., Sheridan, J.D.: Junctional Transfer in Cultured Vascular Endothelium: II. Dye and Nucleotide Transfer 83:157
Larson, M., Spring, K.R.: Volume Regulation by *Necturus* Gallbladder: Basolateral KCl Exit 81:219
Larson, M., *see* Spring, K.R. 84:191
Latorre, R., *see* Moczydlowski, E., et al. 83:273
Latta, R., Clausen, C., Moore, L.C.: General Method for the Derivation and Numerical Solution of Epithelial Transport Models 82:67
Lauf, P.K.: K^+:Cl^- Cotransport: Sulfhydryls, Divalent Cations, and the Mechanism of Volume Activation in a Red Cell (*Topical Review*) 88:1
Lauf, P.K.: Thiol-Dependent Passive K^+Cl^- Transport in Sheep Red Blood Cells: VI. Functional Heterogeneity and Immunologic Identity with Volume-Stimulated $K^+(Rb^+)$ Fluxes 82:167
Läuger, P., *see* Apell, H.-J., et al. 85:49
Lazorick, K., Miller, C., Sariban-Sohraby, S., Benos, D.: Synthesis and Characterization of Methylbromoamiloride, a Potential Biochemical Probe of Epithelial Na^+ Channels 86:69
Leader, J.P., Bray, J.J., MacKnight, A.D.C., Mason, D.R., McCaig, D., Mills, R.G.: Cellular Ions in Intact and Denervated Muscles of the Rat 81:19
Leader, J.P., *see* Lewis, S.A., et al. 83:119
Leader, J.P., *see* McCaig, D. 81:9
Lee, P., *see* Kirk, R.G., et al. 82:137
Lefkowitz, R.J., Cerione, R.A., Codina, J., Birnbaumer, L., Caron, M.G.: Reconstruction of the β-Adrenergic Receptor (*Topical Review*) 87:1
Lehn, J.-M., *see* Castaing, M., et al. 89:251
Levinson, S.: Sodium-Dependent Ion Cotransport in Steady-State Ehrlich Ascites Tumor Cells 87:121
Levitan, E.S., Levitan, I.B.: Apparent Loss of Calcium-Activated Potassium Current in Internally Perfused Snail Neurons is due to Accumulation of Free Intracellular Calcium 90:59
Levitan, I.B.: Phosphorylation of Ion Channels (*Topical Review*) 87:177
Levitan, I.B., *see* Levitan, E.S. 90:59
Lewis, S.A., Butt, A.G., Bowler, J.M., Leader, J.P., MacKnight, A.D.C.: Effect of Anions on Cellular Volume and Transepithelial Na^+ Transport across Toad Urinary Bladder 83:119
Lewis, S.A., Moura, J.L.C. de: Apical Membrane Area of Rabbit Urinary Bladder Increases by Fusion of Intracellular Vesicles: An Electrophysiological Study 82:123
Li, J.H.-Y., Cragoe, E.J., Jr., Lindemann, B.: Structure-Activity Relationship of Amiloride Analogs as Blockers of Epithelial Na Channels: I. Pyrazine-Ring Modifications 83:45
Liang, C.T., Barnes, J., Balakir, R.A., Sacktor, B.: Characterization of 1,25-Dihydroxyvitamin D_3-Dependent Calcium Uptake in Isolated Chick Duodenal Cells 90:145
Lim, J.J., *see* Eskesen, K., et al. 86:99
Lin, S.H., *see* Kamaya, H., et al. 90:157
Lindemann, B., *see* Warncke, J. 86:255
Lindenmayer, G.E., *see* Hungerford, R.T. 84:207
Liu, D., *see* Tse, S.S., et al. 82:249
Loewenstein, W.R., *see* Azarnia, R. 82:191, 207, 213
Loewenstein, W.R., *see* Yada, T., et al. 88:217
Looney, F.D., *see* Gordon, L.M., et al. 84:81
López-Vancell, R., Beaty, G., Stefani, E., Rodriguez-Boulan, E.E., Cereijido, M.: Changes in Paracellular and Cellular Ionic Permeabilities of Monolayers of MDCK Cells Infected with Influenza or Vesicular Stomatitis Viruses 81:171
Lovelace, R.V.E., Stout, D.G., Steponkus, P.L.: Protoplast Rotation in a Rotating Electric Field: The Influence of Cold Acclimation 82:157
Lovelace, R.V.E., *see* Steponkus, P.L., et al. 85:191
Luciano, L., Reale, E., Rechkemmer, G., Engelhardt, W.V.: Structure of Zonulae Occludentes and the Permeability of the Epithelium to Short-Chain Fatty Acids in the Proximal and the Distal Colon of Guinea Pig 82:145
Lugtenburg, J., *see* Smith, S.O., et al. 85:95
Lüttge, U., Smith, J.A.C.: Mechanism of Passive Malic Acid Efflux from Vacuoles of the CAM Plant *Kalanchoë daigremontiana* 81:149
Ma, A.K., *see* Castle, J.D., et al. 87:13
Ma, S., *see* Kamaya, H., et al. 90:157
Mabrey-Gaud, S., *see* Miljanich, G.P., et al. 85:79
Macey, R.I., *see* Hunziker, A., et al. 84:147
Macey, R.I., *see* Moura, T.F., et al. 81:105
Machen, T.E., *see* Foskett, J.K. 85:25
MacKnight, A.D.C., *see* Leader, J.P., et al. 81:19

MacKnight, A.D.C., *see* Lewis, S.A., et al. 83:119
Maistre, C., *see* Allemand, D., et al. 87:217
Mamelok, R.D., *see* Tse, S.S., et al. 82:249
Mandel, L.J., *see* Garvin, J.L., et al. 87:45; 90:107
Manjunath, C.K., Goings, G.E., Page E.: Proteolysis of Cardiac Gap Junctions during Their Isolation from Rat Hearts 85:159
Manjunath, C.K., Page, E.: Rat Heart Gap Junctions as Disulfide-Bonded Connexon Multimers: Their Depolymerization and Solubilization in Deoxycholate 90:43
Marchbanks, R.M., *see* Curti, D. 82:259
Marchetti, C., *see* Usai, C., et al. 82:15
Marcus, M.M, *see* Apell, H.-J., et al. 85:49
Margalit, R., *see* Zeevi, A. 86:61
Maroux, S., *see* Feracci, H., et al. 83:139
Maroux, S., *see* Moktari, S., et al. 89:53
Marunaka, Y., *see* Kitasato, H. 87:225
Maruyama, Y., Petersen, O.H.: Single Calcium-Dependent Cation Channels in Mouse Pancreatic Acinar Cells 81:83
Mason, D.R., *see* Leader, J.P., et al. 81:19
Massardo, S., *see* Masur, S.K., et al. 89:39
Masur, S.K., Cooper, S., Massardo, S., Gronowicz, G., Rubin, M.S.: Isolation and Characterization of Granules of Toad Bladder 89:39
Mathies, R.A., *see* Smith, S.O., et al. 85:95
Matubayasi, N., Shigematsu, T., Iehara, T., Kamaya, H., Ueda, I.: Miscibility of Phosphatidylcholine Binary Mixtures in Unilamellar Vesicles: Phase Equilibria 90:37
May, W.S., Jr., Cuatrecasas, P.: Transferrin Receptor: Its Biologic Significance (*Topical Review*) 88:205
McCaig, D., Leader, J.P.: Intracellular Chloride Activity in the Extensor Digitorum Longus (EDL) Muscle of the Rat 81:9
McCaig, D., *see* Leader, J.P., et al. 81:19
McKinney, L.C., Danko, M., Smith, C.J., Begenisch, T.: Permeability of the Squid Giant Axon to Organic Cations and Small Nonelectrolytes 83:177
McLaughlin, S., *see* Kasianowicz, J., et al. 82:179
McNally, D.S., *see* Bass, L. 81:263
Medina, J.D., *see* Requena, J., et al. 84:229
Mendelsohn, S.A., *see* Cherksey, B.D., et al. 84:105
Menestrina, G.: Ionic Channels Formed by *Staphylococcus aureus* Alpha-Toxin: Voltage-Dependent Inhibition by Divalent and Trivalent Cations 90:177
Merot, J., *see* Parisi, M., et al., 86:239
Miljanich, G.P., Brown, M.F., Mabrey-Gaud, S., Dratz, E.A., Sturtevant, J.M.: Thermotropic Behavior of Retinal Rod Membranes and Dispersions of Extracted Phospholipids 85:79
Miller, C., *see* Lazorick, K., et al. 86:69
Miller, T., *see* Werner, R., et al. 87:253
Mills, J.W., Thurau, K., Doerge, A., Rick, R.: Electron Microprobe Analysis of Intracellular Electrolytes in Resting and Isoproterenol-Stimulated Exocrine Glands of Frog Skin 86:211
Mills, R.G., *see* Leader, J.P., et al. 81:19
Mircheff, A.K., Ahnen, D.J., Islam, A., Santiago, N.A., Gray, G.M.: Complex Subcellular Distributions of Enzymatic Markers in Intestinal Epithelial Cells 83:95
Mironov, S.L., Dolgaya, E.V.: Surface Charge of Mammalian Neurones as Revealed by Microelectrophoresis 86:197
Mishal, Z., *see* Moktari, S., et al. 89:53
Miyamoto, H., *see* Ikehara, T., et al. 90:231
Moczydlowski, E., Alvarez, O., Vergara, C., Latorre, R.: Effect of Phospholipid Surface Charge on the Conductance and Gating of a Ca^{2+}-Activated K^+ Channel in Planar Lipid Bilayers 83:273
Moffett, D.F., Koch, A.R.: Barium Modifies the Concentration Dependence of Active Potassium Transport by Insect Midgut 86:89
Moktari, S., Feracci, H., Gorvel, J.-P., Mishal, Z., Rigal, A., Maroux, S.: Subcellular Fractionation and Subcellular Localization of Aminopeptidase N in the Rabbit Enterocytes 89:53
Molitoris, B.A., Simon, F.R.: Renal Cortical Brush-Border and Basolateral Membranes: Cholesterol and Phospholipid Composition and Relative Turnover 83:207
Montgomery, R.A.P., *see* Gray, M.A., et al. 88:85
Montrose, M.H., Bebernitz, G., Kimmich, G.A.: Evaluation of Ion Gradient-Dependent H^+ Transport Systems in Isolated Enterocytes from the Chick 88:55
Moore, L.C., *see* Latta, R., et al. 82:67
Moore, L.E., Clark, R.B., Shibata, E.F., Giles, W.R.: Comparison of Steady-State Electrophysiological Properties of Isolated Cells from Bullfrog Atrium and Sinus Venosus 89:131
Moore, L.E., Schmid, A., Isenberg, G.: Linear Electrical Properties of Isolated Cardiac Cells 81:29
Moran, A., Turner, R.J., Handler, J.S.: Hexose Regulation of Sodium-Hexose Transport in LLC-PK_1 Epithelia: The Nature of the Signal 82:59
Moran, W.M., Hudson, R.L., Schulz, S.G.: Kinetics of the Effect of Amiloride on the Permeability of the Apical Membrane of Rabbit Descending Colon to Sodium 87:55
Morel, F., *see* Castaing, M., et al. 89:251
Moronne, M., Macey, R.I.: Apparent Activation Volumes of Hydrophobic Ions and Carriers in Planar Lipid Bilayers 84:221
Moura, J.L.C. de, *see* Lewis, S.A. 82:123
Moura, T.F., Macey, R.I., Chien, D.Y., Karan, D., Santos, H.: Thermodynamics of All-or-None Water Channel Closure in Red Cells 81:105
Munck, B.G.: Transport of Imino Acids and Non-Amino Acids Across the Brush-Border Membrane of the Rabbit Ileum 83:15
Munck, B.G.: Transport of Neutral and Cationic Amino Acids across the Brush-Border Membrane of the Rabbit Ileum 83:1
Murer, H., *see* Brown, C.D.A. 87:131
Muresan, A., *see* Benga, Gh., et al. 89:127
Nagel, E., *see* Yamashita, N., et al. 87:241
Nagel, W., *see* Klemperer, G., et al. 90:89
Nakayama, T., *see* Terakawa, S. 85:65
Narvarte, J., Finn, A.L.: Effects of Intracellular Sodium and Potassium Iontophoresis on Membrane Potentials and Resistances in Toad Urinary Bladder 84:1
Nicholls, P., *see* Singh, A.P., et al. 84:183
Nikaido, H., Rosenberg, E.Y.: Functional Reconstitution of Lens Gap Junction Proteins into Protoliposomes 85:87
Nishiyama, P., *see* Furuya, K., et al. 89:75
Novak, T.S., *see* Bifano, E.M., et al. 82:1
Oberleithner, H., Guggino, W., Giebisch, G.: Resistance Properties of the Diluting Segment of *Amphiuma* Kidney: Influence of Potassium Adaptation 88:139
Oetliker, H., *see* Apell, H.-J., et al. 85:49
Ogata, E., *see* Yamashita, N., et al. 87:241
Ohkawa, T., *see* Kishimoto, U., et al. 86:27
Ohkawa, T., *see* Takeuchi, Y., et al. 86:17
Ohno-Shosaku, T., Okada, Y.: Electric Pulse-Induced Fusion of Mouse Lymphoma Cells: Roles of Divalent Cations and Membrane Lipid Domains 85:269
Okada, Y., *see* Ohno-Shosaku, T. 85:269
O'Neil, R.G., Hayhurst, R.A.: Sodium-Dependent Modulation of the Renal Na-K ATPase: Influence of Mineralocorticoids on the Cortical Collecting Duct 85:169
O'Neil, R.G., Sansom, S.C.: Electrophysiological Properties of

Cellular and Paracellular Conductive Pathways of the Rabbit Cortical Collecting Duct 82:281
O'Regan, S., *see* Vyas, S. 85:111
Orme, F.W., *see* Hunziker, A., et al. 84:147
Pachence, J., *see* Blasie, J.K., et al. 86:1
Page, E., *see* Manjunath, C.K. 90:43
Palant, C.E., *see* Fromm, M., et al. 87:141
Palmer, L.G.: Interactions of Amiloride and Other Blocking Cations with the Apical Na Channel in the Toad Urinary Bladder 87:191
Palmer, L.G.: Modulation of Apical Na Permeability of the Toad Urinary Bladder by Intracellular Na, Ca, and H 83:57
Panet, R., *see* Atlan, H., et al. 81:181
Parenti, P., *see* Giordana, B., et al. 88:45
Parenti, P., *see* Hanozet, G.M., et al. 81:233
Parisi, M., Merot, J., Bourguet, J.: Glutaraldehyde Fixation Preserves the Permeability Properties of the ADH-Induced Water Channels 86:239
Paterson, G.J., *see* Tyerman, S.D., et al. 89:139
Patterson, P.L., *see* Castle, J.D., et al. 87:13
Payan, P., *see* Allemand, D., et al. 87:217
Payet, M.D., Rousseau, E., Sauvé, R.: Single Channel Analysis of a Potassium Inward Rectifier in Myocytes of Newborn Rat Heart 86:79
Peracchia, C.: Communicating Junctions and Calmodulin: Inhibition of Electrical Uncoupling in *Xenopus* Embryo by Calmidazolium 81:49
Peracchia, C., *see* Girsch, S.J. 83:217, 227
Peskoff, A., *see* Bers, D.M., et al. 85:251
Petersen, O.H., *see* Findlay, I., et al. 83:169; 88:165
Petersen, O.H., *see* Iwatsuki, N. 86:139
Petersen, O.H., *see* Maruyama, Y. 81:83
Philipson, K.D., *see* Bers, D.M., et al. 85:251
Phillips, J.E., *see* Strange, K. 83:25
Pick, U., *see* Admon, A., et al. 86:45
Plagemann, P.G.W., Wohlhueter, R.M.: Hypoxanthine Transport in Mammalian Cells: Cell Type-Specific Differences in Sensitivity to Inhibition by Dipyridamole and Uridine 81:255
Poignant, S., *see* Vallet-Strouve, C., et al. 84:73
Pop, V., *see* Benga, Gh., et al. 89:127
Popescu, O., *see* Benga, Gh., et al. 89:127
Porcellati, G., *see* Binaglia, L., et al. 90:29
Quinta-Ferreira, M.E., Soria, B., Rojas, E.: Monovalent Cation Permeabilities of the Potassium Systems in the Crab Giant Axon 84:117
Quinta-Ferreira, M.E., *see* Soria, B., et al. 84:127
Rack, M., Woll, K.-H.: Effects of Chemical Modification of Carboxyl Groups on the Voltage-Clamped Nerve Fiber of the Frog 82:41
Raines, D.E., Cafiso, D.S.: Potential-Dependent Phase Partitioning of Fluorescent Hydrophobic Ions in Phospholipid Vesicles 82:241
Raymond, L., Slatin, S.L., Finkelstein, A.: Channels Formed by Colicin El in Planar Lipid Bilayers are Large and Exhibit pH-Dependent Ion Selectivity 84:173
Razin, M., *see* Tosteson, M.T., et al. 87:35
Reale, E., *see* Luciano, L., et al. 82:145
Rechkemmer, G., *see* Luciano, L., et al. 82:145
Reed, R.H.: Transient Breakdown in the Selective Permeability of the Plasma Membrane of *Chlorella emersonii* in Response to Hyperosmotic Shock: Implications for Cell Water Relations and Osmotic Adjustment 82:83
Reinach, P., Nagel, W.: Implications of an Anomalous Intracellular Electrical Response in Bullfrog Corneal Epithelium 87:201
Reinach, P.S., *see* Huff, J.W. 85:215
Reist, M., *see* Cacciola, S.O., et al. 81:139
Requena, J., Velaz, M.E., Guerrero, J.R., Medina, J.D.: Isomers of Long Chain Alkane Derivatives and Nervous Impulse Blockage 84:229
Restrepo, D., Kimmich, G.A.: The Mechanistic Nature of the Membrane Potential Dependence of Sodium-Sugar Cotransport in Small Intestine 87:159
Restrepo, D., Kimmich, G.A.: Phlorizin Binding to Isolated Enterocytes: Membrane Potential and Sodium Dependence 89:269
Reuben, J.P., *see* Sorenson, M.M., et al. 90:219
Richards, F.M., *see* Dumont, M.E., et al. 88:233
Rick, R., Beck, F.X., Dorge, A., Thurau, K.: Cl Transport in the Frog Cornea: An Electron Microprobe Analysis 83:235
Rick, R., *see* Mills, J.W., et al. 86:211
Riel, J.W. van, *see* Zuidema, T., et al. 88:293
Rigal, A., *see* Feracci, H., et al. 83:139
Rigal, A., *see* Moktari, S., et al. 89:53
Robbins, E., *see* Cereijido, M., et al. 81:41
Robello, M., *see* Usai, C., et al. 82:15
Roberti, R., *see* Binaglia, L., et al. 90:29
Rodriguez-Boulan, E.E., *see* López-Vancell, R., et al. 81:171
Rojas, E., *see* Quinta-Ferreira, M.E., et al. 84:117
Rojas, E., *see* Soria, B., et al. 84:127
Rose, B., *see* Yada, T., et al. 88:217
Rose, B., *see* Zimmerman, A.L. 84:269
Rosenberg, E.Y., *see* Nikaido, H. 85:87
Rosenheck, K., *see* Büchner, K.-H., et al. 88:131
Ross, S.M., Ferrier, J.M., Dainty, J.: Frequency-Dependent Membrane Impedance in *Chara corallina* Estimated by Fourier Analysis 85:233
Ross, S.M., *see* Ferrier, J.M., et al. 85:245
Rossier, B.C., *see* Truscello, A., et al. 89:173
Rossignol, M., Uso, T., Thomas, P.: Relationship between Fluidity and Ionic Permeability of Bilayers from Natural Mixtures of Phospholipids 87:269
Rossum, G.D.V. van, *see* Russo, M.A., et al. 85:1
Rothstein, A., *see* Grinstein, S. 90:1
Rottenberg, H.: Membrane Potential and Surface Potential in Mitochondria: Uptake and Binding of Lipophilic Cations 81:127
Rousseau, E., *see* Payet, M.D., et al. 86:79
Rubin, M.S., *see* Masur, S.K., et al. 89:39
Russo, M.A., Ernst, S.A., Kapoor, S.C., Rossum, G.D.V. van: Morphological and Physiological Studies of Rat Kidney Cortex Slices Undergoing Isosmotic Swelling and its Reversal: A Possible Mechanism for Ouabain-Resistant Control of Cell Volume 85:1
Sabatini, D.D., *see* Cereijido, M., et al. 81:41
Sacchi, V.F., *see* Giordana, B., et al. 88:45
Sacktor, B., *see* Liang, C.T., et al. 90:145
Sakai, Y., Isobe, A., Ichikawa, S.: Demarcation of Ca^{2+} Transport Processes in Guinea Pig Stomach Smooth Muscle 89:65
Saito, Y., Shimada, H., Imada, T., Kikuchi, T., Ikekawa, N., Inada, Y.: Lysis of Platelets and Erythrocytes by the Incorporation of a Unique Oxygenated Sterol: 22R-Hydroxycholesterol 83:187
Sandeaux, J., *see* Amblard, G., et al. 88:15
Sandeaux, R., *see* Amblard, G., et al. 88:15
Sanders, D.: Generalized Kinetic Analysis of Ion-Driven Cotransport Systems: II. Random Ligand Binding as a Simple Explanation for Non-Michaelian Kinetics 90:67
Sansom, S.C.: *see* O'Neil, R.G. 82:281
Santiago; N.A., *see* Mircheff, A.K., et al. 83:95

Santos, H., *see* Moura, T.F., et al. 81:105
Sariban-Sohraby, S., *see* Lazorick, K., et al. 86:69
Sauvé, R., *see* Payet, M.D., et al. 86:79
Schen, C.R., *see* Ehrlich, B.E., et al. 82:89
Scheuring, U., Kollewe, K., Haase, W., Schubert, D.: A New Method for the Reconstitution of the Anion Transport System of the Human Erythrocyte Membrane 90:123
Schmid, A., *see* Moore, L.E., et al. 81:29
Schmidt, W.: Bluelight-Induced Flavin-Mediated Transport of Redox Equivalents across Artificial Bilayer Membranes 82:113
Schnakenberg, J., *see* Dirnberger, G., et al. 83:39
Schnetkamp, P.P.M.: Ca^{2+} Buffer Sites in Intact Bovine Rod Outer Segments: Introduction to a Novel Optical Probe to Measure Ionic Permeabilities in Suspensions of Small Particles 88:249
Schnetkamp, P.P.M.: Ionic Permeabilities of the Plasma Membrane of Isolated Intact Bovine Rod Outer Segments as Studied with a Novel Optical Probe 88:263
Schubert, D., *see* Scheuring, U., et al. 90:123
Schultz, S.G., Thompson, S.M.: *Reply to*: Time-Dependent Phenomena in Voltage-Clamped Epithelia (*Letter to the Editor*) 87:175
Schultz, S.G., *see* Moran, W.M., et al. 87:55
Schulz, I., *see* Bayerdörffer, E., et al. 81:69; 84:45; 87:107
Schulz, I., *see* Streb, H., et al. 81:241
Sekar, M.C., Hokin, L.E.: The Role of Phosphoinositides in Signal Transduction (*Topical Review*) 89:193
Sen, A., *see* Hui, S.W., et al. 84:137
Seto-Young, D., Chen, C.-C., Wilson, T.H.: Effect of Different Phospholipids on the Reconstitution of Two Functions of the Lactose Carrier of *Escherichia coli* 84:259
Sheridan, J.D., *see* Larson, D.M. 83:157
Shibata, E.F., *see* Moore, L.E., et al. 89:131
Shigematsu, T., *see* Matubayasi, N., et al. 90:37
Shimada, H., *see* Saito, Y., et al. 83:187
Shorofsky, S.R., Field, M., Fozzard, H.A.: Mechanism of Cl Secretion in Canine Trachea: Changes in Intracellular Chloride Activity with Secretion 81:1
Sigrist, H., *see* Cacciola, S.O., et al. 81:139
Simmons, N.L., *see* Tivey, D.R., et al. 87:93
Simon, F.R., *see* Molitoris, B.A. 83:207
Simon, S.A., *see* Garvin, J.L., et al. 87:45; 90:107
Simons, T.G.B.: Influence of Lead Ions on Cation Permeability in Human Red Cell Ghosts 84:61
Sims, P.J., *see* Wiedmer, T. 84:249
Singh, A.P., Chanady, G.A., Nicholls, P.: Interactions Involving the Cyanine Dye, diS-C_3-(5) Cytochrome *c* and Liposomes and their Implications for Estimations of $\Delta\psi$ in Cytochrome *c* Oxidase-Reconstituted Protoliposomes 84:183
Singhal, G.S., *see* Das, S. 86:221
Slatin, S.L., *see* Raymond, L., et al. 84:173
Smith, C.J., *see* McKinney, L.C., et al. 83:177
Smith, H.O., *see* Kahn, M.E. 81:89
Smith, J.A.C., *see* Löttge, U. 81:149
Smith, J.R., Walker, N.A.: Effects of pH and Light on the Membrane Conductance Measured in the Acid and Basic Zones of *Chara* 83:193
Smith, S.O., Lugtenburg, J., Mathies, R.A.: Determination of Retinal Chromophore Structure in Bacteriorhodopsin with Resonance Raman Spectroscopy (*Topical Review*) 85:95
Snyder, D., *see* Atlan, H., et al. 81:181
Soderquist, A.M., Carpenter, G.: Biosynthesis and Metabolic Degradation of Receptors for Epidermal Growth Factor 90:97
Sokolik, A.I., Yurin, V.M.: Potassium Channels in Plasmalemma of *Nitella* Cells at Rest 89:9
Solomon, A.K., *see* Dix, J.A., et al. 89:211
Solomon, A.K., *see* Dorogi, P.L. 85:37
Sorenson, M.M., Coelho, H.S.L., Reuben, J.P.: Caffeine Inhibition of Calcium Accumulation by the Sarcoplasmic Reticulum in Mammalian skinned Fibers 90:219
Soria, B., Arispe, N., Quinta-Ferreira, M.E., Rojas, E.: Differential Blockage of Two Types of Potassium Channels in the Crab Giant Axon 84:127
Soria, B., *see* Quinta-Ferreira, M.E., et al. 84:117
Spring, K.R., Larson, M.: Volume Regulation by *Necturus* Gallbladder (*Letter to the Editor*) 84:191
Spring, K.R., *see* Jensen, P.K., et al. 82:95
Spring, K.R., *see* Larson, M. 81:219
Spudich, J.L., *see* Ehrlich, B.E., et al. 82:89
Stampe, P., see Vestergaard-Bogind, B., et al. 88:67
Stark, G., Strässle, M., Takácz, Z.: Temperature-Jump and Voltage-Jump Experiments at Planar Lipid Membranes Support an Aggregational (Micellar) Model of the Gramicidin A Ion Channel 89:23
Stefani, E., *see* Cereijido, M., et al. 81:41
Stefani, E., *see* López-Vancell, R., et al. 81:171
Steponkus, P.L., Stout, D.G., Wolfe, J., Lovelace, R.V.E.: Possible Role of Transient Electric Fields in Freezing-Induced Membrane Destabilization 85:191
Steponkus, P.L., *see* Lovelace, R.V.E., et al. 82:157
Steponkus, P.L., *see* Wolfe, J., et al. 86:127
Stevens, B.R., Wright, E.M.: Substrate Specificity of the Intestinal Brush-Border Proline/Sodium (*IMINO*) Transporter 87:27
Steward, M.C., Garson, M.J.: Water Permeability of *Necturus* Gallbladder Epithelial Cell Membranes Measured by Nuclear Magnetic Resonance 86:203
Steward, M.C., *see* Case, R.M., et al. 84:239
Stieve, H., *see* Dirnberger, G., et al. 83:39
Stout, D.G., *see* Lovelace, R.V.E., et al. 82:157
Stout, D.G., *see* Steponkus, P.L., et al. 85:191
Strange, K., Phillips, J.E.: Cellular Mechanism of HC_3^- and Cl^- Transport in Insect Salt Gland 83:25
Strässle, M., *see* Stark, G., et al. 89:23
Streb, H., Bayerdörffer, E., Haase, W., Irvine, R.F., Schulz, I.: Effect of Inositol-1,4,5-Triphosphate on Isolated Subcellular Fractions of Rat Pancreas 81:241
Streb, H., *see* Bayerdörffer, E., et al. 81:69
Sturtevant, J.M., *see* Miljanich, G.P., et al. 85:79
Sze, H., *see* Holden, M.J., et al. 87:151
Takácz, Z., *see* Stark, G., et al. 89:23
Takeuchi, Y., Kishimoto, U., Ohkawa, T., Kami-Ike, N.: A Kinetic Analysis of the Electrogenic Pump of *Chara corallina*: II. Dependence of the Pump Activity on External pH 86:17
Takeuchi, Y., *see* Kishimoto, U., et al. 86:27
Takuwa, Y., *see* Yamashita, N., et al. 87:241
Talvenheimo, J.A.: The Purification of Ion Channels from Excitable Cells (*Topical Review*) 87:77
Tam, K., *see* Bowen, K.A., et al. 86:51
Tateishi, N., *see* Bannai, S. 89:1
Teissié, J., *see* Blangero, C. 86:247
Tellier, C., *see* Vallet-Strouve, C., et al. 84:73
Terakawa, S., Nakayama, T.: Are Axoplasmic Microtubules Necessary for Membrane Excitation? 85:65
Thomas, P., *see* Rossignol, M., et al. 87:269
Thompson, S.M., see Schultz, S.G. 87:175
Thurau, K., *see* Mills, J.W., et al. 86:211
Thurau, K., *see* Rick, R., et al. 83:235
Tivey, D.R., Simmons, N.L., Aiton, J.F.: Role of Passive Potassium Fluxes in Cell Volume Regulation in Cultured HeLa Cells 87:93
Tosteson, D.C., *see* Tosteson, M.T., et al. 87:35

Tosteson, M.T., Holmes, S.J., Razin, M., Tosteson, D.C.: Melittin Lysis of Red Cells 87:35
Tourneur, Y.: Action Potential-Like Responses due to the Inward Rectifying Potassium Channel 90:115
Trapane, T.L., *see* Urry, D.W., et al. 89:107
Trewhella, J., *see* Dumont, M.E., et al. 88:233
Truscello, A., Gäggeler, H.P., Rossier, B.C.: Thyroid Hormone Antagonizes an Aldosterone-Induced Protein: A Candidate Mediator for the Late Mineralocorticoid Response 89:173
Tse, S.S., Liu, D., Bildstein, C.L., Mamelok, R.D.: Effects of Trypsin and Protein Modification on the Renal Transporter of *p*-Aminohippurate 82:249
Tsuchiya, T., *see* Chen, C.-C., et al. 84:157
Turner, R.J.: Solution of Carrier-Type T Transport Models: General Solution for an Arbitrarily Complex Rapid Equilibrium Model 88:77
Turner, R.J.: *see* Moran, A., et al. 82:59
Tyerman, S.D., Findlay, G.P., Paterson, G.J.: Inward Membrane Current in *Chara inflata*: I. A Voltage- and Time-Dependent Cl^- Component 89:139
Tyerman, S.D., Findlay, G.P., Paterson, G.J.: Inward Membrane Current in *Chara inflata*: II. Effects of pH, Cl^--Channel-Blockers and NH_4^+, and Significance for the Hyperpolarized State 89:153
Ueda, I., *see* Matubayasi, N., et al. 90:37
Urry, D.W., Alonso-Romanowski, S., Venkatachalam, C.M., Bradley, R.J., Harris, R.D.: Temperature Dependence of Single Channel Currents and the Peptide Liberation Mechanism for Ion Transport through the Gramicidin A Transmembrane Channel 81:205
Urry, D.W., Trapane, T.L., Venkatachalam, C.M.: Potassium −39 NMR of K^+ Interaction with the Gramicidin Channel and NMR-Derived Conductance Ratios for Na^+, K^+, and Rb^+ 89:107
Usai, C., Robello, M., Gambale, F., Marchetti, C.: Effect of Gangliosides on Phospholipid Bilayers: A Study with the Lipophilic Ions Relaxation Method 82:15
Uso, T., *see* Rossignol, M., et al. 87:269
Ussing, H.H., *see* Eskesen, K., et al. 86:99, 105
Vallet-Strouve, C., Tellier, C., Poignant, S., Boucrot, P.: Effect of Micellar Lipids on Rabbit Intestinal Brush-Border Membrane Phospholipid Bilayer Integrity Studied by ^{31}P NMR 84:73
Velaz, M.E., *see* Requena, J., et al. 84:229
Venkatachalam, C.M., *see* Urry, D.W., et al. 81:205; 89:107
Vergara, C., *see* Moczydlowski, E., et al. 83:273
Verkman, A.S., *see* Cabrini, G. 90:163
Verkman, A.S., *see* Dix, J.A., et al. 89:211
Vestergaard-Bogind, R., Stampe, P., Christophersen, P.: Single-File Diffusion through the Ca^{2+}-Activated K^+ Channel of Human Red Cells 88:67
Vyas, S., O'Regan, S.: Reconstitution of Carrier-Mediated Choline Transport in Proteoliposomes Prepared from Presynaptic Membranes of *Torpedo* Electric Organ, and its Internal Ionic Requirements 85:111
Walker, N.A., *see* Smith, J.R. 83:193
Walter, A., Gutknecht, J.: Permeability of Small Nonelectrolytes through Lipid Bilayer Membranes 90:207
Warncke, J., Lindemann, B.: Voltage Dependence of Na Channel Blockage by Amiloride: Relaxation Effects in Admittance Spectra 86:255
Weigensberg, A.M., Blostein, R.: Na^+-Coupled Glycine Transport in Reticulocyte Vesicles of Distinct Sidedness: Stoichiometry and Symmetry 86:37
Weisman, G.A., *see* Friedberg, I., et al. 83:251
Weisman, G.A., *see* Heppel, L.A., et al. 86:189
Welsh, M.J.: Basolateral Membrane Potassium Conductance is Independent of Sodium Pump Activity and Membrane Voltage in Canine Tracheal Epithelium 84:25
Welsh, M.J.: Ion Transport by Primary Cultures of Canine Tracheal Epithelium: Methodology, Morphology, and Electrophysiology 88:149
Wendler, S., Zimmerman, U.: Compartment Analysis of Plant Cells by Means of Turgor Pressure Relaxation: I. Theoretical Considerations 85:121
Wendler, S., Zimmerman, U.: Compartment Analysis of Plant Cells by Means of Turgor Pressure Relaxation: II. Experimental Results on *Chara corallina* 85:133
Werner, R., Miller, T., Azarnia, R., Dahl, G.: Translation and Functional Expression of Cell-Cell Channel mRNA in *Xenopus* Oocytes 87:253
Wiederholt, M., *see* Jentsch, T.J., et al. 81:189
Wiedmer, T., Sims, P.J.: Cyanine Dye Fluorescence Used to Measure Membrane Potential Changes due to the Assembly of Complement Proteins C5b-9 84:249
Williams, A.J., *see* Gray, M.A., et al. 88:85
Wilson, T.H., *see* Chen, C.-C., et al. 84:157
Wilson, T.H., *see* Seto-Young, D., et al. 84:259
Wohlhueter, R.M., *see* Plagemann, P.G.W. 81:255
Wolfe, J., Dowgert, M.F., Steponkus, P.L.: Dynamics of Membrane Exchange of the Plasma Membrane and the Lysis of Isolated Protoplasts during Rapid Expansions in Area 86:127
Wolfe, J., *see* Steponkus, P.L., et al. 85:191
Woll, K.-H., *see* Rack, M. 82:41
Wolosin, J.M., Forte, J.G.: K^+ and Cl^- Conductances in the Apical Membrane from Secreting Oxyntic Cells are Concurrently Inhibited by Divalent Cations 83:261
Wood, J.U., *see* Chen, C.-C., et al. 84:157
Worman, H.J., Field, M.: Osmotic Water Permeability of Small Intestinal Brush-Border Membranes 87:233
Wright, E.M., *see* Bindslev, N. 81:159
Wright, E.M., *see* Stevens, B.R. 87:27
Yada, T., Rose, B., Loewenstein, W.R.: Diacylglycerol Downregulates Junctional Membrane Permeability. TMB-8 Blocks this Effect 88:217
Yamagishi, S., *see* Furuya, K., et al. 89:75
Yamaguchi, H., *see* Ikehara, T., et al. 90:231
Yamane, Y., see Chen, C.-C., et al. 84:157
Yamashita, N., Takuwa, Y., Ogata, E.: Growth Hormone-Releasing Factor Reduces Voltage-Gated Ca^{2+} Channel Current in Rat GH_3 Cells 87:241
Yeagle, P.L., *see* Albert, A.D., et al. 87:211
Yonezu, T., *see* Ikehara, T., et al. 90:231
Young, J.A., *see* Case, R.M., et al. 84:239
Yurin, V.M., *see* Sokolik, A.I. 89:9
Zadunaisky, J.A., *see* Cherksey, B.D., et al. 84:105
Zahler, P., *see* Cacciola, S.O., et al. 81:139
Zampighi, G., Kreman, M.: Intercellular Fibrillar Skeleton in the Basal Interdigitations of Kidney Tubular Cells 88:33
Zeevi, A., Margalit, R.: Selective Transport of Li^+ across Lipid Bilayer Membranes Mediated by an Ionophore of Novel Design (ETH 1644) 86:61
Zeldin, D.C., Corcia, A., Armstrong, W. McD.: Cyclic AMP-Induced Changes in Membrane Conductance of *Necturus* Gallbladder Epithelial Cells 84:193
Zevely, E.M., *see* Henderson, G.B. 85:263; 89:99
Zimmerman, A.L., Rose, B.: Permeability Properties of Cell-to-Cell Channels: Kinetics of Fluorescent Tracer Diffusion through a Cell Junction 84:269
Zimmerman, U., *see* Büchner, K.-H., et al. 88:131
Zimmerman, U., *see* Wendler, S. 85:121,133
Zuidema, T., Riel, J.W. van, Heukelom, J.S. van: Cellular and Transepithelial Responses of Goldfish Intestinal Epithelium to Chloride Substitutions 88:293

Subject Index—Volumes 81–90

A antigenicity
—, biosynthesis and intracellular pool of aminopeptidase N in rabbit enterocytes, Feracci, H., Rigal, A., Maroux, S. 83:139
A431 cells
—, biosynthesis and metabolic degradation of receptors for epidermal growth factor, Soderquist, A.M., Carpenter, G. 90:97
A6 cells
—, synthesis and characterization of methylbromoamiloride, a potential biochemical probe of epithelial Na^+ channels, Lazorick, K., Miller, C., Sariban-Sohraby, S., Benos, D. 86:69
Absorbance of dye
—, interactions involving the cyanine dye, dis-C_3-(5), cytochrome *c* and liposomes and their implications for estimations of $\Delta\psi$ in cytochrome *c* oxidase-reconstituted proteoliposomes, Singh, A.P., Chanady, G.A., Nicholls, P. 84:183
Acetylcholine receptor/channel
—, phosphorylation of ion channels, Levitan, I.B. 87:177
Acetylcholine synthesis
—, reconstitution of carrier-mediated choline transport in proteoliposomes prepared from presynaptic membranes of *Torpedo* electric organ, and its internal and external ionic requirements, Vyas, S., O'Regan, S. 85:111
Action potential
—, a kinetic analysis of the electrogenic pump of *Chara corallina*: III. pump activity during action potential, Kishimoto, U., Takeuchi, Y., Ohkawa, T., Kami-ike, N. 86:27
—, action potential-like responses due to the inward rectifying potassium channel, Tourneur, Y. 90:115
—, calcium-dependent anion channel in the water mold, *Blastocladiella emersonii*, Caldwell, J.H., Van Brunt, J., Harold, F.M. 89:85
—, growth hormone-releasing factor reduces voltage-gated Ca^{2+} channel current in rat GH_3 cells, Yamashita, N., Takuwa, Y., Ogata, E. 87:241
—, molecular motion underlying activation and inactivation of sodium channels in squid giant axons, Landowne, D. 88:173
Activation energy
—, optical study of active ion transport in lipid vesicles containing reconstituted Na,K-ATPase, Apell, H.-J., Marcus, M.M., Anner, B.M., Oetliker, H., Läuger, P. 85:49
Activation volume
—, apparent activation volumes of hydrophobic ions and carriers in planar lipid bilayers, Moronne, M., Macey, R.I. 84:221
—, K^+:Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
Adenosine
—, indirect effects of adenosine triphosphate on chloride secretion in mammalian colon, Cuthbert, A.W., Hickman, M.E. 86:157
—, purinergic regulation of basal and arginine vasopressin-stimulated hydraulic conductivity in rabbit cortical collecting tubule, Dillingham, M.A., Anderson, R.J. 88:277
Adenylate cyclase
—, direct insertion and fluorescence studies of rhodamine-labeled β-adrenergic receptors in cell membranes, Cherksey, B.D., Mendelsohn, S.A., Zadunaisky, J.A., Altszuler, N. 84:105
—, reconstitution of the β-adrenergic receptor, Lefkowitz, R.J., Cerione, R.A., Codina, J., Birnbaumer, L., Caron, M.G. 87:1
Admittance
—, linear electrical properties of isolated cardiac cells, Moore, L.E., Schmid, A., Isenberg, G. 81:29
—, voltage dependence of Na channel blockage by amiloride: relaxation effects in admittance spectra, Warncke, J., Lindemann, B. 86:255
ADP
—, indirect effects of adenosine triphosphate on chloride secretion in mammalian colon, Cuthbert, A.W., Hickman, M.E. 86:157
Adrenal medulla
—, the chromaffin granule proton pump and calcium-dependent exocytosis in bovine adrenal medullary cells, Knight, D.E., Baker, P.F. 83:147
Adrenergic
—, direct insertion and fluorescence studies of rhodamine-labeled β-adrenergic receptors in cell membranes, Cherksey, B.D., Mendelsohn, S.A., Zadunaisky, J.A., Altszuler, N. 84:105
Affinity label
—, kinetics of irreversible inhibition of choline transport in synaptosomes by ethylcholine mustard aziridinium, Curti, D., Marchbanks, R.M. 82:259
Airways
—, ion transport by primary cultures of canine tracheal epithelium: methodology, morphology, and electrophysiology, Welsh, M.J. 88:149
Alanine transport
—, L- and D-alanine transport in brush border membrane vesicles from lepidopteran midgut: evidence for two transport systems, Hanozet, G.M., Giordana, B., Parenti, P., Guerritore, A. 81:233
—, uptake of valine and alanine by a neutral amino-acid carrier in sea urchin eggs: cyclic variations in the early cleavage stage, Allemand, D., De Renzis, G., Maistre, C., Girard, J.-P., Payan, P. 87:217
Alcohols
—, dose-dependent nonlinear response of the main phase-transition temperature of phospholipid membrane to alcohols, Kamaya, H., Ma, S., Lin, S.H. 90:157
—, isomers of long-chain alkane derivatives and nervous impulse blockage, Requena, J., Velaz, M.E., Guerrero, J.R., Medina, J.D. 84:229
Aldosterone
—, apical membrane area of rabbit urinary bladder increases by fusion of intracellular vesicles: an electrophysiological study, Lewis, S.A., de Moura, J.L.C. 82:123
—, binding of ^{3}H-phenamil, an irreversible amiloride analog, to toad urinary bladder: effects of aldosterone and vasopressin, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 90:107
—, mechanisms of aldosterone action in tight epithelia, Garty, H. 90:193
—, sodium-dependent modulation of the renal Na-K-ATPase: influence of mineralocorticoids on the cortical collecting duct, O'Neil, R.G., Hayhurst, R.A. 85:169
—, thyroid hormone antagonizes an aldosterone-induced pro-

tein: a candidate mediator for the late mineralocorticoid response, Truscello, A., Gäggeler, H.P., Rossier, B.C. 89:173

Alkali cations
—, effects of nystatin on intracellular contents and membrane transport of alkali cations, and cell volume in HeLa cells, Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Miyamoto, H. 90:231

Alkalophiles
—, bioenergetics of alkalophilic bacteria, Krulwich, T.A. 89:113

Alpha-toxin
—, ionic channels formed by *Staphylococcus aureus* alpha-toxin: voltage-dependent inhibition by divalent and trivalent cations, Menestrina, G. 90:177

Amiloride
—, amiloride blockable sodium fluxes in toad bladder membrane vesicles, Garty, H. 82:269
—, amiloride-sensitive Na^+ transport in human red cells: evidence for a Na/H exchange system, Escobales, N., Canessa, M. 90:21
—, binding of ^3H-phenamil, an irreversible amiloride analog, to toad urinary bladder: effects of aldosterone and vasopressin, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 90:107
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
—, identification of apical membranes from tight epithelia using spin-labeled amiloride and electron paramagnetic resonance spectroscopy, Costa, C.J., Kirschner, L.B., Cragoe, E.J., Jr. 82:49
—, interactions of amiloride and other blocking cations with the apical Na channel in the toad urinary bladder, Palmer, L.G. 87:191
—, kinetics of the effect of amiloride on the permeability of the apical membrane of rabbit descending colon to sodium, Moran, W.M., Hudson, R.L., Schultz, S.G. 87:55
—, mechanisms of regulation of the Na^+/H^+ exchanger, Grinstein, S., Rothstein, A. 90:1
—, Na^+/Ca^{2+} countertransport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Haase, W., Schulz, I. 87:107
—, phenamil: an irreversible inhibitor of sodium channels in the toad urinary bladder, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 87:45
—, sodium-dependent modulation of the renal Na-K-ATPase: influence of mineralocorticoids on the cortical collecting duct, O'Neil, R.G., Hayhurst, R.A. 85:169
—, structure–activity relationship of amiloride analogs as blockers of epithelial Na channels: I. pyrazine-ring modifications, Li, J.H.-Y., Cragoe, E.J., Jr., Lindemann, B. 83:45
—, synthesis and characterization of methylbromoamiloride, a potential biochemical probe of epithelial Na^+ channels, Lazorick, K., Miller, C., Sariban-Sohraby, S., Benos, D. 86:69
—, voltage dependence of Na channel blockage by amiloride: relaxation effects in admittance spectra, Warncke, J., Lindemann, B. 86:255

Amiloride-sensitive sodium channels
—, amiloride-sensitive Na^+ transport in human red cells: evidence for a Na/H exchange system, Escobales, N., Canessa, M. 90:21
—, modification of apical Na permeability of the toad urinary bladder by intracellular Na, Ca, and H, Palmer, L.G. 83:57

Amino acid transport
—, electrogenic K^+-basic amino-acid cotransport in the midgut of lepidopteran larvae, Giordana, B., Parenti, P., Hanozet, G.M., Sacchi, V.F. 88:45
—, L- and D-alanine transport in brush border membrane vesicles from lepidopteran midgut: evidence for two transport systems, Hanozet, G.M., Giordana, B., Parenti, P., Guerritore, A. 81:233
—, measurement of amino acid transport in internally dialyzed giant axons, Horn, L.W. 89:185
—, on the strategy of kinetic discrimination of amino acid transport systems, Christensen, H.N. 84:97
—, substrate specificity of the intestinal brush-border proline/sodium (*IMINO*) transporter, Stevens, B.R., Wright, E.M. 87:27
—, transport of imino acids and non-α-amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:15
—, transport of neutral and cationic amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:1
—, uptake of valine and alanine by a neutral amino-acid carrier in sea urchin eggs: cyclic variations in the early cleavage stage, Allemand, D., De Renzis, G., Maistre, C., Girard, J.-P., Payan, P. 87:217

Aminopeptidase
—, biosynthesis and intracellular pool of aminopeptidase N in rabbit enterocytes, Feracci, H., Rigal, A., Maroux, S. 83:139
—, subcellular fractionization and subcellular localization of aminopeptidase N in the rabbit enterocytes, Moktari, S., Feracci, H., Gorvel, J.-P., Mishal, Z., Rigal, A., Maroux, S. 89:53

AMP
—, indirect effects of adenosine triphosphate on chloride secretion in mammalian colon, Cuthbert, A.W., Hickman, M.E. 86:157

Amphibian
—, mechanisms of $1,25(OH)_2D_3$-induced rapid changes of membrane potential in proximal tubule: role of Ca-dependent K^+ channels, Edelman, A., Garabedian, M., Anagnostopoulos, T. 90:137

Amphiphilic flavin
—, bluelight-induced, flavin-mediated transport of redox equivalents across artificial bilayer membranes, Schmidt, W. 82:113

Amphotericin B
—, mechanism of anion-cation selectivity of amphotericin B channels, Borisova, M.P., Brutyan, R.A., Ermishkin, L.N. 90:13

Amtimitotic drugs
—, uptake of valine and alanine by a neutral amino-acid carrier in sea urchin eggs: cyclic variations in the early cleavage stage, Allemand, D., De Renzis, G., Maistre, C., Girard, J.-P., Payan, P. 87:217

Anesthesia
—, dose-dependent nonlinear response of the main phase-transition temperature of phospholipid membranes to alcohols, Kamaya, H., Ma, S., Lin, S.H. 90:157
—, isomers of long-chain alkane derivatives and nervous impulse blockage, Requena, J., Velaz, M.E., Guerrero, J.R., Medina, J.D. 84:229

Anion channel
—, calcium-dependent anion channel in the water mold, *Blastocladiella emersonii*, Caldwell, J.H., Van Brunt, J., Harold, F.M. 89:85
Anion transport
—, a new method for the reconstitution of the anion transport system of the human erythrocyte membrane, Scheuring, U., Kollewe, K., Haase, W., Schubert, D. 90:123
—, binding of chloride and a disulfonic stilbene transport inhibitor to red cell band 3, Dix, J.A., Verkman, A.S., Solomon, A.K. 89:211
—, effects of the anion transport inhibitor, SITS, on the proximal straight tubule of the rabbit perfused *in vitro*, Biagi, B.A. 88:25
—, functional evidence for distinct interaction of hydrophobic arylisothiocyanates with the erythrocyte anion transport protein, Cacciola, S.O., Sigrist, H., Reist, M., Cabantchik, Z.I., Zahler, P. 81:139
—, interaction of thiourea with band 3 in human red cell membranes, Dorogi, P.L., Solomon, A.K. 85:37
—, properties of an anion/H^+ cotransport system in L1210 cells that utilizes phthalate as a nonphysiological substrate, Henderson, G.B., Zevely, E.M. 89:99
Anionic sites
—, intracellular binding of cationized ferritin prolongs the time course of sodium channel inactivation in squid giant axons, Furuya, K., Hirano, H., Nishiyama, F., Kukita, F., Yamagishi, S. 89:75
Anions
—, cell K activity in frog skin in the presence and absence of cell current, Garcia-Diaz, J.F., Baxendale, L.M., Klemperer, G., Essig, A. 85:143
—, effects of anions on cellular volume and transepithelial Na^+ transport across toad urinary bladder, Lewis, S.A., Butt, A.G., Bowler, M.J., Leader, J.P., Macknight, A.D.C. 83:119
—, mechanism of anion-cation selectivity of amphotericin B channels, Borisova, M.P., Brutyan, R.A., Ermishkin, L.N. 90:13
—, presence of an extramitochondrial anion-stimulated ATPase in the rabbit kidney: localization along the nephron and effect of corticosteroids, Abdelkhalek, M.B., Barlet, C., Doucet, A. 89:225
—, substrate and inhibitor specificity of anion exchangers on the brush border membrane of rabbit ileum, Knickelbein, R.G., Aronson, P.S., Dobbins, J.W. 88:199
Antidiuretic hormone
—, isolation and characterization of granules of the toad bladder, Masur, S.K., Cooper, S., Massardo, S., Gronowicz, G., Rubin, M.S. 89:39
Antigens
—, identification of high molecular weight antigens structurally related to gamma-glutamyl transferase in epithelial tissues, Castle, J.D., Cameron, R.S., Patterson, P.L., Ma, A.K. 87:13
Antiport
—, bioenergetics of alkalophilic bacteria, Krulwich, T.A. 89:113
—, mechanism of regulation of the Na^+/H^+ exchanger, Grinstein, S., Rothstein, A. 90:1
Apical/basolateral polarization
—, tight junction formation in cultured epithelial cells (MDCK), Gonzalez-Mariscal, L., Chavez de Ramirez, B., Cereijido, M. 86:113
Apical cell membranes
—, apical membrane area of rabbit urinary bladder increases by fusion of intracellular vesicles: an electrophysiological study, Lewis, S.A., de Moura, J.L.C. 82:123
—, Ba^{2+}-sensitive potassium permeability of the apical membrane in newt kidney proximal tubule, Kawahara, K. 88:283
—, characterization of a Na:K:2Cl cotransport system in the apical membrane of a renal epithelial cell line (LLC-PK_1), Brown, C.D.A., Murer, H. 87:131
—, identification of apical membranes from tight epithelia using spin-labeled amiloride and electron paramagnetic resonance spectroscopy, Costa, C.J., Kirschner, L.B., Cragoe, E.J., Jr. 82:49
—, implications of an anomalous intracellular electrical response in bullfrog corneal epithelium, Reinach, P., Nagel, W. 87:201
—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
—, kinetics of the effect of amiloride on the permeability of the apical membrane of rabbit descending colon to sodium, Moran, W.M., Hudson, R.L., Schultz, S.G. 87:55
Apical membrane conductances
—, cyclic AMP-induced changes in membrane conductance of *Necturus* gallbladder epithelial cells, Zeldin, D.C., Corcia, A., Armstrong, W.McD. 84:193
Apical membrane potentials
—, cyclic AMP-induced changes in membrane conductance of *Necturus* gallbladder epithelial cells, Zeldin, D.C., Corcia, A., Armstrong, W.McD. 84:193
Apical plasma membrane
—, identification of high molecular weight antigens structurally related to gamma-glutamyl transferase in epithelial tissues, Castle, J.D., Cameron, R.S., Patterson, P.L., Ma, A.K. 87:13
Apical sodium permeability
—, apical sodium entry in split frog skin: current-voltage relationship, DeLong, J., Civan, M.M. 82:25
—, effects of internal and external pH on amiloride-blockable Na^+ transport across toad urinary bladder vesicles, Garty, H., Civan, E.D., Civan, M.M. 87:67
—, interactions of amiloride and other blocking cations with the apical Na channel in the toad urinary bladder, Palmer, L.G. 87:191
Aplysia neurons
—, phosphorylation of ion channels, Levitan, I.B. 87:177
Arachidonic acid
—, the role of phosphoinositides in signal transduction, Sekar, M.C., Hokin, L.E. 89:193
Arrhenius plots
—, modification of apical Na permeability of the toad urinary bladder by intracellular Na, Ca, and H, Palmer, L.G. 83:57
—, temperature dependence of single channel currents and the peptide libration mechanism for ion transport through the gramicidin A transmembrane channel, Urry, D.W., Alonso-Romanowski, S., Ventakalachalam, C.M., Bradley, R.J., Harris, R.D. 81:205
Arylisothiocyanates
—, functional evidence for distinct interaction of hydrophobic arylisothiocyanates with the erythrocyte anion transport protein, Cacciola, S.O., Sigrist, H., Reist, M., Cabantchik, Z.I., Zahler, P. 81:139

Asymmetric inhibition
—, asymmetrical binding of phloretin to the glucose transport system of human erythrocytes, Krupka, R.M. 83:71
ATP
—, ATP-sensitive inward rectifier and voltage- and calcium-activated K^+ channels in cultured pancreatic islet cells, Findlay, I., Dunne, M.J., Petersen, O.H. 88:165
—, bioenergetics of alkalophilic bacteria, Krulwich, T.A. 89:113
—, caffeine inhibition of calcium accumulation by the sarcoplasmic reticulum in mammalian skinned fibers, Sorenson, M.M., Coelho, H.S.L., Reuben, J.P. 90:219
—, conformational states of sarcoplasmic reticulum Ca^{2+}-ATPase as studied by proteolytic cleavage, Andersen, J.P., Jorgensen, P.L. 88:187
—, indirect effects of adenosine triphosphate on chloride secretion in mammalian colon, Cuthbert, A.W., Hickman, M.E. 86:157
ATP-induced ΔpH
—, ATP-induced ΔpH formation in chloroplast ATP synthase proteoliposomes, Admon, A., Pick, U., Avron, M. 86:45
ATP synthase complex (CF_0CF_1)
—, ATP-induced ΔpH formation in chloroplast ATP synthase proteoliposomes, Admon, A., Pick, U., Avron, M. 86:45
ATPase inhibitors
—, presence of an extramitochondrial anion-stimulated ATPase in the rabbit kidney: localization along the nephron and effect of corticosteroids, Abdelkhalek, M.B., Barlet, C., Doucet, A. 89:225
Atrium
—, comparison of steady-state electrophysiological properties of isolated cells from bullfrog atrium and sinus venosus, Moore, L.E., Clark, R.B., Shibata, E.F., Giles, W.R. 89:131
Axon
—, are axoplasmic microtubules necessary for membrane excitation? Terakawa, S., Nakayama, T. 85:65
—, gating of sodium and potassium channels, Bezanilla, F. 88:97
—, intracellular binding of cationized ferretin prolongs the time course of sodium channel inactivation in squid giant axons, Furuya, K., Hirano, H., Nishiyama, F., Kukita, F., Yamagishi, S. 89:75
—, measurements of amino acid transport in internally dialyzed giant axons, Horn, L.W. 89:185
—, molecular motion underlying activation and inactivation of sodium channels in squid giant axons, Landowne, D. 88:173
—, phosphorylation of ion channels, Levitan, I.B. 87:177
Ba/Ba^{2+}, *see* Barium *entries*
Bacillus thuringiensis
—, delta endotoxin inhibits Rb^+ uptake, lowers cytoplasmic pH and inhibits a K^+-ATPase in *Manduca sexta* CHE cells, English, L.H., Cantley, L.C. 85:199
Bacteriorhodopsin
—, bacterial rhodopsins monitored with fluorescent dyes in vesicles and *in vivo*, Ehrlich, B.E., Schen, C.R., Spudich, J.L. 82:89
—, determination of retinal chromophore structure in bacteriorhodopsin with resonance Raman spectroscopy, Smith, S.O., Lugtenburg, J., Mathies, R.A. 85:95
—, effects of polyhydric alcohols on the conformational stability of the purple membrane, Draheim, J.E., Cassim, J.Y. 86:229
—, stability of transmembrane regions in bacteriorhodopsin studied by progressive proteolysis, Dumont, M.E., Trewhalla, J., Engelman, D.M., Richards, F.M. 88:233
Band 3 protein
—, a new method for the reconstitution of the anion transport system of the human erythrocyte membrane, Scheuring, U., Kollewe, K., Haase, W., Schubert, D. 90:123
—, binding of chloride and a disulfonic stilbene transport inhibitor to red cell band 3, Dix, J.A., Verkman, A.S., Solomon, A.K. 89:211
—, functional evidence for distinct interaction of hydrophobic arylisothiocyanates with the erythrocyte anion transport protein, Cacciola, S.O., Sigrist, H., Reist, M., Cabantchik, Z.I., Zahler, P. 81:139
—, interaction of thiourea with band 3 in human red cell membranes, Dorogi, P.L., Solomon, A.K. 85:37
Banding
—, effects of pH and light on the membrane conductance measured in the acid and basic zones of *Chara*, Smith, J.R., Walker, N.A. 83:193
Barium
—, electrophysiological properties of cellular and paracellular conductive pathways of the rabbit cortical collecting duct, O'Neil, R.G., Sansom, S.C. 82:281
—, implications of an anomalous intracellular response in bullfrog corneal epithelium, Reinach, P., Nagel, W. 87:201
—, intracellular calcium activity in split frog skin epithelium: effect of cAMP, Kelepouris, E., Agus, Z.S., Civan, M.M. 88:113
Barium ions
—, Ba^{2+}-sensitive potassium permeability of the apical membrane in newt kidney proximal tubule, Kawahara, K. 88:283
—, Ba^{2+} uptake and the inhibition by Ba^{2+} of K^+ flux into rat liver mitochondria, Diwan, J.J. 84:165
—, barium modifies the concentration dependence of active potassium transport by insect midgut, Moffett, D.F., Koch, A.R. 86:89
Basolateral K^+ conductance
—, cyclic AMP-induced changes in membrane conductance of *Necturus* gallbladder epithelial cells, Zeldin, D.C., Corcia, A., Armstrong, W.McD. 84:193
—, effects of anions on cellular volume and transepithelial Na^+ transport across toad urinary bladder, Lewis, S.A., Butt, A.G., Bowler, M.J., Leader, J.P., Macknight, A.D.C. 83:119
Basolateral membranes
—, basolateral membrane potential and conductance in frog skin exposed to high serosal potassium, Klemperer, G., Garcia-Diaz, J.F., Nagel, W., Essig, A. 90:89
—, complex subcellular distributions of enzymatic markers in intestinal epithelial cells, Mircheff, A.K., Ahnen, D.J., Islam, A., Santiago, N.A., Gray, G.M. 83:95
—, effects of the anion transport inhibitor, SITS, on the proximal straight tubule of the rabbit perfused *in vitro*, Biagi, B.A. 88:25
—, effects of trypsin and protein modification on the renal transporter of *p*-aminohippurate, Tse, S.S., Liu, D., Bildstein, C.L., Mamelok, R.D. 82:249
—, implications of an anomalous intracellular electrical response in bullfrog corneal epithelium, Reinach, P., Nagel, W. 87:201
—, intracellular calcium activity in split frog skin epithelium: effect of cAMP, Kelepouris, E., Agus, Z.S., Civan, M.M. 88:113

—, renal cortical brush-border and basolateral membranes: cholesterol and phospholipid composition and relative turnover, Molitoris, B.A., Simon, F.R. 83:207
Beta-receptors
—, direct insertion and fluorescence studies of rhodamine-labeled β-adrenergic receptors in cell membranes, Cherksey, B.D., Mendelsohn, S.A., Zadunaisky, J.A., Altszuler, N. 84:105
—, reconstitution of the β-adrenergic receptor, Lefkowitz, R.J., Cerione, R.A., Codina, J., Birnbaumer, L., Caron, M.G. 87:1
Bicarbonate
—, effects of the anion transport inhibitor, SITS, on the proximal straight tubule of the rabbit perfused *in vitro*, Biagi, B.A. 88:25
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
Bicarbonate transport
—, cellular mechanism of HCO_3^- and Cl^- transport in insect salt gland, Strange, K., Phillips, J.E. 83:25
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
Bilayer membranes (*also see* Lipid bilayer membranes)
—, bluelight-induced, flavin mediated transport of redox equivalents across artificial bilayer membranes, Schmidt, W. 82:113
—, channel formation in phospholipid bilayer membranes by the toxin of *Heminthosporium maydis*, Race T, Holden, M.J., Colombini, M., Sze, H. 87:151
—, phosphorylation of ion channels, Levitan, I.B. 87:177
—, relationship between fluidity and ionic permeability of bilayers from natural mixtures of phospholipids, Rossignol, M., Uso, T., Thomas, P. 87:269
—, the kinetic mechanism by which CCCP (carbonyl cyanide *m*-chlorophenylhydrazone) transports protons across membranes, Kasianowicz, J., Benz, R., McLaughlin, S. 82:179
Biliary salt
—, effect of micellar lipids on rabbit intestinal brush-border membrane phospholipid bilayer integrity studied by ^{31}P NMR, Vallet-Strouve, C., Tellier, C., Poignant, S., Boucrot, P. 84:73
Binding
—, binding of chloride and a disulfonic transport inhibitor to red cell band 3, Dix, J.A., Verkman, A.S., Solomon, A.K. 89:211
—, binding of ^3H-phenamil, an irreversible amiloride analog, to toad urinary bladder: effects of aldosterone and vasopressin, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 90:107
—, calcium at the surface of cardiac plasma membrane vesicles: cation binding, surface charge screening, and Na-Ca exchange, Bers, D.M., Philipson, K.D., Peskoff, A. 85:251
—, generalized kinetic analysis of ion-driven cotransport systems: II. random ligand binding as a simple explanation for non-Michaelian kinetics, Sanders, D., 90:67
—, intracellular binding of cationized ferretin prolongs the time course of sodium channel inactivation in squid giant axons, Furuya, K., Hirano, H., Nishiyama, F., Kukita, F., Yamagishi, S. 89:75
—, membrane potential and surface potential in mitochondria: uptake and binding of lipophilic cations, Rottenberg, H. 81:127
—, phenamil: an irreversible inhibitor of sodium channels in the toad urinary bladder, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 87:45
—, phlorizin binding to isolated enterocytes: membrane potential and sodium dependence, Restrepo, D., Kimmich, G.A. 90:269
Bioenergetics
—, bioenergetics of alkalophilic bacteria, Krulwich, T.A. 89:113
Biogenic amines
—, selective transport of Li^+ across lipid bilayer membranes mediated by an ionophore of novel design (ETH1644), Zeevi, A., Margalit, R. 86:61
Biosynthesis
—, biosynthesis and intracellular pool of aminopeptidase N in rabbit enterocytes, Feracci, H., Rigal, A., Maroux, S. 83:139
—, biosynthesis and metabolic degradation of receptors for epidermal growth factor, Soderquist, A.M., Carpenter, G. 90:97
—, subcellular fractionization and subcellular localization of aminopeptidase N in the rabbit enterocytes, Moktari, S., Feracci, H., Gorvel, J.-P., Mishal, Z., Rigal, A., Maroux, S. 89:53
—, tight junction formation in cultured epithelial cells (MDCK), Gonzalez-Mariscal, L., Chavez de Ramirez, B., Cereijido, M. 86:113
Birefringence
—, molecular motion underlying activation and inactivation of sodium channels in squid giant axons, Landowne, D. 88:173
Blocking kinetics
—, structure–activity relationship of amiloride analogs as blockers of epithelial Na channels: I. pyrazine-ring modifications, Li, J.H.-Y., Cragoe, E.J., Jr., Lindemann, B. 83:45
Blood
—, rubidium uptake in single cells, Kirk, R.G., Andrews, S.B., Lee, P. 82:137
Bluelight effect
—, bluelight-induced, flavin-mediated transport of redox equivalents across artificial bilayer membranes, Schmidt, W. 82:113
Bone marrow
—, rubidium uptake in single cells, Kirk, R.G., Andrews, S.B., Lee, P. 82:137
Bovine lens
—, functional reconstitution of lens gap junction proteins into proteoliposomes, Nikaido, H., Rosenberg, E.Y. 85:87
Brain microsomes
—, compartmentation of newly synthesized phosphatidylethanolamine in rat brain microsomes, Binaglia, L., Roberti, R., Freysz, L., Arienti, G., Corazzi, L., Porcellati, G. 90:29
Bromoalkanes
—, isomers of long-chain alkane derivatives and nervous impulse blockage, Requena, J., Velaz, M.E., Guerrero, J.R., Medina, J.D. 84:229
Bromosulfophthalein
—, properties of an anion/H^+ cotransport system in L1210 cells that utilizes phthalate as a nonphysiological substrate, Henderson, G.B., Zevely, E.M. 89:99
Brush border membrane
—, characterization of 1,25-dihydroxyvitamin D_3-dependent calcium uptake in isolated chick duodenal cells, Liang, C.T., Barnes, J., Balakir, R.A., Sacktor, B. 90:145
—, complex subcellular distributions of enzymatic markers in

intestinal epithelial cells, Mircheff, A.K., Ahnen, D.J., Islam, A., Santiago, N.A., Gray, G.M. 83:95
—, effect of micellar lipids on rabbit intestinal brush-border membrane phospholipid bilayer integrity studied by ^{31}P NMR, Vallet-Strouve, C., Tellier, C., Poignant, S., Boucrot, P. 84:73
—, electrogenic K^+-basic amino-acid cotransport in the midgut of lepidopteran larvae, Giordana, B., Parenti, P., Hanozet, G.M., Sacchi, V.F. 88:45
—, histidyl residues at the active site of the Na/succinate cotransporter in rabbit renal brush borders, Bindslev, N., Wright, E.M. 81:159
—, *in vitro* ethanol effects on the transport properties of isolated renal brush-border membrane vesicles, Elgavish, A., Elgavish, G.A. 88:123
—, L- and D-alanine transport in brush border membrane vesicles from lepidopteran midgut: evidence for two transport systems, Hanozet, G.M., Giordana, B., Parenti, P., Guerritore, A. 81:233
—, mechanism of interaction of the cyanine dye DiS-C_3-(5) with renal brush-border vesicles, Cabrini, G., Verkman, A.S. 90:163
—, osmotic water permeability of small intestinal brush-border membranes, Worman, H.J., Field, M. 87:233
—, renal cortical brush-border and basolateral membranes: cholesterol and phospholipid composition and relative turnover, Molitoris, B.A., Simon, F.R. 83:207
—, substrate and inhibitor specificity of anion exchangers on the brush border membrane of rabbit ileum, Knickelbein, R.G., Aronson, P.S., Dobbins, J.W. 88:199
—, substrate specificity of the intestinal brush-border proline/sodium (*IMINO*) transporter, Stevens, B.R., Wright, E.M. 87:27
—, transport of imino acids and non-α-amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:15
—, transport of neutral and cationic amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:1
Bumetanide
—, measurement and stoichiometry of bumetanide-sensitive (2N : 1K : 3Cl) cotransport in ferret red cells, Hall, A.C., Ellory, J.C. 85:205
—, volume regulation by *Necturus* gallbladder: basolateral KCl exit, Larson, M., Spring, K.R. 81:219
Ca/Ca^{2+}, *see* Calcium *entries*
Cable analysis
—, resistance properties of the diluting segment of *Amphiuma* kidney: influence of potassium adaptation, Oberleithner, H., Guggino, W., Giebisch, G. 88:139
Caffeine
—, caffeine inhibition of calcium accumulation by the sarcoplasmic reticulum in mammalian skinned fibers, Sorenson, M.M., Coehlo, H.S.L., Reuben, J.P. 90:219
Calcium
—, apparent loss of calcium-activated potassium current in internally perfused snail neurons is due to accumulation of free intracellular calcium, Levitan, E.S., Levitan, I.B. 90:59
—, Ca^{2+} buffer sites in intact bovine rod outer segments: introductions to a novel optical probe to measure ionic permeabilities in suspensions of small particles, Schnetkamp, P.P.M. 88:249
—, caffeine inhibition of calcium accumulation by the sarcoplasmic reticulum in mammalian skinned fibers, Sorenson, M.M., Coelho, H.S.L., Reuben, J.P. 90:219
—, calcium effects on electrogenic pump and passive permeability of the plasma membrane of *Chara corallina*, Bisson, M.A. 81:59
—, characterization of 1,25-dihydroxyvitamin D_3-dependent calcium uptake in isolated chick duodenal cells, Liang, C.T., Barnes, J., Balakir, R.A., Sacktor, B. 90:145
—, effect of phospholipid surface charge on the conductance and gating of a Ca^{2+}-activated K^+ channel in planar lipid bilayers, Moczydlowski, E., Alvarez, O., Vergara, C., Latorre, R. 83:273
—, effects of membrane potential on sodium-dependent calcium uptake by sarcolemma-enriched preparations from canine ventricle, Hungerford, R.T., Lindenmayer, G.E. 84:207
—, electric pulse-induced fusion of mouse lymphoma cells: roles of divalent cations and membrane lipid domains, Ohno-Shosaku, T., Okada, Y. 85:269
—, intracellular calcium activity in split frog skin epithelium: effect of cAMP, Kelepouris, E., Agus, Z.S., Civan, M.M. 88:113
—, mechanisms of $1,25(OH)_2D_3$-induced rapid changes of membrane potential in proximal tubule: role of Ca-dependent K^+-channels, Edelman, A., Garabedian, M., Anagnostopoulos, T. 90:137
—, phosphorylation of ion channels, Levitan, I.B. 87:177
—, relationship between the shape and the membrane potential of human red blood cells, Bifano, E.M., Novak, T.S., Freedman, J.C. 82:1
—, single Cl^- channels in molluscan neurones: multiplicity of the conductance states, Geletyuk, V.I., Kazachenko, V.N. 86:9
—, the chromaffin granule proton pump and calcium-dependent exocytosis in bovine adrenal medullary cells, Knight, D.E., Baker, P.F. 83:147
—, the role of phosphoinositides in signal transduction, Sekar, M.C., Hokin, L.E. 89:193
—, tight junction formation in cultured epithelial cells (MDCK), Gonzalez-Mariscal, L., Chavez de Ramirez, B., Cereijido, M. 86:113
Calcium antagonists
—, mechanism of inhibition of net ion transport across frog corneal epithelium by calcium channel antagonists, Huff, J.W., Reinach, P.S. 85:215
Calcium channels
—, calcium-dependent anion channel in the water mold, *Blastocladiella emersonii*, Caldwell, J.H., Van Brunt, J., Harold, F.M. 89:85
—, phosphorylation of ion channels, Levitan, I.B. 87:177
—, the purification of ion channels from excitable cells, Talvenheimo, J.A. 87:77
Calcium effect
—, local dielectric properties around polar region of lipid bilayer membranes, Kimura, Y., Ikegami, A. 85:225
Calcium ion activation
—, action of tetraethylammonium on calcium-activated potassium channels in pig pancreatic acinar cells studied by patch-clamp single-channel and whole-cell current recording, Iwatsuki, N., Petersen, O.H. 86:139
—, apparent loss of calcium-activated potassium current in internally perfused snail neurons is due to accumulation of free intracellular calcium, Levitan, E.S., Levitan, I.B. 90:59

—, ATP-sensitive inward rectifier and voltage- and calcium-activated K^+ channels in cultured pancreatic islet cells, Findlay, I., Dunne, M.J., Petersen, O.H. 88:165
—, caffeine inhibition of calcium accumulation by the sarcoplasmic reticulum in mammalian skinned fibers, Sorenson, M.M., Coelho, H.S.L., Reuben, J.P. 90:219
—, diacylglycerol downregulates junctional membrane permeability. TMB-8 blocks this effect, Yada, T., Rose, B., Loewenstein, W.R. 88:217
—, high-conductance K^+ channel in pancreatic islet cells can be activated and inactivated by internal calcium, Findlay, I., Dunne, M.J., Petersen, O.H. 83:169
—, single-file diffusion through the Ca^{2+}-activated K^+ channel of human red cells, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 88:67
Calcium ion channels
—, growth hormone-releasing factor reduces voltage-gated Ca^{2+} channel current in rat GH_3 cells, Yamashita, N., Takuwa, Y., Ogata, E. 87:241
Calcium ion exchange
—, demarcation of Ca^+ transport processes in guinea pig stomach smooth muscle, Sakai, Y., Isobe, A., Ichikawa, S. 89:65
Calcium ion transport
—, conformational states of sarcoplasmic reticulum Ca^{2+}-ATPase as studied by proteolytic cleavage, Andersen, J.P., Jorgensen, P.L. 88:187
—, demarcation of Ca^{2+} transport processes in guinea pig stomach smooth muscle, Sakai, Y., Isobe, A., Ichikawa, S. 89:65
—, electrogenic calcium transport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Eckhardt, L., Haase, W., Schulz, I. 84:45
Calcium ionophore
—, K^+:Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, relationship between the shape and the membrane potential of human red blood cells, Bifano, E.M., Novak, T.S., Freedman, J.C. 82:1
—, uptake of valine and alanine by a neutral amino-acid carrier in sea urchin eggs: cyclic variations in the early cleavage stage, Allemand, D., De Renzis, G., Maistre, C., Girard, J.-P., Payan, P. 87:217
Calcium permeability
—, relationship between fluidity and ionic permeability of bilayers from natural mixtures of phospholipids, Rossignol, M., Uso, T., Thomas, P. 87:269
Calcium pools
—, characterization of calcium uptake into rough endoplasmic reticulum of rat pancreas, Bayerdörffer, E., Streb, H., Eckhardt, L., Haase, W., Schulz, I. 81:69
Calcium sensitivity
—, single calcium-dependent cation channels in mouse pancreatic acinar cells, Maruyama, Y., Petersen, O.H. 81:83
Calcium transport
—, characterization of calcium uptake into rough endoplasmic reticulum of rat pancreas, Bayerdörffer, E., Streb, H., Eckhardt, L., Haase, W., Schulz, I. 81:69
—, characterization of 1,25-dihydroxyvitamin D_3-dependent calcium uptake in isolated chick duodenal cells, Liang, C.T., Barnes, J., Balakir, R.A., Sacktor, B. 90:145
—, effect of inositol-1,4,5-trisphosphate on isolated subcellular fractions of rat pancreas, Streb, H., Bayerdörffer, E., Haase, W., Irvine, R.F., Schulz, I. 81:241
—, electrogenic calcium transport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Eckhardt, L., Haase, W., Schulz, I. 84:45
Calmodulin
—, communicating junctions and calmodulin: inhibition of electrical uncoupling in *Xenopus* embryo by calmidazolium, Peracchia, C. 81:49
—, K^+:Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, lens cell-to-cell channel protein: I. self-assembly into liposomes and permeability regulation by calmodulin, Girsch, S.J., Peracchia, C. 83:217
—, lens cell-to-cell channel protein: II. conformational change in the presence of calmodulin, Girsch, S.J., Peracchia, C. 83:227
—, phosphorylation of ion channels, Levitan, I.B. 87:177
Cancer
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
—, intercellular communication and the control of growth: XII. alteration of junctional permeability by simian virus 40. roles of the large and small *T* antigens, Azarnia, R., Loewenstein, W.R. 82:213
Capacitance
—, linear electrical properties of isolated cardiac cells, Moore, L.E., Schmid, A., Isenberg, G. 81:29
—, theory of negative capacitance in membrane impedance measurements, Ferrier, J.M., Dainty, J., Ross, S.M. 85:245
Carbocyanine dye
—, cyanine dye fluorescence used to measure membrane potential changes due to the assembly of complement proteins C5b-9, Wiedmer, T., Sims, P.J. 84:249
Carboxyl groups
—, effects of chemical modification of carboxyl groups on the voltage-clamped nerve fiber of the frog, Rack, M., Woll, K.-H. 82:41
Carboxylic acid transport
—, histidyl residues at the active site of the Na/succinate cotransporter in rabbit renal brush borders, Bindslev, N., Wright, E.M. 81:159
Carboxylic polyether ionophore
—, transport of potassium ions across planar lipid membranes by the antibiotic, grisorixin: I. the equilibrium state and self-diffusion K^+ fluxes, Amblard, G., Sandeaux, R., Sandeaux, J., Gavach, C. 88:15
Cardiac membranes
—, asymmetric block of a monovalent cation-selective channel of rabbit cardiac sarcoplasmic reticulum by succinyl choline, Gray, M.A., Montgomery, R.A.P., Williams, A.J. 88:85
—, calcium at the surface of cardiac plasma membrane vesicles: cation binding, surface charge screening, and Na-Ca exchange, Bers, D.M., Philipson, K.D., Peskoff, A. 85:251
—, proteolysis of cardiac gap junctions during their isolation from rat hearts, Manjuńath, C.K., Goings, G.E., Page, E. 85:159

—, rat heart gap junctions as disulfide-bonded connexon multimers: their depolymerization and solubilization in deoxycholate, Manjunath, C.K., Page, E. 90:43
Carrier models
—, solution of carrier-type transport models: general solution for an arbitrarily complex rapid equilibrium model, Turner, R.J. 88:77
Carrier sites
—, reaction of the glucose carrier of erythrocytes with sodium tetrathionate: evidence for inward-facing and outward-facing carrier conformations, Krupka, R.M. 84:35
—, transport of alkali cations through thin lipid membranes by (222)C_{10}-cryptand, an ionizable mobile carrier, Castaing, M., Morel, F., Lehn, J.-M. 89:251
Catecholamines
—, direct insertion and fluorescence studies of rhodamine-labeled β-adrenergic receptors in cell membranes, Cherksey, B.D., Mendelsohn, S.A., Zadunaisky, J.A., Altszuler, N. 84:105
Cations
—, asymmetric block of a monovalent cation-selective channel of rabbit cardiac sarcoplasmic reticulum by succinyl choline, Gray, M.A., Montgomery, R.A.P., Williams, A.J. 88:85
—, channel formation in phospholipid bilayer membranes by the toxin of *Heminthosporium maydis*, Race T, Holden, M.J., Colombini, M., Sze, H. 87:151
—, compartmentation of newly synthesized phosphatidylethanolamine, Binaglia, L., Roberti, R., Freysz, L., Arienti, G., Corazzi, L., Porcellati, G. 90:29
—, effects of nystatin on intracellular contents and membrane transport of alkali cations, and cell volume in HeLa cells, Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Miyamoto, H. 90:231
—, ionic channels formed by *Staphylococcus aureus* alpha-toxin: voltage-dependent inhibition by divalent and trivalent cations, Menestrina, G. 90:177
—, K^+:Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
—, mechanism of anion-cation selectivity of amphotericin B channels, Borisova, M.P., Brutyan, R.A., Ermishkin, L.N. 90:13
—, Na^+ (Li^+)-proline cotransport in *Escherichia coli*, Chen, C.-C., Tsuchiya, T., Yamani, Y., Wood, J.M., Wilson, T.H. 84:157
—, permeability of the squid giant axons to organic cations and small nonelectrolytes, McKinney, L.C., Danko, M., Smith, C.J., Begenisich, T. 83:177
—, transport of alkali cations through thin lipid membranes by (222)C_{10}-cryptand, an ionizable mobile carrier, Castaing, M., Morel, F., Lehn, J.-M. 89:251
CCCP (carbonyl cyanide *m*-chlorophenylhydrazone)
—, the kinetic mechanism by which CCCP (carbonyl cyanide *m*-chlorophenylhydrazone) transports protons across membranes, Kasianowicz, J., Benz, R., McLaughlin, S. 82:179
Cell contacts
—, ionic modulation of electrically induced fusion of mammalian cells, Blangero, C., Teissie, J. 86:247
Cell culture
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
Cell fusion
—, electric pulse-induced fusion of mouse lymphoma cells: roles of divalent cations and membrane lipid domains, Ohno-Shosaku, T., Okada, Y. 85:269
Cell junction
—, communicating junctions and calmodulin: inhibition of electrical uncoupling in *Xenopus* embryo by calmidazolium, Peracchia, C. 81:49
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
—, intercellular communication and the control of growth: XII. alteration of junctional permeability by simian virus 40. roles of the large and small *T* antigens, Azarnia, R., Loewenstein, W.R. 82:213
—, junctional transfer in cultured vascular endothelium: II. dye and nucleotide transfer, Larson, D.M., Sheridan, J.D. 83:157
—, lens cell-to-cell channel protein: I. self-assembly into liposomes and permeability regulation by calmodulin, Girsch, S.J., Peracchia, C. 83:217
—, lens cell-to-cell channel protein: II. conformational change in the presence of calmodulin, Girsch, S.J., Peracchia, C. 83:227
—, permeability properties of cell-to-cell channels: kinetics of fluorescent tracer diffusion through a cell junction, Zimmerman, A.L., Rose, B. 84:269
Cell polarity
—, subcellular fractionization and subcellular localization of aminopeptidase N in the rabbit enterocytes, Moktari, S., Feracci, H., Gorvel, J.-P., Mishal, Z., Rigal, A., Maroux, S. 89:53
Cell shape
—, relationship between the shape and the membrane potential of human red blood cells, Bifano, E.M., Novak, T.S., Freedman, J.C. 82:1
Cell-to-cell channels
—, communicating junctions and calmodulin: inhibition of electrical uncoupling in *Xenopus* embryo by calmidazolium, Peracchia, C. 81:49
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
—, intercellular communication and the control of growth: XII. alteration of junctional permeability by simian virus 40. roles of the large and small *T* antigens, Azarnia, R., Loewenstein, W.R. 82:213
—, lens cell-to-cell channel protein: I. self-assembly into lipo-

somes and permeability regulation by calmodulin, Girsch, S.J., Peracchia, C. 83:217
—, lens cell-to-cell channel protein: II. conformational change in the presence of calmodulin, Girsch, S.J., Peracchia, C. 83:227
—, permeability properties of cell-to-cell channels: kinetics of fluorescent tracer diffusion through a cell junction, Zimmerman, A.L., Rose, B. 84:269
—, proteolysis of cardiac gap junctions during their isolation from rat hearts, Manjunath, C.K., Goings, G.E., Page, E. 85:159
—, rat heart gap junctions as disulfide-bonded connexon multimers: their depolymerization and solubilization in deoxycholate, Manjunath, C.K., Page, E. 90:43
—, translation of functional expression of cell-cell channel mRNA in *Xenopus* oocytes, Werner, R., Miller, T., Azarnia, R., Dahl, G. 87:253
Cell-to-cell communication
—, cell-to-cell communication in monolayers of epithelioid cells (MDCK) as a function of the age of the monolayer, Cereijido, M., Robbins, E., Sabatini, D.D., Stefani, E. 81:41
—, communicating junctions and calmodulin: inhibition of electrical uncoupling in *Xenopus* embryo by calmidazolium, Peracchia, C. 81:49
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
—, intercellular communication and the control of growth: XII. alteration of junctional permeability by simian virus 40. roles of the large and small *T* antigens, Azarnia, R., Loewenstein, W.R. 82:213
—, junctional transfer in cultured vascular endothelium: II. dye and nucleotide transfer, Larson, D.M., Sheridan, J.D. 83:157
—, lens cell-to-cell channel protein: I. self-assembly into liposomes and permeability regulation by calmodulin, Girsch, S.J., Peracchia, C. 83:217
—, lens cell-to-cell channel protein: II. conformational change in the presence of calmodulin, Girsch, S.J., Peracchia, C. 83:227
—, permeability properties of cell-to-cell channels: kinetics of fluorescent tracer diffusion through a cell junction, Zimmerman, A.L., Rose, B. 84:269
Cell volume
—, effects of anions on cellular volume and transepithelial Na^+ transport across toad urinary bladder, Lewis, S.A., Butt, A.G., Bowler, M.J., Leader, J.P., Macknight, A.D.C. 83:119
—, effects of nystatin on intracellular contents and membrane transport of alkali cations, and cell volume in HeLa cells, Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Miyamoto, H. 90:231
—, feedback inhibition of NaCl entry in *Necturus* gallbladder epithelial cells, Jensen, P.K., Fisher, R.S., Spring, K.R. 82:95
—, general method for the derivation and numerical solution of epithelial transport models, Latta, R., Clausen, C., Moore, L.C. 82:67
—, $K^+ : Cl^-$ cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, morphological and physiological studies of rat kidney cortex slices undergoing isosmotic swelling and its reversal: a possible mechanism for ouabain-resistant control of cell volume, Russo, M.A., Ernst, S.A., Kapoor, S.C., van Rossum, G.D.V. 85:1
—, role of passive potassium fluxes in cell volume regulation in cultured HeLa cells, Tivey, D.R., Simmons, N.L., Aiton, J.F. 87:93
—, thiol-dependent passive K^+Cl^- transport in sheep red blood cells: VI. functional heterogeneity and immunologic identity with volume-stimulated $K^+(Rb^+)$ fluxes, Lauf, P.K. 82:167
—, transient breakdown in the selective permeability of the plasma membrane of *Chlorella emersonii* in response to hyperosmotic shock: implications for cell water relations and osmotic adjustment, Reed, R.H. 82:83
3T6 cells
—, permeability change in transformed mouse fibroblasts caused by ionophores, and its relationship to membrane permeabilization by exogenous ATP, Friedberg, I., Weisman, G.A., De, B.K., 83:251
Cellular composition
—, cellular ions in intact and denervated muscles of the rat, Leader, J.P., Bray, J.J., Macknight, A.D.C., Mason, D.R., McCaig, D., Mills, R.G. 81:19
Cellular differentiation
—, transferrin receptor: its biological significance, May, W.S., Jr., Cuatrecasas, P. 88:205
Channel blockers
—, inward membrane current in *Chara inflata*: II. effects of pH, Cl^--channel blockers and NH_4^+, and significance for the hyperpolarized state, Tyerman, S.D., Findlay, G.P., Paterson, G.J. 89:153
Channel degradation
—, apical membrane area of rabbit urinary bladder increases by fusion of intracellular vesicles: an electrophysiological study, Lewis, S.A., de Moura, J.L.C. 82:123
Channel model
—, experimental and theoretical studies on Tl^+ interactions with the cation-selective channel of the sarcoplasmic reticulum, Fox, J., Ciani, S. 84:9
Channel size
—, channels formed by colicin E1 in planar lipid bilayers are large and exhibit pH-dependent ion selectivity, Raymond, L., Slatin, S.L., Finkelstein, A. 84:173
Chara
—, a kinetic analysis of the electrogenic pump of *Chara corallina*: II. dependence of the pump activity on external pH, Takeuchi, Y., Kishimoto, U., Ohkawa, T., Kami-ike, N. 86:17
—, a kinetic analysis of the electrogenic pump of *Chara corallina*: III. pump activity during action potential, Kishimoto, U., Takeuchi, Y., Ohkawa, T., Kami-ike, N. 86:27
—, calcium effects on electrogenic pump and passive permeability of the plasma membrane of *Chara corallina*, Bisson, M.A. 81:59
—, compartment analysis of plant cells by means of turgor

pressure relaxation: II. experimental results on *Chara corallina*, Wendler, S., Zimmermann, U. 85:133
—, current-voltage characteristics of the proton pump at *Chara* plasmalemma: I. pH dependence, Beilby, M.J. 81:113
—, effects of pH and light on the membrane conductance measured in the acid and basic zones of *Chara*, Smith, J.R., Walker, N.A. 83:193
—, frequency-dependent membrane impedance in *Chara corallina* estimated by Fourier analysis, Ross, S.M., Ferrier, J.M., Dainty, J. 85:233
—, inward membrane current in *Chara inflata*: I. a voltage- and time-dependent Cl^- component, Tyerman, S.D., Findlay, G.P., Paterson, G.J. 89:139
—, inward membrane current in *Chara inflata*: II. effects of pH, Cl^--channel blockers and NH_4^+, and significance for the hyperpolarized state, Tyerman, S.D., Findlay, G.P., Paterson, G.J. 89:153
—, ion channels in the membrane of *Chara inflata*, Coleman, H.A., Findlay, G.P. 83:109
—, potassium channels and different states of *Chara* plasmalemma, Beilby, M.J. 89:241
—, theory of negative capacitance in membrane impedance measurements, Ferrier, J.M., Dainty, J., Ross, S.M. 85:245
Charge movement
—, gating of sodium and potassium channels, Bezanilla, F. 88:97
Charge-pulse technique
—, characterization of mobile charges in the membrane of *Valonia utricularis*, Buchner, K.-H., Rosenheck, K., Zimmermann, U. 88:131
CHE cells
—, delta endotoxin inhibits Rb^+ uptake, lowers cytoplasmic pH and inhibits a K^+-ATPase in *Manduca sexta* CHE cells, English, L.H., Cantley, L.C. 85:199
Chemical modification
—, effects of chemical modification of carboxyl groups on the voltage-clamped nerve fiber of the frog, Rack, M., Woll, K.-H. 82:41
—, effects of pH and light on the membrane conductance measured in the acid and basic zones of *Chara*, Smith, J.R., Walker, N.A. 83:193
—, functional evidence for distinct interaction of hydrophobic arylisothiocyanates with the erythrocyte anion transport protein, Cacciola, S.O., Sigrist, H., Reist, M., Cabantchik, Z.I., Zahler, P. 81:139
—, ion channels in the membrane of *Chara inflata*, Coleman, H.A., Findlay, G.P. 83:109
Chemiosmotic theory
—, the kinetic mechanism by which CCCP (carbonyl cyanide *m*-chlorophenylhydrazone) transports protons across membranes, Kasianowicz, J., Benz, R., McLaughlin, S. 82:179
Chlorella emersonii
—, transient breakdown in the selective permeability of the plasma membrane of *Chlorella emersonii* in response to hyperosmotic shock: implications for cell water relations and osmotic adjustment, Reed, R.H. 82:83
Chloride
—, binding of chloride and a disulfonic stilbene transport inhibitor to red cell band 3, Dix, J.A., Verkman, A.S., Solomon, A.K. 89:211
Chloride absorption
—, cellular mechanism of HCO_3^- and Cl^- transport in insect salt gland, Strange, K., Phillips, J.E. 83:25
Chloride activity
—, intracellular chloride activity in the extensor digitorum longus (EDL) muscle of the rat, McCaig, D., Leader, J.P. 81:9
—, mechanism of Cl secretion in canine trachea: changes in intracellular chloride activity with secretion, Shorofsky, S.R., Field, M., Fozzard, H.A. 81:1
Chloride conductance
—, basolateral membrane potassium conductance is independent of sodium pump activity and membrane voltage in canine tracheal epithelium, Welsh, M.J. 84:25
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
Chloride dependence
—, thiol-dependent passive K^+Cl^- transport in sheep red blood cells: VI. functional heterogeneity and immunologic identity with volume-stimulated K^+ (Rb^+) fluxes, Lauf, P.K. 82:167
Chloride/HCO_3 exchange
—, substrate and inhibitor specificity of anion exchangers on the brush border membrane of rabbit ileum, Knickelbein, R.G., Aronson, Y.S., Dobbins, J.W. 88:199
Chloride/hydroxide exchange
—, evaluation of ion gradient-dependent H^+ transport systems in isolated enterocytes from the chick, Montrose, M.H., Bebernitz, G., Kimmich, G.A. 88:55
Chloride ion channels
—, inward membrane current in *Chara inflata*: I. a voltage- and time-dependent Cl^- component, Tyerman, S.D., Findlay, G.P., Paterson, G.J. 89:139
—, inward membrane current in *Chara inflata*: II. effects of pH, Cl^--channel blockers and NH_4^+, and significance for the hyperpolarized state, Tyerman, S.D., Findlay, G.P., Paterson, G.J. 89:153
—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
—, single Cl^- channels in molluscan neurones: multiplicity of the conductance states, Geletyuk, V.I., Kazachenko, V.N. 86:9
Chloride ion transport
—, K^+ : Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, sodium-dependent ion cotransport in steady-state Ehrlich ascites tumor cells, Levinson, C. 87:121
Chloride permeability
—, mechanism of Cl secretion in canine trachea: changes in intracellular chloride activity with secretion, Shorofsky, S.R., Field, M., Fozzard, H.A. 81:1
Chloride secretion
—, Cl transport in the frog cornea: an electron-microprobe analysis, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 83:235
—, indirect effects of adenosine triphosphate on chloride secretion in mammalian colon, Cuthbert, A.W., Hickman, M.E. 86:157
—, ion transport by primary cultures of canine tracheal epithelium: methodology, morphology, and electrophysiology, Welsh, M.J. 88:149
—, mechanism of Cl secretion in canine trachea: changes in intracellular chloride activity with secretion, Shorofsky, S.R., Field, M., Fozzard, H.A. 81:1

—, vibrating probe analysis of teleost opercular epithelium: correlation between active transport and leak pathways of individual chloride cells, Foskett, J.K., Machen, T.E. 85:25
Chloride transport
—, Cl transport in the frog cornea: an electron-microprobe analysis, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 83:235
—, implications of an anomalous intracellular electrical response in bullfrog corneal epithelium, Reinach, P., Nagel, W. 87:201
—, mechanism of Cl secretion in canine trachea: changes in intracellular chloride activity with secretion, Shorofsky, S.R., Field, M., Fozzard, H.A. 81:1
—, vibrating probe analysis of teleost opercular epithelium: correlation between active transport and leak pathways of individual chloride cells, Foskett, J.K., Machen, T.E. 85:25
Chloroplasts
—, ATP-induced ΔpH formation in chloroplast ATP synthase proteoliposomes, Admon, A., Pick, U., Avron, M. 86:45
Cholesterol
—, renal cortical brush-border and basolateral membranes: cholesterol and phospholipid composition and relative turnover, Molitoris, B.A., Simon, F.R. 83:207
—, thermotropic behavior of retinal rod membranes and dispersions of extracted phospholipids, Miljanich, G.P., Brown, M.F., Mabrey-Gaud, S., Dratz, E.A., Sturtevant, J.M. 85:79
Choline carrier
—, kinetics of irreversible inhibition of choline transport in synaptosomes by ethylcholine mustard aziridinium, Curti, D., Marchbanks, R.M. 82:259
—, reconstitution of carrier-mediated choline transport in proteoliposomes prepared from presynaptic membranes of *Torpedo* electric organ, and its internal and external ionic requirements, Vyas, S., O'Regan, S. 85:111
Choline transport
—, reconstitution of carrier-mediated choline transport in proteoliposomes prepared from presynaptic membranes of *Torpedo* electric organ, and its internal and external ionic requirements, Vyas, S., O'Regan, S. 85:111
Chord conductance
—, a kinetic analysis of the electrogenic pump of *Chara corallina*: II. dependence of the pump activity on external pH, Takeuchi, Y., Kishimoto, U., Ohkawa, T., Kami-ike, N. 86:17
—, a kinetic analysis of the electrogenic pump of *Chara corallina:* III. pump activity during action potential, Kishimoto, U., Takeuchi, Y., Ohkawa, T., Kami-ike, N. 86:27
Chymotrypsin
—, conformational states of sarcoplasmic reticulum Ca^{2+}-ATPase as studied by proteolytic cleavage, Andersen, J.P., Jorgensen, P.L. 88:187
Circular dichroism
—, effects of polyhydric alcohols on the conformational stability of the purple membrane, Draheim, J.E., Cassim, J.Y. 86:229
cis-trans isomerization
—, determination of retinal chromophore structure in bacteriorhodopsin with resonance Raman spectroscopy, Smith, S.O., Lugtenburg, J., Mathies, R.A. 85:95
Cl/Cl^+, *see* Chloride *entries*
Clustering
—, lysis of platelets and erythrocytes by the incorporation of a unique oxygenated sterol: 22R-hydroxycholesterol, Saito, Y., Shimada, H., Imada, T., Kikuchi, T., Ikekawa, N., Inada, Y. 83:187
Colchicine
—, are axoplasmic microtubules necessary for membrane excitation? Terakawa, S., Nakayama, T. 85:65
—, molecular motion underlying activation and inactivation of sodium channels in squid giant axons, Landowne, D. 88:173
Cold acclimation
—, protoplast rotation in a rotating electric field: the influence of cold acclimation, Lovelace, R.V.E., Stout, D.G., Steponkus, P.L. 82:157
Colicins
—, channels formed by colicin E1 in planar lipid bilayers are large and exhibit pH-dependent ion selectivity, Raymond, L., Slatin, S.L., Finkelstein, A. 84:173
Colonic epithelium
—, indirect effects of adenosine triphosphate on chloride secretion in mammalian colon, Cuthbert, A.W., Hickman, M.E. 86:157
—, structure of zonulae occludentes and the permeability of the epithelium to short-chain fatty acids in the proximal and the distal colon of guinea pig, Luciano, L., Reale, E., Rechkemmer, G., Engelhardt, W.v. 82:145
Compartment analysis
—, compartment analysis of plant cells by means of turgor pressure relaxation: I. theoretical considerations, Wendler, S., Zimmermann, U. 85:121
Competence
—, transformation in *Haemophilus*: a problem in membrane biology, Kahn, M.E., Smith, H.O. 81:89
Complement proteins
—, cyanine dye fluorescence used to measure membrane potential changes due to the assembly of complement proteins C5b-9, Wiedmer, T., Sims, P.J. 84:249
Concentration–relaxation
—, demarcation of Ca^{2+} transport processes in guinea pig stomach smooth muscle, Sakai, Y., Isobe, A., Ichikawa, S. 89:65
Conductance
—, basolateral membrane potential and conductance in frog skin exposed to high serosal potassium, Klemperer, G., Garcia-Diaz, J.F., Nagel, W., Essig, A. 90:89
—, calcium effects on electrogenic pump and passive permeability of the plasma membrane of *Chara corallina*, Bisson, M.A. 81:59
—, current-voltage characteristics of the proton pump at *Chara* plasmalemma: I. pH dependence, Beilby, M.J. 81:113
—, cyclic AMP-induced changes in membrane conductance of *Necturus* gallbladder epithelial cells, Zeldin, D.C., Corcia, A., Armstrong, W.McD. 84:193
—, effects of anions on cellular volume and transepithelial Na^+ transport across toad urinary bladder, Lewis, S.A., Butt, A.G., Bowler, M.J., Leader, J.P., Macknight, A.D.C. 83:119
—, effects of pH and light on the membrane conductance measured in the acid and basic zones of *Chara*, Smith, J.R., Walker, N.A. 83:193
—, electrophysiological properties of cellular and paracellular conductive pathways of the rabbit cortical collecting duct, O'Neil, R.G., Sansom, S.C. 82:281
—, implications of an anomalous intracellular electrical response in bullfrog corneal epithelium, Reinach, P., Nagel, W. 87:201

—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
—, mechanisms of $1,25(OH)_2D_3$-induced rapid changes of membrane potential in proximal tubule: role of Ca-dependent K^+-channels, Edelman, A., Garabedian, M., Anagnostopoulos, T. 90:137
—, potassium-39 NMR of K^+ interaction with the gramicidin channel and NMR-derived conductance ratios for Na^+, K^+ and Rb^+, Urry, D.W., Trapane, T.L., Venkatachalam, C.M. 89:107
—, proton/hydroxide conductance through lipid bilayer membranes, Gutknecht, J. 82:105
—, resistance properties of the diluting segment of *Amphiuma* kidney: influence of potassium adaptation, Oberleithner, H., Guggino, W., Giebisch, G. 88:139
Conductance states
—, single Cl^- channels in molluscan neurones: multiplicity of the conductance states, Geletyuk, V.I., Kazachenko, V.N. 86:9
Conformational change
—, lens cell-to-cell channel protein: II. conformational change in the presence of calmodulin, Girsch, S.J., Peracchia, C. 83:227
Connexons
—, rat heart gap junctions as disulfide-bonded connexon multimers: their depolymerization and solubilization in deoxycholate, Manjunath, C.K., Page, E. 90:43
Constant current source
—, cell K activity in frog skin in the presence and absence of cell current, Garcia-Diaz, J.F., Baxendale, L.M., Klemperer, G., Essig, A. 85:143
Corn
—, channel formation in phospholipid bilayer membranes by the toxin of *Heminthosporium maydis*, Race T, Holden, M.J., Colombini, M., Sze, H. 87:151
Corneal endothelium
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
Corneal epithelium
—, Cl transport in the frog cornea: an electron-microprobe analysis, Rick, R., Beck, F.X., Dörge, A., Thurau, K. 83:235
—, implications of an anomalous intracellular electrical response in bullfrog corneal epithelium, Reinach, P., Nagel, W. 87:201
—, mechanism of inhibition of net ion transport across frog corneal epithelium by calcium channel antagonists, Huff, J.W., Reinach, P.S. 85:215
Cortical collecting duct
—, electrophysiological properties of cellular and paracellular conductive pathways of the rabbit cortical collecting duct, O'Neil, R.G., Sansom, S.C. 82:281
—, sodium-dependent modulation of the renal Na-K-ATPase: influence of mineralocorticoids on the cortical collecting duct, O'Neil, R.G., Hayhurst, R.A. 85:169
Cotransport
—, characterization of a Na:K:2Cl cotransport system in the apical membrane of a renal epithelial cell line ($LLC\text{-}PK_1$), Brown, C.D.A., Murer, H. 87:131
—, effect of metabolic depletion on the furosemide-sensitive Na and K fluxes in human red cells, Dagher, G., Brugnara, C., Canessa, M. 86:145
—, electrogenic K^+-basic amino-acid cotransport in the midgut of lepidopteran larvae, Giordana, B., Parenti, P., Hanozet, G.M., Sacchi, V.F. 88:45
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
—, feedback inhibition of NaCl entry in *Necturus* gallbladder epithelial cells, Jensen, P.K., Fisher, R.S., Spring, K.R. 82:95
—, generalized kinetic analysis of ion-driven cotransport systems: II. random ligand binding as a simple explanation for non-Michaelian kinetics, Sanders, D. 90:67
—, histidyl residues at the active site of the Na/succinate cotransporter in rabbit renal brush borders, Bindslev, N., Wright, E.M. 81:159
—, K^+:Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, L- and D-alanine transport in brush border membrane vesicles from lepidopteran midgut: evidence for two transport systems, Hanozet, G.M., Giordana, B., Parenti, P., Guerritore, A. 81:233
—, measurement and stoichiometry of bumetanide-sensitive (2Na:1K:3Cl) cotransport in ferret red cells, Hall, A.C., Ellory, J.C. 85:205
—, Na^+-coupled glycine transport in reticulocyte vesicles of distinct sidedness: stoichiometry and symmetry, Weigensberg, A.M., Blostein, R. 86:37
—, Na^+ (Li^+)-proline cotransport in *Escherichia coli*, Chen, C.-C., Tsuchiya, T., Yamane, Y., Wood, J.M., Wilson, T.H. 84:157
—, phlorizin binding to isolated enterocytes: membrane potential and sodium dependence, Restrepo, D., Kimmich, G.A. 89:269
—, properties of an anion/H^+ cotransport system in L1210 cells that utilizes phthalate as a nonphysiological substrate, Henderson, G.B., Zevely, E.M. 89:99
—, sodium-dependent ion cotransport in steady-state Ehrlich ascites tumor cells, Levinson, C. 87:121
—, solution of carrier-type transport models: general solution for an arbitrarily complex rapid equilibrium model, Turner, R.J. 88:77
—, the mechanistic nature of the membrane potential dependence of sodium-sugar cotransport in small intestine, Restrepo, D., Kimmich, G.A. 87:159
Counterflow
—, effect of different phospholipids on the reconstitution of two functions of the lactose carrier of *Escherichia coli*, Seto-Young, D., Chen, C.-C., Wilson, T.H. 84:259
Countertransport
—, Na^+/Ca^{2+} countertransport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Haase, W., Schulz, I. 87:107
Coupling
—, the mechanistic nature of the membrane potential dependence of sodium-sugar cotransport in small intestine, Restrepo, D., Kimmich, G.A. 87:159
Crab axon
—, differential blockage of two types of potassium channels in the crab giant axon, Soria, B., Arispe, N., Quinta-Ferreira, M.E., Rojas, E. 84:127
—, monovalent cation permeabilities of the potassium systems in the crab giant axon, Quinta-Ferreira, M.E., Soria, B., Rojas, E. 84:117

Crassulacean acid metabolism
—, mechanism of passive malic-acid efflux from vacuoles of the CAM plant *Kalanchoe diagremontiana*, Luttge, U., Smith, J.A.C. 81:149
Crosslinking
—, compartmentation of newly synthesized phosphatidylethanolamine in rat brain microsomes, Binaglia, L., Roberti, R., Freysz, L., Arienti, G., Corazzi, L., Porcellati, G. 90:29
Cryptand
—, transport of alkali cations through thin lipid membranes by (222)C_{10}-cryptand, an ionizable mobile carrier, Castaing, M., Morel, F., Lehn, J.-M. 89:251
Cultured animal cells
—, hypoxanthine transport in mammalian cells: cell type-specific differences in sensitivity to inhibition by dipyridamole and uridine, Plagemann, P.G.W., Wohlhueter, R.M. 81:255
—, ion transport by primary cultures of canine tracheal epithelium: methodology, morphology, and electrophysiology, Welsh, M.J. 88:149
—, phosphorylation of ion channels, Levitan, I.B. 87:177
Cultured endothelia
—, junctional transfer in cultured vascular endothelium: II. dye and nucleotide transfer, Larson, D.M., Sheridan, J.D. 83:157
Cultured epithelia
—, changes in paracellular and cellular ionic permeabilities of monolayers of MDCK cells infected with influenza or vesicular stomatitis viruses, López-Vancell, R., Beaty, G., Stefani, E., Rodríguez-Boulan, E.E., Cereijido, M. 81:171
—, hexose regulation of sodium-hexose transport in LLC-PK_1 epithelia: the nature of the signal, Moran, A., Turner, R.J., Handler, J.S. 82:59
Current-voltage characteristics
—, a kinetic analysis of the electrogenic pump of *Chara corallina*: II. dependence of the pump activity on external pH, Takeuchi, Y., Kishimoto, U., Ohkawa, T., Kami-ike, N. 86:17
—, a kinetic analysis of the electrogenic pump of *Chara corallina:* III. pump activity during action potential, Kishimoto, U., Takeuchi, Y., Ohkawa, T., Kami-ike, N. 86:27
—, apical sodium entry in split frog skin: current-voltage relationship, DeLong, J., Civan, M.M. 82:25
—, calcium effects on electrogenic pump and passive permeability of the plasma membrane of *Chara corallina*, Bisson, M.A. 81:59
—, current-voltage characteristics of the protein pump at *Chara* plasmalemma: I. pH dependence, Beilby, M.J. 81:113
—, effects of pH and light on the membrane conductance measured in the acid and basic zones of *Chara*, Smith, J.R., Walker, N.A. 83:193
—, potassium channels and different states of *Chara* plasmalemma, Beilby, M.J. 89:241
—, voltage dependence of Na channel blockage by amiloride: relaxation effects in admittance spectra, Warncke, J., Lindemann, B. 86:255
Cut-off effect
—, isomers of long-chain alkane derivatives and nervous impulse blockage, Requena, J., Velaz, M.E., Guerrero, J.R., Medina, J.D. 84:229
Cyanine
—, interactions involving the cyanine dye, DiS-C_3-(5), cytochrome *c* and liposomes and their implications for estimations of $\Delta\psi$ in cytochrome *c* oxidase-reconstituted proteoliposomes, Singh, A.P., Chanady, G.A., Nicholls, P. 84:183
—, mechanism of interaction of the cyanine dye DiS-C_3-(5) with renal brush-border vesicles, Cabrini, G., Verkman, A.S. 90:163
Cyclic AMP
—, direct insertion and fluorescence studies of rhodamine-labeled β-adrenergic receptors in cell membranes, Cherksey, B.D., Mendelsohn, S.A., Zadunaisky, J.A., Altszuler, N. 84:105
—, intracellular calcium activity in split frog skin epithelium: effect of cAMP, Kelepouris, E., Zalman, S.A., Civan, M.M. 88:113
—, mechanism of inhibition of net ion transport across frog corneal epithelium by calcium channel antagonists, Huff, J.W., Reinach, P.S. 85:215
Cyclic variations
—, uptake of valine and alanine by a neutral amino-acid carrier in sea urchin eggs: cyclic variations in the early cleavage stage, Allemand, D., De Renzis, G., Maistre, C., Girard, J.-P., Payan, P. 87:217
Cycloheximide
—, characterization of the mobile charges in the membrane of *Valonia utricularis*, Buchner, K.-H., Rosenheck, K., Zimmermann, U. 88:131
Cysteine
—, role of membrane transport in metabolism and function of glutathione in mammals, Bannai, S., Tateishi, N. 89:1
Cystine
—, role of membrane transport in metabolism and function of glutathione in mammals, Bannai, S., Tateishi, N. 89:1
Cytochalasin B
—, asymmetrical binding of phloretin to the glucose transport system of human erythrocytes, Krupka, R.M. 83:71
—, reaction of the glucose carrier of erythrocytes with sodium tetrathionate: evidence for inward-facing and outward-facing carrier conformations, Krupka, R.M. 84:35
Cytochrome *c*
—, interactions involving the cyanine dye, DiS-C_3-(5), cytochrome *c* and liposomes and their implications for estimations of $\Delta\psi$ in cytochrome *c* oxidase-reconstituted proteoliposomes, Singh, A.P., Chanady, G.A., Nicholls, P. 84:183
Cytochrome *c* oxidase
—, interactions involving the cyanine dye, DiS-C_3-(5), cytochrome *c* and liposomes and their implications for estimations of $\Delta\psi$ in cytochrome *c* oxidase-reconstituted proteoliposomes, Singh, A.P., Chanady, G.A., Nicholls, P. 84:183
Cytoplasmic surface
—, intracellular binding of cationized ferretin prolongs the time course of sodium channel inactivation in squid giant axons, Furuya, K., Hirano, H., Nishiyama, F., Kurita, F., Yamagishi, S. 89:75
Cytoplasmic volume
—, compartment analysis of plant cells by means of turgor pressure relaxation: I. theoretical considerations, Wendler, S., Zimmermann, U. 85:121
—, compartment analysis of plant cells by means of turgor pressure relaxation: II. experimental results on *Chara corallina*, Wendler, S., Zimmermann, U. 85:133
Cytoskeleton
—, action of polyethylene glycol on the fusion of human erythrocyte membranes, Hui, S.W., Isac, T., Boni, L.T., Sen, A. 84:137
—, apical membrane area of rabbit urinary bladder increases

by fusion of intracellular vesicles: an electrophysiological study, Lewis, S.A., de Moura, J.L.C. 82:123
—, are axoplasmic microtubules necessary for membrane excitation? Terakawa, S., Nakayama, T. 85:65
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
Delta endotoxin
—, delta endotoxin inhibits Rb^+ uptake, lowers cytoplasmic pH and inhibits a K^+-ATPase in *Manduca sexta* CHE cells, English, L.H., Cantley, L.C. 85:199
Dendrites
—, slow potential changes due to transport number effects in cells with unstirred membrane invaginations or dendrites, Barry, P.H. 82:221
Denervation
—, cellular ions in intact and denervated muscles of the rat, Leader, J.P., Bray, J.J., Macknight, A.D.C., Mason, D.R., McCaig, D., Mills, R.G. 81:19
Desensitization
—, reconstitution of the β-adrenergic receptor, Lefkowitz, R.J., Cerione, R.A., Codina, J., Birnbaumer, L., Caron, M.G. 87:1
Detergent
—, conformational states of sarcoplasmic reticulum Ca^{2+}-ATPase as studied by proteolytic cleavage, Andersen, J.P., Jorgensen, P.L. 88:187
Diacylglycerol
—, diacylglycerol downregulates junctional membrane permeability. TMB-8 blocks this effect, Yada, T., Rose, B., Loewenstein, W.R. 88:217
—, the role of phosphoinositides in signal transduction, Sekar, M.C., Hokin, L.E. 89:193
Diadic junction
—, linear electrical properties of isolated cardiac cells, Moore, L.E., Schmid, A., Isenberg, G. 81:29
DIDS
—, sodium-dependent ion cotransport in steady-state Ehrlich ascites tumor cells, Levinson, C. 87:121
Dielectric constant
—, local dielectric properties around polar region of lipid bilayer membranes, Kimura, Y., Ikegami, A. 85:225
—, optical and electrical properties of thin monoolein lipid bilayers, Dilger, J.P., Benz, R. 85:181
Dielectrophoresis
—, electric pulse-induced fusion of mouse lymphoma cells: roles of divalent cations and membrane lipid domains, Ohno-Shosaku, T., Okada, Y. 85:269
Differential scanning calorimetry
—, thermotropic behavior of retinal rod membranes and dispersions of extracted phospholipids, Miljanich, G.P., Brown, M.F., Mabrey-Gaud, S., Dratz, E.A., Sturtevant, J.M. 85:79
Diffusion
—, glutaraldehyde fixation preserves the permeability properties of the ADH-induced water channels, Parisi, M., Merot, J., Bourguet, J. 86:239
—, lysis of platelets and erythrocytes by the incorporation of a unique oxygenated sterol: 22B-hydroxycholesterol, Saito, Y., Shimada, H., Imada, T., Kikuchi, T., Ikekawa, N., Inada, Y. 83:187
—, permeability of small nonelectrolytes through lipid bilayer membranes, Walter, A., Gutknecht, J. 90:207
—, single-file diffusion through the Ca^{2+}-activated K^+ channel of human red cells, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 88:67
—, transepithelial transport of nonelectrolytes in the rabbit mandibular salivary gland, Case, R.M., Cook, D.I., Hunter, M., Steward, M.C., Young, J.A. 84:239
—, transport of potassium ions across planar lipid membranes by the antibiotic, grisorixin: I. the equilibrium state and self-diffusion K^+ fluxes, Amblard, G., Sandeaux, R., Sandeaux, J., Gavach, C. 88:15
1,25-Dihydroxycholecalciferol
—, characterization of 1,25-dihydroxyvitamin D_3-dependent calcium uptake in isolated chick duodenal cells, Liang, C.T., Barnes, J., Balakir, R.A., Sacktor, B. 90:145
—, mechanisms of $1,25(OH)_2D_3$-induced rapid changes of membrane potential in proximal tubule: role of Ca-dependent K^+-channels, Edelman, A., Garabedian, M., Anagnostopoulos, T. 90:137
Diluting segment
—, resistance properties of the diluting segment of *Amphiuma* kidney: influence of potassium adaptation, Oberleithner, H., Guggino, W., Giebisch, G. 88:139
Dimethonium
—, calcium at the surface of cardiac plasma membrane vesicles: cation binding, surface charge screening, and Na-Ca exchange, Bers, D.M., Philipson, K.D., Peskoff, A. 85:251
Dipyridamole
—, hypoxanthine transport in mammalian cells: cell type-specific differences in sensitivity to inhibition by dipyridamole and uridine, Plagemann, P.G.W., Wohlhueter, R.M. 81:255
Disulfide bonds
—, rat heart gap junctions as disulfide-bonded connexon multimers: their depolymerization and solubilization in deoxycholate, Manjunath, C.K., Page, E. 90:43
Disulfonic stilbene
—, binding of chloride and a disulfonic stilbene transport inhibitor to red cell band 3, Dix, J.A., Verkman, A.S., Solomon, A.K. 89:211
Diuretics-sensitive
—, ouabain-resistant Na^+, K^+ transport system in mouse NIH 3T3 cells, Altan, H., Snyder, D., Panet, R. 81:181
DNA uptake specificity
—, transformation in *Haemophilus*: a problem in membrane biology, Kahn, M.E., Smith, H.O. 81:89
DNA virus
—, intercellular communication and the control of growth: XII. alteration of junctional permeability by simian virus 40. roles of the large and small *T* antigens, Azarnia, R., Loewenstein, W.R. 82:213
Donnan effect
—, permeability of small nonelectrolytes through lipid bilayer membranes, Walter, A., Gutknecht, J. 90:207
Double layer
—, calcium at the surface of cardiac plasma membrane vesicles: cation binding, surface charge screening, and Na-Ca exchange, Bers, D.M., Philipson, K.D., Peskoff, A. 85:251
Dye transfer
—, junctional transfer in cultured vascular endothelium: II. dye and nucleotide transfer, Larson, D.M., Sheridan, J.D. 83:157
Dynamic channel
—, temperature dependence of single channel currents and the peptide libration mechanism for ion transport through the gramicidin A transmembrane channel, Urry, D.W., Alonso-

Romanowski, S., Venkatachalam, C.M., Bradley, R.J., Harris, R.D. 81:205
Efflux
—, measurements of amino acid transport in internally dialyzed giant axons, Horn, L.W. 89:185
Egg lecithin
—, role of interfacial structured water in membrane: osmotic properties of L-α-egg lecithin liposomes, Das, S., Singhal, G.S. 86:221
Ehrlich cells
—, sodium-dependent ion cotransport in steady-state Ehrlich ascites tumor cells, Levinson, C. 87:121
Elastic scattering
—, biological membrane structure as "seen" by x-ray and neutron diffraction techniques, Blasie, J.K., Herbette, L., Pachence, J. 86:1
Electrical coupling
—, communicating junctions and calmodulin: inhibition of electrical uncoupling in *Xenopus* embryo by calmidazolium, Peracchia, C. 81:49
Electrical properties
—, protoplast rotation in a rotating electric field: the influence of cold acclimation, Lovelace, R.V.E., Stout, D.G., Steponkus, P.L. 82:157
Electrodiffusive channels
—, apical sodium entry in split frog skin: current-voltage relationship, DeLong, J., Civan, M.M. 82:25
Electrofusion
—, electric pulse-induced fusion of mouse lymphoma cells: roles of divalent cations and membrane lipid domains, Ohno-Shosaku, T., Okada, Y. 85:269
—, ionic modulation of electrically induced fusion of mammalian cells, Blangero, C., Teissie, J. 86:247
Electrogenic pump
—, a kinetic analysis of the electrogenic pump of *Chara corallina*: II. dependence of the pump activity on external pH, Takeuchi, Y., Kishimoto, U., Ohkawa, T., Kami-ike, N. 86:17
—, a kinetic analysis of the electrogenic pump of *Chara corallina*: III. pump activity during action potential, Kishimoto, U., Takeuchi, Y., Ohkawa, T., Kami-ike, N. 86:27
—, calcium effects on electrogenic pump and passive permeability of the plasma membrane of *Chara corallina*, Bisson, M.A. 81:59
Electromotive force
—, determination of the electromotive force of active sodium transport in frog skin epithelium (*Rana temporaria*) from pre-steady-state flux ratio experiments, Eskesen, K., Ussing, H.H. 86:105
Electron-microprobe analysis
—, Cl transport in the frog cornea: an electron-microprobe analysis, Rick, R., Beck, F.X., Dörge, A., Thurau, K. 83:235
—, electron microprobe analysis of intracellular electrolytes in resting and isoproterenol-stimulated exocrine glands of frog skin, Mills, J.W., Thurau, K., Doerge, A., Rick, R. 86:211
Electron paramagnetic resonance
—, identification of apical membranes from tight epithelia using spin-labeled amiloride and electron paramagnetic resonance spectroscopy, Costa, C.J., Kirschner, L.B., Cragoe, E.J., Jr. 82:49
Electron spin resonance
—, spin probe clustering in human erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 84:81
Electrophysiology
—, basolateral membrane potassium conductance is independent of sodium pump activity and membrane voltage in canine tracheal epithelium, Welsh, M.J. 84:25
—, comparison of steady-state electrophysiological properties of isolated cells from bullfrog atrium and sinus venosus, Moore, L.E., Clark, R.B., Shibata, E.F., Giles, W.R. 89:131
—, ion transport by primary cultures of canine tracheal epithelium: methodology, morphology, and electrophysiology, Welsh, M.J. 88:149
—, potassium-39 NMR of K^+ interaction with the gramicidin channel and NMR-derived conductance ratios for Na^+, K^+ and Rb^+, Urry, D.W., Trapane, T.L., Venkatachalam, C.M. 89:107
Electroporation
—, ionic modulation of electrically induced fusion of mammalian cells, Blangero, C., Teissie, J. 86:247
Electrostriction
—, apparent activation volumes of hydrophobic ions and carriers in planar lipid bilayers, Moronne, M., Macey, R.I. 84:221
Endoplasmic reticulum
—, complex subcellular distributions of enzymatic markers in intestinal epithelial cells, Mircheff, A.K., Ahnen, D.J., Islam, A., Santiago, N.A., Gray, G.M. 83:95
Energy transduction
—, conformational states of sarcoplasmic reticulum Ca^{2+}-ATPase as studied by proteolytic cleavage, Andersen, J.P., Jorgensen, P.L. 88:187
Enterocytes
—, evaluation of ion gradient-dependent H^+ transport systems in isolated enterocytes from the chick, Montrose, M.H., Bebernitz, G., Kimmich, G.A. 88:55
—, phlorizin binding to isolated enterocytes: membrane potential and sodium dependence, Restrepo, D., Kimmich, G.A. 89:269
—, subcellular fractionization and subcellular localization of aminopeptidase N in the rabbit enterocytes, Moktari, S., Feracci, H., Gorvel, J.-P., Mishal, Z., Rigal, A., Maroux, S. 89:53
Enzyme
—, a minimum mechanism for Na^+ - Ca^{++} exchange: net and unidirectional Ca^{++} fluxes as functions of ion composition and membrane potential, Johnson, E.A., Kootsey, J.M. 86:167
Epidermal growth factor (EDF)
—, biosynthesis and metabolic degradation of receptors for epidermal growth factor, Soderquist, A.M., Carpenter, G. 90:97
Epinephrine
—, mechanism of Cl secretion in canine trachea: changes in intracellular chloride activity with secretion, Shorofsky, S.R., Field, M., Fozzard, H.A. 81:1
—, vibrating probe analysis of teleost opercular epithelium: correlation between active transport and leak pathways of individual chloride cells, Foskett, J.K., Machen, T.E. 85:25
Epithelial tissue culture
—, characterization of a Na:K:2Cl cotransport system in the apical membrane of a renal epithelial cell line (LLC-PK_1), Brown, C.D.A., Murer, H. 87:131
Epithelial transport
—, amiloride blockable sodium fluxes in toad bladder membrane vesicles, Garty, H. 82:269

—, evaluation of ion gradient-dependent H^+ transport systems in isolated enterocytes from the chick, Montrose, M.H., Bebernitz, G., Kimmich, G.A. 88:55
—, general method for the derivation and numerical solution of epithelial transport models, Latta, R., Clausen, C., Moore, L.C. 82:67
—, interactions of amiloride and other blocking cations with the apical Na channel in the toad urinary bladder, Palmer, L.G. 87:191
—, voltage dependence of Na channel blockage by amiloride: relaxation effects in admittance spectra, Warncke, J., Lindemann, B. 86:255
—, water permeability of *Necturus* gallbladder epithelial cell membranes measured by nuclear magnetic resonance, Steward, M.C., Garson, M.J. 86:203
Epithelium
—, cell-to-cell communication in monolayers of epithelioid cells (MDCK) as a function of the age of the monolayer, Cereijido, M., Robbins, E., Sabatini, D.D., Stefani, E. 81:41
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
—, cellular mechanism of HCO_3^- and Cl^- transport in insect salt gland, Strange, K., Phillips, J.E. 83:25
—, characterization of a Na:K:2Cl cotransport system in the apical membrane of a renal epithelial cell line (LLC-PK_1), Brown, C.D.A., Murer, H. 87:131
—, complex subcellular distributions of enzymatic markers in intestinal cells, Mircheff, A.K., Ahnen, D.J., Islam, A., Santiago, N.A., Gray, G.M. 83:95
—, electrophysiological properties of cellular and paracellular conductive pathways of the rabbit cortical collecting duct, O'Neil, R.G., Sansom, S.C. 82:281
—, identification of high molecular weight antigens structurally related to gamma-glutamyl transferase in epithelial tissues, Castle, J.D., Cameron, R.S., Patterson, P.L., Ma, A.K. 87:13
—, ion transport by primary cultures of canine tracheal epithelium: methodology, morphology, and electrophysiology, Welsh, M.J. 88:149
—, sodium-dependent modulation of the renal Na-K-ATPase: influence of mineralocorticoids on the cortical collecting duct, O'Neil, R.G., Hayhurst, R.A. 85:169
—, synthesis and characterization of methylbromoamiloride, a potential biochemical probe of epithelial Na^+ channels, Lazorick, K., Miller, C., Sariban-Sohraby, S., Benos, D. 86:69
—, tight junction formation in cultured epithelial cells (MDCK), Gonzalez-Mariscal, L., Chavez de Ramirez, B., Cereijido, M. 86:113
—, volume regulation by *Necturus* gallbladder: basolateral KCl exit, Larson, M., Spring, R. 81:219
Equivalent circuit analysis
—, linear electrical properties of isolated cardiac cells, Moore, L.E., Schmid, A., Isenberg, G. 81:29
—, mechanism of Cl secretion in canine trachea: changes in intracellular chloride activity with secretion, Shorofsky, S.R., Field, M., Fozzard, H.A. 81:1
Erythrocyte ghosts
—, influence of lead ions on cation permeability in human red cell ghosts, Simons, T.J.B. 84:61
—, spin probe clustering in human erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 84:81
—, water exchange through erythrocyte membranes: nuclear magnetic resonance studies on resealed ghosts compared to human erythrocytes, Benga, G., Borza, V., Popescu, O., Pop, V.I., Muresan, A. 89:127
Erythrocytes
—, a new method for the reconstitution of the anion transport system of the human erythrocyte membrane, Scheuring, U., Kollewe, K., Haase, W., Schubert, D. 90:123
—, action of polyethylene glycol on the fusion of human erythrocyte membrane, Hui, S.W., Isac, T., Boni, L.T., Sen, A. 84:137
—, amiloride-sensitive Na^+ transport in human red cells: evidence for a Na/H exchange system, Escobales, N., Canessa, M. 90:21
—, asymmetrical binding of phloretin to the glucose transport system of human erythrocytes, Krupka, R.M. 83:71
—, cyanine dye fluorescence used to measure membrane potential changes due to the assembly of complement proteins C5b-9, Wiedmer, T., Sims, P.J. 84:249
—, functional evidence for distinct interaction of hydrophobic arylisothiocyanates with the erythrocyte anion transport protein, Cacciola, S.O., Sigrist, H., Reist, M., Cabantchik, Z.I., Zahler, P. 81:139
—, influence of lead ions on cation permeability in human red cell ghosts, Simons, T.J.B. 84:61
—, lysis of platelets and erythrocytes by the incorporation of a unique oxygenated sterol: 22R-hydroxycholesterol, Saito, Y., Shimada, H., Imada, T., Kikuchi, T., Ikekawa, N., Inada, Y. 83:187
—, reaction of the glucose carrier of erythrocytes with sodium tetrathionate: evidence for inward-facing and outward-facing carrier conformations, Krupka, R.M. 84:35
—, single-file diffusion through the Ca^{2+}-activated K^+ channel of human red cells, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 88:67
—, thermodynamics of all-or-none water channel closure in red cells, Moura, T.F., Macey, R.I., Chien, D.Y., Karan, D., Santos, H. 81:105
—, transport of hydrophobic ions in erythrocyte membrane: I. zero membrane potential properties, Hunziker, A., Orme, F.W., Macey, R.I. 84:147
—, water exchange through erythrocyte membranes: nuclear magnetic resonance studies on resealed ghosts compared to human erythrocytes, Benga, G., Borza, V., Popescu, O., Pop, V.I., Muresan, A. 89:127
Erythropoiesis
—, rubidium uptake in single cells, Kirk, R.G., Andrews, S.B., Lee, P. 82:137
Escherichia coli
—, effect of different phospholipids on the reconstitution of two functions of the lactose carrier of *Escherichia coli*, Seto-Young, D., Chen, C.-C., Wilson, T.H. 84:259
Ethanol
—, *in vitro* ethanol effects on the transport properties of isolated renal brush-border membrane vesicles, Elgavish, A., Elgavish, G.A. 88:123
Ethylcholine mustard
—, kinetics of irreversible inhibition of choline transport in synaptosomes by ethylcholine mustard aziridinium, Curti, D., Marchbanks, R.M. 82:259
Excitability
—, gating of sodium and potassium channels, Bezanilla, F. 88:97
—, molecular motion underlying activation and inactivation of sodium channels in squid giant axons, Landowne, D. 88:173

Excitable membranes
—, the purification of ion channels from excitable cells, Talvenheimo, J.A. 87:77
Excitation-contraction coupling
—, effects of membrane potential on sodium-dependent calcium uptake by sarcolemma-enriched preparations from canine ventricle, Hungerford, R.T., Lindenmayer, G.E. 84:207
Exocrine glands
—, electron microprobe analysis of intracellular electrolytes in resting and isoproterenol-stimulated exocrine glands of frog skin, Mills, J.W., Thurau, K., Doerge, A., Rick, R. 86:211
Exocytosis
—, the chromaffin granule proton pump and calcium-dependent exocytosis in bovine adrenal medullary cells, Knight, D.E., Baker, P.F. 83:147
External ATP
—, permeability change in transformed mouse fibroblasts caused by ionophores, and its relationship to membrane permeabilization by exogenous ATP, Friedberg, I., Weisman, G.A., De, B. 83:251
—, permeabilization of transformed cells in culture by external ATP, Heppel, L.A., Weisman, G.A., Friedberg, I. 86:189
Extracellular recording
—, vibrating probe analysis of teleost opercular epithelium: correlation between active transport and leak pathways of individual chloride cells, Foskett, J.K., Machen, T.E. 85:25
Fatty acid
—, effect of micellar lipids on rabbit intestinal brush-border membrane phospholipid bilayer integrity studied by ^{31}P NMR, Vallet-Strouve, C., Tellier, C., Poignant, S., Boucrot, P. 84:71
Feedback
—, vibrating probe analysis of teleost opercular epithelium: correlation between active transport and leak pathways of individual chloride cells, Foskett, J.K., Machen, T.E. 85:25
Ferret
—, measurement and stoichiometry of bumetanide-sensitive (2Na : 1K : 3Cl) cotransport in ferret red cells, Hall, A.C., Ellory, J.C. 85:205
Ferritin
—, intracellular binding of cationized ferritin prolongs the time course of sodium channel inactivation in squid giant axons, Furuya, K., Hirano, H., Nishiyama, F., Kukita, F., Yamagishi, S. 89:75
Fertilization
—, uptake of valine and alanine by a neutral amino-acid carrier in sea urchin eggs: cyclic variations in the early cleavage stage, Allemand, D., De Renzis, G., Maistre, C., Girard, J.-P., Payan, P. 87:217
Flavosemiquinone
—, bluelight-induced, flavin-mediated transport of redox equivalents across artificial bilayer membranes, Schmidt, W. 82:113
Fluctuation analysis
—, structure–activity relationship of amiloride analogs as blockers of epithelial Na channels: I. pyrazine-ring modifications, Li, J.H.-Y., Cragoe, E.J., Jr., Lindemann, B. 83:45
Fluidity
—, relationship between fluidity and ionic permeability of bilayers from natural mixtures of phospholipids, Rossignol, M., Uso, T., Thomas, P. 87:269
—, spin probe clustering in human erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 84:81
Fluorescence
—, cyanine dye fluorescence used to measure membrane potential changes due to the assembly of complement proteins C5b-9, Wiedmer, T., Sims, P.J. 84:249
—, direct insertion and fluorescence studies of rhodamine-labeled β-adrenergic receptors in cell membranes, Cherksey, B.D., Mendelsohn, S.A., Zadunaisky, J.A., Altszuler, N. 84:105
—, interaction of thiourea with band 3 in human red cell membranes, Dorogi, P.L., Solomon, A.K. 85:37
—, local dielectric properties around polar region of lipid bilayer membranes, Kimura, Y., Ikegami, A. 85:225
—, mechanism of interaction of the cyanine dye DiS-C_3-(5) with renal brush-border vesicles, Cabrini, G., Verkman, A.S. 90:163
—, relationship between the shape and the membrane potential of human red blood cells, Bifano, E.M., Novak, T.S., Freedman, J.C. 82:1
Fluorescent dyes
—, bacterial rhodopsins monitored with fluorescent dyes in vesicles and *in vivo*, Ehrlich, B.E., Schen, C.R., Spudich, J.L. 82:89
—, cyanine dye fluorescence used to measure membrane potential changes due to the assembly of complement proteins C5b-9, Wiedmer, T., Sims, P.J. 84:249
—, interactions involving the cyanine dye, diS-C_3-(5), cytochrome *c* and liposomes and their implications for estimations of $\Delta\psi$ in cytochrome *c* oxidase-reconstituted proteoliposomes, Singh, A.P., Chanady, G.A., Nicholls, P. 84:183
Fluorescent probes
—, potential-dependent phase partitioning of fluorescent hydrophobic ions in phospholipid vesicles, Raines, D.E., Cafiso, D.S. 82:241
Fluorometry
—, subcellular fractionization and subcellular localization of aminopeptidase N in the rabbit enterocytes, Moktari, S., Feracci, H., Gorvel, J.-P., Mishal, Z., Rigal, A., Maroux, S. 89:53
Flux ratio
—, determination of the electromotive force of active sodium transport in frog skin epithelium (*Rana temporaria*) from pre-steady-state flux ratio experiments, Eskesen, K., Ussing, H.H. 86:105
—, evaluation of transport pathways for Na^+ across frog skin epithelium by means of presteady-state flux ratio, Eskesen, K., Lim, J.J., Ussing, H.H. 86:99
Fourier analysis
—, frequency-dependent membrane impedance in *Chara corallina* estimated by Fourier analysis, Ross, S.M., Ferrier, J.M., Dainty, J. 85:233
Freeze fracture
—, action of polyethylene glycol on the fusion of human erythrocyte membrane, Hui, S.W., Isac, T., Boni, L.T., Sen, A. 84:137
—, cell-to-cell communication in monolayers of epithelioid cells (MDCK) as a function of the age of the monolayer, Cereijido, M., Robbins, E., Sabatini, D.D., Stefani, E. 81:41
—, structure of zonulae occludentes and the permeability of the epithelium to short-chain fatty acids in the proximal and the distal colon of guinea pig, Luciano, L., Reale, E., Rechkemmer, G., Engelhardt, W.v. 82:145
Freeze-induced electrical transients
—, possible role of transient electric fields in freezing-induced

membrane destabilization, Steponkus, P.L., Stout, D.G., Wolfe, J., Lovelace, R.V.E. 85:191
Freezing injury
—, possible role of transient electric fields in freezing-induced membrane destabilization, Steponkus, P.L., Stout, D.G., Wolfe, J., Lovelace, R.V.E. 85:191
Frog cornea
—, Cl transport in the frog cornea: an electron-microprobe analysis, Rick, R., Beck, F.X., Dörge, A., Thurau, K. 83:235
—, implications of an anomalous intracellular electrical response in bullfrog corneal epithelium, Reinach, P., Nagel, W. 87:201
—, mechanism of inhibition of net ion transport across frog corneal epithelium by calcium channel antagonists, Huff, J.W., Reinach, P.S. 85:215
Frog skeletal muscle
—, Na^+-sensitive component of 3-O-methylglucose uptake in frog skeletal muscle, Kitasato, H., Marunaka, Y. 87:225
Frog skin
—, basolateral membrane potential and conductance in frog skin exposed to high serosal potassium, Klemperer, G., Garcia-Diaz, J.F., Nagel, W., Essig, A. 90:89
—, cell K activity in frog skin in the presence and absence of cell current, Garcia-Diaz, J.F., Baxendale, L.M., Klemperer, G., Essig, A. 85:143
—, determination of the electromotive force of active sodium transport in frog skin epithelium (*Rana temporaria*) from pre-steady-state flux ratio experiments, Eskesen, K., Ussing, H.H. 86:105
—, electron microprobe analysis of intracellular electrolytes in resting and isoproterenol-stimulated exocrine glands of frog skin, Mills, J.W., Thurau, K., Doerge, A., Rick, R. 86:211
—, evaluation of transport pathways for Na^+ across frog skin epithelium by means of presteady-state flux ratio, Eskesen, K., Lim, J.J., Ussing, H.H. 86:99
—, hydrosmotic salt effect in toad skin: urea permeability and glutaraldehyde fixation of water channels, Aboulafia, J., Lacaz-Vieira, F. 87:249
—, identification of apical membranes from tight epithelia using spin-labeled amiloride and electron paramagnetic resonance spectroscopy, Costa, C.J., Kirschner, L.B., Cragoe, E.J., Jr. 82:49
—, intracellular calcium activity in split frog skin epithelium: effect of cAMP, Kelepouris, E., Agus, Z.S., Civan, M.M. 88:113
—, structure-activity relationship of amiloride analogs as blockers of epithelial Na channels. I. pyrazine-ring modifications, Li, J.H.-Y., Cragoe, E.J., Jr., Lindemann, B. 83:45
—, synthesis and characterization of methylbromoamiloride, a potential biochemical probe of epithelial Na^+ channels, Lazorick, K., Miller, C., Sariban-Sohraby, S., Benos, D. 86:69
Frog urinary bladder, *see* Toad bladder *entries*
Fungi
—, calcium-dependent anion channel in the water mold, *Blastocladiella emersonii*, Caldwell, J.H., Van Brunt, J., Harold, F.M. 89:85
Furosemide
—, effect of metabolic depletion on the furosemide-sensitive Na and K fluxes in human red cells, Dagher, G., Brugnara, C., Canessa, M. 86:145
—, sodium-dependent ion cotransport in steady-state Ehrlich ascites tumor cells, Levinson, C. 87:121
Furosemide/piretanide
—, characterization of a Na:K:2Cl cotransport system in the apical membrane of a renal epithelial cell line (LLC-PK_1), Brown, C.D.A., Murer, H. 87:131
Fusicoccin
—, frequency-dependent membrane impedance in *Chara corallina* estimated by Fourier analysis, Ross, S.M., Ferrier, J.M., Dainty, J. 85:233
Gamma-glutamyl transferase
—, identification of high molecular weight antigens structurally related to gamma-glutamyl transferase in epithelial tissues, Castle, J.D., Cameron, R.S., Patterson, P.L., Ma, A.K. 87:13
Gangliosides
—, effect of gangliosides on phospholipid bilayers: a study with the lipophilic ions relaxation method, Usai, C., Robello, M., Gambale, F., Marchetti, C. 82:15
Gap junctions
—, communicating junctions and calmodulin: inhibition of electrical uncoupling in *Xenopus* embryo by calmidazolium, Peracchia, C. 81:49
—, diacylglycerol downregulates junctional membrane permeability. TMB-8 blocks this effect, Yada, T., Rose, B., Loewenstein, W.R. 88:217
—, functional reconstitution of lens gap junction proteins into proteoliposomes, Nikaido, H., Rosenberg, E.Y. 85:87
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
—, intercellular communication and the control of growth: XII. alteration of junctional permeability by simian virus 40. roles of the large and small *T* antigens, Azarnia, R., Loewenstein, W.R. 82:213
—, junctional transfer in cultured vascular endothelium: II. dye and nucleotide transfer, Larson, D.M., Sheridan, J.D. 83:157
—, lens cell-to-cell channel protein: I. self-assembly into liposomes and permeability regulation by calmodulin, Girsch, S.J., Peracchia, C. 83:217
—, lens cell-to-cell channel protein: II. conformational change in the presence of calmodulin, Girsch, S.J., Peracchia, C. 83:227
—, permeability properties of cell-to-cell channels: kinetics of fluorescent tracer diffusion through a cell junction, Zimmerman, A.L., Rose, B. 84:269
—, proteolysis of cardiac gap junctions during their isolation from rat hearts, Manjunath, C.K., Goings, G.E., Page, E. 85:159
—, rat heart gap junctions as disulfide-bonded connexon multimers: their depolymerization and solubilization in deoxycholate, Manjunath, C.K., Page, E. 90:43
Gastric secretion
—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
GH_3 cells
—, growth hormone-releasing factor reduces voltage-gated Ca^{2+} channel current in rat GH_3 cells, Yamashita, N., Takuwa, Y., Ogata, E. 87:241

Giant axon
—, differential blockage of two types of potassium channels in the crab giant axon, Soria, B., Arispe, N., Quinta-Ferreira, M.E., Rojas, E. 84:127
—, measurements of amino acid transport in internally dialyzed giant axons, Horn, L.W. 89:185
—, monovalent cation permeabilities of the potassium systems in the crab giant axon, Quinta-Ferreira, M.E., Soria, B., Rojas, E. 84:117
—, phosphorylation of ion channels, Levitan, I.B. 87:177
Glucagon
—, vibrating probe analysis of teleost opercular epithelium: correlation between active transport and leak pathways of individual chloride cells, Foskett, J.K., Machen, T.E. 85:25
Glucose carrier
—, asymmetrical binding of phloretin to the glucose transport system of human erythrocytes, Krupka, R.M. 83:71
—, reaction of the glucose carrier of erythrocytes with sodium tetrathionate: evidence for inward-facing and outward-facing carrier conformations, Krupka, R.M. 84:35
Glucose transport
—, asymmetrical binding of phloretin to the glucose transport system of human erythrocytes, Krupka, R.M. 83:71
—, histidyl residues at the active site of the Na/succinate cotransporter in rabbit renal brush borders, Bindslev, N., Wright, E.M. 81:159
Glutamate
—, role of membrane transport in metabolism and function of glutathione in mammals, Bannai, S., Tateishi, N. 89:1
Glutathione
—, role of membrane transport in metabolism and function of glutathione in mammals, Bannai, S., Tateishi, N. 89:1
Glutaraldehyde fixation
—, glutaraldehyde fixation preserves the permeability properties of the ADH-induced water channels, Parisi, M., Merot, J., Bourguet, J. 86:239
—, hydrosmotic salt effect in toad skin: urea permeability and glutaraldehyde fixation of water channels, Aboulafia, J., Lacaz-Vieira, F. 87:249
Glycerol
—, effects of polyhydric alcohols on the conformational stability of the purple membrane, Draheim, J.E., Cassim, J.Y. 86:229
Glycine
—, measurements of amino acid transport in internally dialyzed giant axons, Horn, L.W. 89:185
Glycoproteins
—, biosynthesis and intracellular pool of aminopeptidase N in rabbit enterocytes, Feracci, H., Rigal, A., Maroux, S. 83:139
—, biosynthesis and metabolic degradation of receptors for epidermal growth factor, Soderquist, A.M., Carpenter, G. 90:97
Goldfish
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
Goldman equation
—, apical sodium entry in split frog skin: current-voltage relationship, DeLong, J., Civan, M.M. 82:25
Golgi
—, complex subcellular distributions of enzymatic markers in intestinal epithelial cells, Mircheff, A.K., Ahnen, D.J., Islam, A., Santiago, N.A., Gray, G.M. 83:95
Gramicidin
—, osmotic water permeability of small intestinal brush-border membranes, Worman, H.J., Field, M. 87:233
—, potassium-39 NMR of K^+ interaction with the gramicidin channel and NMR-derived conductance ratios for Na^+, K^+ and Rb^+, Urry, D.W., Trapane, T.L., Venkatachalam, C.M. 89:107
—, temperature dependence of single channel currents and the peptide libration mechanism for ion transport through the gramicidin A transmembrane channel, Urry, D.W., Alonso-Romanowski, S., Venkatachalam, C.M., Bradley, R.J., Harris, R.D. 81:205
—, temperature-jump and voltage-jump experiments at planar lipid membranes support an aggregational (micellar) model of the gramicidin A ion channel, Stark, G., Strässle, M., Takácz, Z. 89:23
Granules
—, isolation and characterization of granules of the toad bladder, Masur, S.K., Cooper, S., Massardo, S., Gronowicz, G., Rubin, M.S. 89:39
Grisorixin
—, transport of potassium ions across planar lipid membranes by the antibiotic, grisorixin: I. the equilibrium state and self-diffusion K^+ fluxes, Amblard, G., Sandeaux, R., Sandeaux, J., Gavach, C. 88:15
Growth control
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
—, intercellular communication and the control of growth: XII. alteration of junctional permeability by simian virus 40. roles of the large and small *T* antigens, Azarnia, R., Loewenstein, W.R. 82:213
Growth factors
—, biosynthesis and metabolic degradation of receptors for epidermal growth factor, Soderquist, A.M., Carpenter, G. 90:97
—, mechanisms of regulation of the Na^+/H^+ exchanger, Grinstein, S., Rothstein, A. 90:1
—, transferrin receptor: its biological significance, May, W.S., Jr., Cuatrecasas, P. 88:205
Growth hormone-releasing factor (GRF)
—, growth hormone-releasing factor reduces voltage-gated Ca^{2+} channel current in rat GH_3 cells, Yamashita, N., Takuwa, Y., Ogata, E. 87:241
Guanine nucleotide regulatory proteins
—, reconstitution of the β-adrenergic receptor, Lefkowitz, R.J., Cerione, R.A., Codina, J., Birnbaumer, L., Caron, M.G. 87:1
Guinea pig
—, demarcation of Ca^{2+} transport processes in guinea pig stomach smooth muscle, Sakai, Y., Isobe, A., Ichikawa, S. 89:65
—, structure of zonulae occludentes and the permeability of the epithelium to short-chain fatty acids in the proximal and the distal colon of guinea pig, Luciano, L., Reale, E., Rechkemmer, G., Engelhardt, W.v. 82:145

Haemophilus
—, transformation in *Haemophilus*: a problem in membrane biology, Kahn, M.E., Smith, H.O. 81:59
$(H^+ + K^+)$-ATPase
—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
Halobacterium halobium
—, bacterial rhodopsins monitored with fluorescent dyes in vesicles and *in vivo*, Ehrlich, B.E., Schen, C.R., Spudich, J.L. 82:89
Halorhodopsin
—, bacterial rhodopsins monitored with fluorescent dyes in vesicles and *in vivo*, Ehrlich, B.E., Schen, C.R., Spudich, J.L. 82:89
Harmaline
—, Na^+ (Li^+)-proline cotransport in *Escherichia coli*, Chen, C.-C., Tsuchiya, T., Yamane, Y., Wood, J.M., Wilson, T.H. 84:157
HCO_3^-
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
Heart
—, effects of membrane potential on sodium-dependent calcium uptake by sarcolemma-enriched preparations from canine ventricle, Hungerford, R.T., Lindenmayer, G.E. 84:207
HeLa cells
—, effects of nystatin on intracellular contents and membrane transport of alkali cations, and cell volume in HeLa cells, Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Miyamoto, H. 90:231
—, role of passive potassium fluxes in cell volume regulation in cultured HeLa cells, Tivey, D.R., Simmons, N.L., Aiton, J.F. 87:93
Hemoglobin
—, rubidium uptake in single cells, Kirk, R.G., Andrews, S.B., Lee, P. 82:137
Hemolysis
—, lysis of platelets and erythrocytes by the incorporation of a unique oxygenated sterol: 22R-hydroxycholesterol, Saito, Y., Shimada, H., Imada, T., Kikuchi, T., Ikekawa, N., Imada, Y. 83:187
Hermissenda photoreceptors
—, phosphorylation of ion channels, Levitan, I.B. 87:177
Hexose transport
—, hexose regulation of sodium-hexose transport in LLC-PK_1 epithelia: the nature of the signal, Moran, A., Turner, R.J., Handler, J.S. 82:59
High serosal K^+
—, apical sodium entry in split frog skin: current-voltage relationship, DeLong, J., Civan, M.M. 82:25
Histidyl residues
—, histidyl residues at the active site of the Na/succinate cotransporter in rabbit renal brush borders, Bindslev, N., Wright, E.M. 81:159
Hormonal domain
—, thyroid hormone antagonizes an aldosterone-induced protein: a candidate mediator for the late mineralocorticoid response. Truscello, A., Gäggeler, H.P., Rossier, B.C. 89:173
Host-specific pathotoxin
—, channel formation in phospholipid bilayer membranes by the toxin of *Heminthosporium maydis*, Race T, Holden, M.J., Colombini, M., Sze, H. 87:151
Human red cells
—, amiloride-sensitive Na^+ transport in human red cells: evidence for a Na/H exchange system, Escobales, N., Canessa, M. 90:21
—, binding of chloride and a disulfonic stilbene transport inhibitor to red cell band 3, Dix, J.A., Verkman, A.S., Solomon, A.K. 89:211
—, effect of metabolic depletion on the furosemide-sensitive Na and K fluxes in human red cells, Dagher, G., Brugnara, C., Canessa, M. 86:145
—, influence of lead ions on cation permeability in human red cell ghosts, Simons, T.J.B. 84:61
—, interaction of thiourea with band 3 in human red cell membranes, Dorogi, P.L., Solomon, A.K. 85:37
—, melittin lysis of red cells, Tosteson, M.T., Holmes, S.J., Razin, M., Tosteson, D.C. 86:35
—, relationship between the shape and the membrane potential of human red blood cells, Bifano, E.M., Novak, T.S., Freedman, J.C. 82:1
—, single-file diffusion through the Ca^{2+}-activated K^+ channel of human red cells, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 88:67
—, thermodynamics of all-or-none water channel closure in red cells, Moura, T.F., Macey, R.I., Chien, D.Y., Karan, D., Santos, H. 81:105
Hydraulic conductivity
—, compartment analysis of plant cells by means of turgor pressure relaxation: I. theoretical considerations, Wendler, S., Zimmermann, U. 85:121
—, compartment analysis of plant cells by means of turgor pressure relaxation: II. experimental results on *Chara corallina*, Wendler, S., Zimmermann, U. 85:133
Hydrogen
—, electrophysiological properties of cellular and paracellular conductive pathways of the rabbit cortical collecting duct, O'Neil, R.G., Sansom, S.C. 82:281
Hydrogen ion transport
—, amiloride-sensitive Na^+ transport in human red cells: evidence for a Na/H exchange system, Escobales, N., Canessa, M. 90:21
—, evaluation of ion gradient-dependent H^+ transport systems in isolated enterocytes from the chick, Montrose, M.H., Bebernitz, G., Kimmich, G.A. 88:55
—, mechanisms of regulation of the Na^+/H^+ exchanger, Grinstein, S., Rothstein, A. 90:1
—, properties of an anion/H^+ cotransport system in L1210 cells that utilizes phthalate as a nonphysiological substrate, Henderson, G.B., Zevely, E.M. 89:99
Hydrophobic ions
—, apparent activation volumes of hydrophobic ions and carriers in planar lipid bilayers, Moronne, M., Macey, R.I. 84:221
—, potential-dependent phase partitioning of fluorescent hydrophobic ions in phospholipid vesicles, Raines, D.E., Cafiso, D.S. 82:241
—, transport of hydrophobic ions in erythrocyte membrane: I. zero membrane potential properties, Hunziker, A., Orme, F.W., Macey, R.I. 84:147
Hydrosmotic salt effect
—, hydrosmotic salt effect in toad skin: urea permeability and glutaraldehyde fixation of water channels, Aboulafia, J., Lacaz-Vieira, F. 87:249

Hydroxide conductance
—, proton/hydroxide conductance through lipid bilayer membranes, Gutknecht, J. 82:105
22R-Hydroxycholesterol
—, lysis of platelets and erythrocytes by the incorporation of a unique oxygenated sterol: 22R-hydroxycholesterol, Saito, Y., Shimada, H., Imada, T., Kikuchi, T., Ikekawa, N., Inada, Y. 83:167
Hyperosmotic shock
—, transient breakdown in the selective permeability of the plasma membrane of *Chlorella emersonii* in response to hyperosmotic shock: implications for cell water relations and osmotic adjustment, Reed, R.H. 82:83
Hypoxanthine
—, hypoxanthine transport in mammalian cells: cell type-specific differences in sensitivity to inhibition by dipyridamole and uridine, Plagemann, P.G.W., Wohlhueter, R.M. 81: 255
Hysteresis effects
—, characterization of the mobile charges in the membrane of *Valonia utricularis*, Buchner, K.-H., Rosenheck, K., Zimmermann, U. 88:131
IBMX
—, cyclic AMP-induced changes in membrane conductance of *Necturus* gallbladder epithelial cells, Zeldin, D.C., Corcia, A., Armstrong, W.McD. 84:193
Ileum
—, substrate and inhibitor specificity of anion exchangers on the brush border membrane of rabbit ileum, Knickelbein, R.G., Aronson, P.S., Dobbins, J.W. 88:199
—, transport of imino acids and non-α-amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:15
Impedance
—, comparison of steady-state electrophysiological properties of isolated cells from bullfrog atrium and sinus venosus, Moore, L.E., Clark, R.B., Shibata, E.F., Giles, W.R. 89:131
—, frequency-dependent membrane impedance in *Chara corallina* estimated by Fourier analysis, Ross, S.M., Ferrier, J.M., Dainty, J. 85:233
—, linear electrical properties of isolated cardiac cells, Moore, L.E., Schmid, A., Isenberg, G. 81:29
—, protamine reversibly decreases paracellular cation permeability in *Necturus* gallbladder, Fromm, M., Palant, C.E., Bentzel, C.J., Hegel, U. 87:141
—, theory of negative capacitance in membrane impedance measurements, Ferrier, J.M., Dainty, J., Ross, S.M. 85:245
In vivo translation
—, translation and functional expression of cell-cell channel mRNA in *Xenopus* oocytes, Werner, R., Miller, T., Azarnia, R., Dahl, G. 87:253
Inductive effect
—, frequency-dependent membrane impedance in *Chara corallina* estimated by Fourier analysis, Ross, S.M., Ferrier, J.M., Dainty, J. 85:233
Influx
—, permeability of the squid giant axon to organic cations and small nonelectrolytes, McKinney, L.C., Danko, M., Smith, C.J., Begenisich, T. 83:177
Inhibition
—, asymmetrical binding of phloretin to the glucose transport system of human erythyrocytes, Krupka, R.M. 83:71
—, communicating junctions and calmodulin: inhibition of electrical uncoupling in *Xenopus* embryo by calmidazolium, Peracchia, C. 81:49
—, feedback inhibition of NaCl entry in *Necturus* gallbladder epithelial cells, Jensen, P.K., Fisher, R.S., Spring, K.R. 82:95
—, hypoxanthine transport in mammalian cells: cell type-specific differences in sensitivity to inhibition by dipyridamole and uridine, Plagemann, P.G.W., Wohlhueter, R.M. 81: 255
—, ionic channels formed by *Staphylococcus aureus* alpha-toxin: voltage-dependent inhibition by divalent and trivalent cations, Menestrina, G. 90:177
—, kinetics of irreversible inhibition of choline transport in synaptosomes by ethylcholine mustard aziridinium, Curti, D., Marchbanks, R.M. 82:259
—, kinetics of the effect of amiloride on the permeability of the apical membrane of rabbit descending colon to sodium, Moran, W.M., Hudson, R.L., Schultz, S.G. 87:55
—, reaction of the glucose carrier of erythrocytes with sodium tetrathionate: evidence for inward-facing and outward-facing carrier conformations, Krupka, R.M. 84:35
—, substrate specificity of the intestinal brush-border proline/sodium (*IMINO*) transporter, Stevens, B.R., Wright, E.M. 87:27
Inhibitors
—, binding of chloride and a disulfonic transport inhibitor to red cell band 3, Dix, J.A., Verkman, A.S., Solomon, A.K. 89:211
—, communicating junctions and calmodulin: inhibition of electrical uncoupling in *Xenopus* embryo by calmidazolium, Peracchia, C. 81:49
—, current-voltage characteristics of the proton pump at *Chara* plasmalemma: I. pH dependence, Beilby, M.J. 81:113
—, delta endotoxin inhibits Rb^+ uptake, lowers cytoplasmic pH and inhibits a K^+-ATPase in *Manduca sexta* CHE cells, English, L.H., Cantley, L.C. 85:199
—, effects of the anion transport inhibitor, SITS, on the proxmal straight tubule of the rabbit perfused *in vitro*, Biagi, B.A. 88:25
—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
—, phenamil: an irreversible inhibitor of sodium channels in the toad urinary bladder, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 87:45
—, presence of an extramitochondrial anion-stimulated ATPase in the rabbit kidney: localization along the nephron and effect of corticosteroids, Abdelkhalek, M.B., Barlet, C., Doucet, A. 89:225
—, substrate and inhibitor specificity of anion exchangers on the brush border membrane of rabbit ileum, Knickelbein, R.G., Aronson, P.S., Dobbins, J.W. 88:199
—, substrate specificity of the intestinal brush-border proline/sodium (*IMINO*) transporter, Stevens, B.R., Wright, E.M. 87:27
Inositol phosphates
—, effect of inositol-1,4,5-trisphosphate on isolated subcellular fraction of rat pancreas, Streb, H., Bayerdörffer, E., Haase, W., Irvine, R.F., Schulz, I. 81:241
—, the role of phosphoinositides in signal transduction, Sekar, M.C., Hokin, L.E. 89:193
Insect cells
—, delta endotoxin inhibits Rb^+ uptake, lowers cytoplasmic

pH and inhibits a K^+-ATPase in *Manduca sexta* CHE cells, English, L.H., Cantley, L.C. 85:199
Insect rectum
—, cellular mechanism of HCO_3^- and Cl^- transport in insect salt gland, Strange, K., Phillips, J.E. 83:25
Insulin
—, Na^+-sensitive component of 3-O-methylglucose uptake in frog skeletal muscle, Kitasato, H., Marunaka, Y. 87:225
Interdigitations
—, intercellular fibrillar skeleton in the basal interdigitations of kidney tubular cells, Zampighi, G., Kreman, M. 88:33
Intercellular space
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
Interfacial pK
—, transport of potassium ions across planar lipid membranes by the antibiotic, grisorixin: I. the equilibrium state and self-diffusion K^+ fluxes, Amblard, G., Sandeaux, R., Sandeaux, J., Gavach, C. 88:15
Internal perfusion
—, apparent loss of calcium-activated potassium current in internally perfused snail neurons is due to accumulation of free intracellular calcium, Levitan, E.S., Levitan, I.B. 90:59
Intestine
—, biosynthesis and intracellular pool of aminopeptidase N in rabbit enterocytes, Feracci, H., Maroux, S. 83:139
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
—, characterization of 1,25-dihydroxyvitamin D_3-dependent calcium uptake in isolated chick duodenal cells, Liang, C.T., Barnes, J., Balakir, R.A., Sacktor, B. 90:145
—, effect of micellar lipids on rabbit intestinal brush-border membrane phospholipid bilayer integrity studied by ^{31}P NMR, Vallet-Strouve, C., Tellier, C., Poignant, S., Boucrot, P. 84:73
—, osmotic water permeability of small intestinal brush-border membranes, Worman, H.J., Field, M. 87:233
—, substrate specificity of the intestinal brush-border proline/sodium (*IMINO*) transporter, Stevens, B.R., Wright, E.M. 87:27
—, the mechanistic nature of the membrane potential dependence of sodium-sugar cotransport in small intestine, Restrepo, D., Kimmich, G.A. 87:159
Intracellular calcium activity
—, apparent loss of calcium-activated potassium current in internally perfused snail neurons is due to accumulation of free intracellular calcium, Levitan, E.S., Levitan, I.B. 90:59
—, modulation of apical Na permeability of the toad urinary bladder by intercellular Na, Ca, and H, Palmer, L.G. 83:57
Intracellular calcium stores
—, effect of inositol-1,4,5-trisphosphate on isolated subcellular fraction of rat pancreas, Streb, H., Bayerdörffer, E., Haase, W., Irvine, R.F., Schulz, I. 81:241
Intracellular chloride activity
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
—, cyclic AMP-induced changes in membrane conductance of *Necturus* gallbladder epithelial cells, Zeldin, D.C., Corcia, A., Armstrong, W.McD. 84:193
—, mechanism of Cl secretion in canine trachea: changes in intracellular chloride activity with secretion, Shorofsky, S.R., Field, M., Fozzard, H.A. 81:1
Intracellular chloride ions
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
—, cellular mechanism of HCO_3 and Cl transport in insect salt gland, Strange, K., Phillips, J.E. 83:25
Intracellular composition
—, general method for the derivation and numerical solution of epithelial transport models, Latta, R., Clausen, C., Moore, L.C. 82:67
Intracellular electrolytes
—, Cl transport in the frog cornea: an electron-microprobe analysis, Rick, R., Beck, F.X., Dörge, A., Thurau, K. 83:235
—, electron microprobe analysis of intracellular electrolytes in resting and isoproterenol-stimulated exocrine glands of frog skin, Mills, J.W., Thurau, K., Doerge, A., Rick, R. 86:211
Intracellular iontophoresis
—, effects of intracellular sodium and potassium iontophoresis on membrane potentials and resistances in toad urinary bladder, Narvarte, J., Finn, A.L. 84:1
Intracellular pH
—, delta endotoxin inhibits Rb^+ uptake, lowers cytoplasmic pH and inhibits a K^+-ATPase in *Manduca sexta* CHE cells, English, L.H., Cantley, L.C. 85:199
—, effects of internal and external pH on amiloride-blockable Na^+ transport across toad urinary bladder vesicles, Garty, H., Civan, E.D., Civan, M.M. 87:67
—, evaluation of ion gradient-dependent H^+ transport systems in isolated enterocytes from the chick, Montrose, M.H., Bebernitz, G., Kimmich, G.A. 88:55
—, modulation of apical Na permeability of the toad urinary bladder by intracellular Na, Ca, and H, Palmer, L.G. 83:57
—, properties of an anion/H^+ cotransport system in L1210 cells that utilizes phthalate as a nonphysiological substrate, Henderson, G.B., Zevely, E.M. 89:99
Intracellular potassium ions
—, Ba^{2+}-sensitive potassium permeability of the apical membrane in newt kidney proximal tubule, Kawahara, K. 88:283
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
—, delta endotoxin inhibits Rb^+ uptake, lowers cytoplasmic pH and inhibits a K^+-ATPase in *Manduca sexta* CHE cells, English, L.H., Cantley, L.C. 85:199
Intracellular potentials
—, changes in paracellular and cellular ionic permeabilities of monolayers of MDCK cells infected with influenza or vesicular stomatitis viruses, López-Vancell, R., Beaty, G., Stefani, E., Rodríguez-Boulan, E.E., Cereijido, M. 81:171
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
Intracellular sodium activity
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
—, feedback inhibition of NaCl entry in *Necturus* gallbladder epithelial cells, Jensen, P.K., Fisher, R.S., Spring, K.R. 82:95
—, modulation of apical Na permeability of the toad urinary bladder by intracellular Na, Ca, and H, Palmer, L.G. 83:57

Intracellular sodium ion concentration
—, apical sodium entry in split frog skin: current-voltage relationship, DeLong, J., Civan, M.M. 82:25
Intramural plexus
—, indirect effects of adenosine triphosphate on chloride secretion in mammalian colon, Cuthbert, A.W., Hickman, M.E. 86:157
Inward rectification
—, action potential-like responses due to the inward rectifying potassium channel, Tourneur, Y. 90:115
—, comparison of steady-state electrophysiological properties of isolated cells from bullfrog atrium and sinus venosus, Moore, L.E., Clark, R.B., Shibata, E.F., Giles, W.R. 89:131
—, single-channel analysis of a potassium inward rectifier in myocytes of newborn rat heart, Payet, M.D., Rousseau, E., Sauve, R. 86:79
Ion binding
—, a minimum mechanism for Na^+ - Ca^{++} exchange: net and unidirectional Ca^{++} fluxes as functions of ion composition and membrane potential, Johnson, E.A., Kootsey, J.M. 86:167
—, transport of hydrophobic ions in erythrocyte membranes: I. zero membrane potential properties, Hunziker, A., Orme, F.W., Macey, R.I. 84:147
Ion carriers
—, optical and electrical properties of thin monoolein lipid bilayers, Dilger, J.P., Benz, R. 85:181
Ion channels
—, comparison of time constants of single channel patches, quantum bumps, and noise analysis in *Limulus* ventral photo-receptors, Dirnberger, G., Keiper, W., Schnakenberg, J., Stieve, H. 83:39
—, inward membrane current in *Chara inflata*: I. a voltage- and time-dependent Cl component, Tyerman, S.D., Findlay, G.P., Paterson, G.J. 89:139
—, ion channels in the membrane of *Chara inflata*, Coleman, H.A., Findlay, G.P. 83:109
—, ionic channels formed by *Staphylococcus aureus* alpha-toxin: voltage-dependent inhibition by divalent and trivalent cations, Menestrina, G. 90:177
—, ionic permeabilities of the plasma membrane of isolated intact bovine rod outer segments as studied with a novel optical probe, Schnetkamp, P.P.M. 88:263
—, phosphorylation of ion channels, Levitan, I.B. 87:177
—, temperature-jump and voltage-jump experiments at planar lipid membranes support an aggregational (micellar) model of the gramicidin A ion channel, Stark, G., Strässle, M., Takácz, Z. 89:23
—, the purification of ion channels from excitable cells, Talvenheimo, J.A. 87:71
Ion fluxes
—, changes in paracellular and cellular ionic permeabilities of monolayers of MDCK cells infected with influenza or vesicular stomatitis viruses, López-Vancell, R., Beaty, G., Stefani, E., Rodríguez-Boulan, E.E., Cereijido, M. 81:171
—, optical study of active ion transport in lipid vesicles containing reconstituted Na,K-ATPase, Apell, H.-J., Marcus, M.M., Anner, B.M., Oetliker, H., Läuger, P. 85:49
—, ouabain-resistant Na^+, K^+ transport system in mouse NIH 3T3 cells, Atlan, H., Snyder, D., Panet, R. 81:181
Ion secretion
—, electron microprobe analysis of intracellular electrolytes in resting and isoproterenol-stimulated exocrine glands of frog skin, Mills, J.W., Thurau, K., Doerge, A., Rick, R. 86:211
Ion selectivity
—, channels formed by colicin E1 in planar lipid bilayers are large and exhibit pH-dependent ion selectivity, Raymond, L., Slatin, S.L., Finkelstein, A. 84:173
—, mechanism of anion-cation selectivity of amphotericin B channels, Borisova, M.P., Brutyan, R.A., Ermishkin, L.N. 90:13
Ion-sensitive microelectrodes
—, Ba^{2+}-sensitive potassium permeability of the apical membrane in newt kidney proximal tubule, Kawahara, K. 88:283
—, cyclic AMP-induced changes in membrane conductance of *Necturus* gallbladder epithelial cells, Zeldin, D.C., Corcia, A., Armstrong, W.McD. 84:193
—, intracellular calcium activity in split frog skin epithelium: effect of cAMP, Kelepouris, E., Agus, Z.S., Civan, M.M. 88:113
—, intracellular chloride activity in the extensor digitorum longus (EDL) muscle of the rat, McCaig, D., Leader, J.P. 81:9
—, temperature dependence of single channel currents and the peptide libration mechanism for ion transport through the gramicidin A transmembrane channel, Urry, D.W., Alonso-Romanowski, S., Venkatachalam, C.M., Bradley, R.J., Harris, R.D. 81:205
—, the mitochondrial voltage-dependent channel, VDAC, is modified asymmetrically by succinic anhydride, Doring, C., Colombini, M. 83:87
—, thiol-dependent passive K^+Cl^- transport in sheep red blood cells: VI. functional heterogeneity and immunologic identity with volume-stimulated $K^+(Rb^+)$ fluxes, Lauf, P.K. 82:167
—, transport of alkali cations through thin lipid membranes by $(222)C_{10}$-cryptand, an ionizable mobile carrier, Castaing, M., Morel, F., Lehn, J.-M. 89:251
—, voltage dependence and ion selectivity of the mitochondrial channel, VDAC, are modified by succinic anhydride, Doring, C., Colombini, M. 83:81
Ion transport
—, effect of gangliosides on phospholipid bilayers: a study with the lipophilic ions relaxation method, Usai, C., Robello, M., Gambele, F., Marchetti, C. 82:15
—, gating of sodium and potassium channels, Bezanilla, F. 88:97
—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
—, mechanism of inhibition of net ion transport across frog corneal epithelium by calcium channel antagonists, Huff, J.W., Reinach, P.S. 85:215
—, optical study of active ion transport in lipid vesicles containing reconstituted Na,K-ATPase, Apell, H.-J., Marcus, M.M., Anner, B.M., Oetliker, H., Läuger, P. 85:49
—, potassium-39 NMR of K^+ interaction with the gramicidin channel and NMR-derived conductance ratios for Na^+, K^+ and Rb^+, Urry, D.W., Trapane, T.L., Venkatachalam, C.M. 89:107
—, selective transport of Li^+ across lipid bilayer membranes mediated by an ionophore of novel design (ETH1644), Zeevi, A., Margalit, R. 86:61
—, sodium-dependent ion cotransport in steady-state Ehrlich ascites tumor cells, Levinson, C. 87:121

Ionic activity
—, cellular ions in intact and denervated muscles of the rat, Leader, J.P., Bray, J.J., Macknight, A.D.C., Mason, D.R., McCaig, D., Mills, R.G. 81:19
—, ionic modulation of electrically induced fusion of mammalian cells, Blangero, C., Teissie, J. 86:247
—, mechanism of anion-cation selectivity of amphotericin B channels, Borisova, M.P., Brutyan, R.A., Ermishkin, L.N. 90:13
—, volume regulation by *Necturus* gallbladder: basolateral KCl exit, Larson, M., Spring, K.R. 81:219
Ionic gradients
—, reconstitution of carrier-mediated choline transport in proteoliposomes prepared from presynaptic membranes of *Torpedo* electric organ, and its internal and external ionic requirements, Vyas, S., O'Regan, S. 85:111
Ionic permeability
—, Ca^{2+} buffer sites in intact bovine rod outer segments: introduction to a novel optical probe to measure ionic permeability in suspensions of small particles, Schnetkamp, P.P.M. 88:249
—, electrophysiological properties of cellular and paracellular conductive pathways of the rabbit cortical collecting duct, O'Neil, R.G., Sansom, S.C. 82:281
—, ionic permeabilities of the plasma membrane of isolated intact bovine rod outer segments as studied with a novel optical probe, Schnetkamp, P.P.M. 88:263
Ionophores
—, apparent activation volumes of hydrophobic ions and carriers in planar lipid bilayers, Moronne, M., Macey, R.I. 84:221
—, channel formation in phospholipid bilayer membranes by the toxin of *Heminthosporium maydis*, Race T, Holden, M.J., Colombini, M., Sze, H. 87:151
—, permeability change in transformed mouse fibroblasts caused by ionophores, and its relationship to membrane permeabilization by exogenous ATP, Friedberg, I., Weisman, G.A., De, B.K. 83:251
—, selective transport of Li^+ across lipid bilayer membranes mediated by an ionophore of novel design (ETH1644), Zeevi, A., Margalit, R. 86:61
—, transport of potassium ions across planar lipid membranes by the antibiotic, grisorixin: I. the equilibrium state and self-diffusion K^+ fluxes, Amblard, G., Sandeaux, R., Sandeaux, J., Gavach, C. 88:15
Ions and water
—, ionic modulation of electrically induced fusion of mammalian cells, Blangero, C., Teissie, J. 86:247
—, morphological and physiological studies of rat kidney cortex slices undergoing isosmotic swelling and its reversal: a possible mechanism for ouabain-resistant control of cell volume, Russo, M.A., Ernst, S.A., Kapoor, S.C., van Rossum, G.D.V. 85:1
Iron
—, transferrin receptor: its biological significance, May, W.S., Jr., Cuatrecasas, P. 88:205
Islet
—, ATP-sensitive inward rectifier and voltage- and calcium-activated K^+ channels in cultured pancreatic islet cells, Findlay, I., Dunne, M.J., Petersen, O.H. 88:165
—, high-conductance K^+ channel in pancreatic islet cells can be activated and inactivated by internal calcium, Findlay, I., Dunne, M.J., Petersen, O.H. 83:169
Isolated cardiac cells
—, comparison of steady-state electrophysiological properties of isolated cells from bullfrog atrium and sinus venosus, Moore, L.E., Clark, R.B., Shibata, E.F., Giles, W.R. 89:131
—, linear electrical properties of isolated cardiac cells, Moore, L.E., Schmid, A., Isenberg, G. 81:29
—, modification of single cardiac Na^+ channels by DPI 201-106, Kohlhardt, M., Frobe, U., Herzig, J.W. 89:163
Isolated protoplasts
—, possible role of transient electric fields in freezing-induced membrane destabilization, Steponkus, P.L., Stout, D.G., Wolfe, J., Lovelace, R.V.E. 85:191
—, protoplast rotation in a rotating electric field: the influence of cold acclimation, Lovelace, R.V.E., Stout, D.G., Steponkus, P.L. 82:157
Isolated triads
—, determinants of triad junction reformation: identification and isolation of an endogenous promoter for junction reformation in skeletal muscle, Corbett, A.M., Caswell, A.H., Brandt, N.R., Brunschwig, J.P. 86:267
Isomerism
—, isomers of long-chain alkane derivatives and nervous impulse blockage, Requena, J., Velaz, M.E., Guerrero, J.R., Medina, J.D. 84:229
Isosmotic fluid transport
—, water permeability of *Necturus* gallbladder epithelial cell membranes measured by nuclear magnetic resonance, Steward, M.C., Garson, M.J. 86:203
Isotherms
—, generalized kinetic analysis of ion-driven cotransport systems: II. random ligand binding as a simple explanation for non-Michaelian kinetics, Sanders, D. 90:67
Isotopes
—, evaluation of transport pathways for Na^+ across frog skin epithelium by means of presteady-state flux ratio, Eskesen, K., Lim, J.J., Ussing, H.H. 86:99
Junctional assembly
—, tight junction formation in cultured epithelial cells (MDCK), Gonzalez-Mariscal, L., Chavez de Ramirez, B., Cereijido, M. 86:113
Junctional permeability
—, diacylglycerol downregulates junctional membrane permeability. TMB-8 blocks this effect, Yada, T., Rose, B., Loewenstein, W.R. 88:217
—, permeability properties of cell-to-cell channels: kinetics of fluorescent tracer diffusion through a cell junction, Zimmerman, A.L., Rose, B. 84:269
^{39}K NMR
—, potassium-39 NMR of K^+ interaction with the gramicidin channel and NMR-derived conductance ratios for Na^+, K^+ and Rb^+, Urry, D.W., Trapane, T.L., Venkatachalam, C.M. 89:107
K/K^+, *see* Potassium *entries*
K^+,H^+-ATPase
—, delta endotoxin inhibits Rb^+ uptake, lowers cytoplasmic pH and inhibits a K^+-ATPase in *Manduca sexta* CHE cells, English, L.H., Cantley, L.C. 85:199
Kalanchoe
—, mechanism of passive malic-acid efflux from vacuoles of the CAM plant *Kalanchoe daigremontiana*, Luttge, U., Smith, J.A.C. 81:149

Kidney
—, Ba^{2+}-sensitive potassium permeability of the apical membrane in newt kidney proximal tubule, Kawahara, K. 88:283
—, effects of trypsin and protein modification on the renal transporter of *p*-aminohippurate, Tse, S.S., Liu, D., Bildstein, C.L., Mamelok, R.D. 82:249
—, *in vitro* ethanol effects on the transport properties of isolated renal brush-border membrane vesicles, Elgavish, A., Elgavish, G.A. 88:123
—, intercellular fibrillar skeleton in the basal interdigitations of kidney tubular cells, Zampighi, G., Kreman, M. 88:33
—, morphological and physiological studies of rat kidney cortex slices undergoing isosmotic swelling and its reversal: a possible mechanism for ouabain-resistant control of cell volume, Russo, M.A., Ernst, S.A., Kapoor, S.C., van Rossum, G.D.V. 85:1
—, presence of an extramitochondrial anion-stimulated ATPase in the rabbit kidney: localization along the nephron and effect of corticosteroids, Abdelkhalek, M.B., Barlet, C., Doucet, A. 89:225
—, resistance properties of the diluting segment of *Amphiuma* kidney: influence of potassium adaptation, Oberleithner, H., Guggino, W., Giebisch, G. 88:139
Kinetic model
—, a kinetic analysis of the electrogenic pump of *Chara corallina*: II. dependence of the pump activity on external pH, Takeuchi, Y., Kishimoto, U., Ohkawa, T., Kami-ike, N. 86:17
—, a kinetic analysis of the electrogenic pump of *Chara corallina:* III. pump activity during action potential, Kishimoto, U., Takeuchi, Y., Ohkawa, T., Kami-ike, N. 86:27
—, current-voltage characteristics of the proton pump at *Chara* plasmalemma: I. pH dependence, Beilby, M.J. 81:113
—, generalized kinetic analysis of ion-driven cotransport systems: II. random ligand binding as a simple explanation for non-Michaelian kinetics, Sanders, D. 90:67
—, the mechanistic nature of the membrane potential dependence of sodium-sugar cotransport in small intestine, Restrepo, D., Kimmich, G.A. 87:159
L1210 cells
—, characterization of the multiple transport routes for methotrexate in L1210 cells using phthalate as a model anion substrate, Henderson, G.B., Zevely, E.M. 85:263
Lactose carrier
—, effect of different phospholipids on the reconstitution of two functions of the lactose carrier of *Escherichia coli*, Seto-Young, D., Chen, C.-C., Wilson, T.H. 84:259
Lead ions
—, influence of lead ions on cation permeability in human red cell ghosts, Simons, T.J.B. 84:61
Lens channel protein (MIP26)
—, lens cell-to-cell channel protein: I. self-assembly into liposomes and permeability regulation by calmodulin, Girsch, S.J., Peracchia, C. 83:217
—, lens cell-to-cell channel protein: II. conformational change in the presence of calmodulin, Girsch, S.J., Peracchia, C. 83:227
Lens gap junctions
—, lens cell-to-cell channel protein: I. self-assembly into liposomes and permeability regulation by calmodulin, Girsch, S.J., Peracchia, C. 83:217
—, lens cell-to-cell channel protein: II. conformational change in the presence of calmodulin, Girsch, S.J., Peracchia, C. 83:227
Lens junction channels
—, lens cell-to-cell channel protein: I. self-assembly into liposomes and permeability regulation by calmodulin, Girsch, S.J., Peracchia, C. 83:217
Lepidopteran midgut
—, barium modifies the concentration dependence of active potassium transport by insect midgut, Moffett, D.F., Koch, A.R. 86:89
—, electrogenic K^+-basic amino-acid cotransport in the midgut of lepidopteran larvae, Giordana, B., Parenti, P., Hanozet, G.M., Sacchi, V.F. 88:45
—, L- and D-alanine transport in brush border membrane vesicles from lepidopteran midgut: evidence for two transport systems, Hanozet, G.M., Giordana, B., Parenti, P., Guerritore, A. 81:233
Ligand
—, generalized kinetic analysis of ion-driven cotransport systems: II. random ligand binding as a simple explanation for non-Michaelian kinetics, Sanders, D. 90:67
Light
—, effects of pH and light on the membrane conductance measured in the acid and basic zones of *Chara*, Smith, J.R., Walker, N.A. 83:193
Light adaptation
—, comparison of time constants of single channel patches, quantum bumps, and noise analysis in *Limulus* ventral photoreceptors, Dirnberger, G., Keiper, W., Schnakenberg, J., Stieve, H. 83:39
Linear analysis
—, comparison of steady-state electrophysiological properties of isolated cells from bullfrog atrium and sinus venosus, Moore, L.E., Clark, R.B., Shibata, E.F., Giles, W.R. 89:131
—, linear electrical properties of isolated cardiac cells, Moore, L.E., Schmid, A., Isenberg, G. 81:29
Lipid bilayer membranes
—, apparent activation volumes of hydrophobic ions and carriers in planar lipid bilayers, Moronne, M., Macey, R.I. 84:221
—, biological membrane structure as "seen" by x-ray and neutron diffraction techniques, Blasie, J.K., Herbette, L., Pachence, J. 86:1
—, channels formed by colicin E1 in planar lipid bilayers are large and exhibit pH-dependent ion selectivity, Raymond, L., Slatin, S.L., Finkelstein, A. 84:173
—, effect of gangliosides on phospholipid bilayers: a study with the lipophilic ions relaxation method, Usai, C., Robello, M., Gambale, F., Marchetti, C. 82:15
—, ionic channels formed by *Staphylococcus aureus* alpha-toxin: voltage-dependent inhibition by divalent and trivalent cations, Menestrina, G. 90:177
—, local dielectric properties around polar region of lipid bilayer membranes, Kimura, Y., Ikegami, A. 85:225
—, mechanism of anion-cation selectivity of amphotericin B channels, Borisova, M.P., Brutyan, R.A., Ermishkin, L.N. 90:13
—, optical and electrical properties of thin monoolein lipid bilayers, Dilger, J.P., Benz, R. 85:181
—, permeability of small nonelectrolytes through lipid bilayer membranes, Walter, A., Gutknecht, J. 90:207

—, proton/hydroxide conductance through lipid bilayer membranes, Gutknecht, J. 82:105
—, selective transport of Li^+ across lipid bilayer membranes mediated by an ionophore of novel design (ETH1644), Zeevi, A., Margalit, R. 86:61
—, transport of alkali cations through thin lipid membranes by (222)C_{10}-cryptand, an ionizable mobile carrier, Castaing, M., Morel, F., Lehn, J.-M. 89:251
Lipid domains
—, spin probe clustering in human erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 84:81
Lipid phase transitions
—, thermotropic behavior of retinal rod membranes and dispersions of extracted phospholipids, Miljanich, G.P., Brown, M.F., Mabrey-Gaud, S., Dratz, E.A., Sturtevant, J.M. 85:79
Lipid-protein interaction
—, ^2H and ^{31}P nuclear magnetic resonance studies of membranes containing bovine rhodopsin, Albert, A.D., Lane, S.A., Yeagle, P.L. 87:211
Lipid-solution mechanism
—, mechanism of passive malic-acid efflux from vacuoles of the CAM plant *Kalanchoe daigremontiana*, Luttge, U., Smith, J.A.C. 81:149
Lipid vesicles
—, optical study of active ion transport in lipid vesicles containing reconstituted Na,K-ATPase, Apell, H.-J., Marcus, M.M., Anner, B.M., Oetliker, H., Läuger, P. 85:49
—, potential-dependent phase partitioning of fluorescent hydrophobic ions in phospholipid vesicles, Raines, D.E., Cafiso, D.S. 82:241
Lipophilic cations
—, membrane potential and surface potential in mitochondria: uptake and binding of lipophilic cations, Rottenberg, H. 81:127
Lipophilic ions
—, effect of gangliosides on phospholipid bilayers: a study with the lipophilic ions relaxation method, Usai, C., Robello, M., Gambale, F., Marchetti, C. 82:15
—, optical and electrical properties of thin monoolein lipid bilayers, Dilger, J.P., Benz, R. 85:181
Liposomes
—, interactions involving the cyanine dye, diS-C_3-(5), cytochrome *c* liposomes and their implications for estimations of $\Delta\psi$ in cytochrome *c* oxidase-reconstituted proteoliposomes, Singh, A.P., Chanady, G.A., Nicholls, P. 84:183
—, lens cell-to-cell channel protein: I. self-assembly into liposomes and permeability regulation by calmodulin, Girsch, S.J., Peracchia, C. 83:217
—, local dielectric properties around polar region of lipid bilayer membranes, Kimura, Y., Ikegami, A. 85:225
—, reconstitution of carrier-mediated choline transport in proteoliposomes prepared from presynaptic membranes of *Torpedo* electric organ, and its internal and external ionic requirements, Vyas, S., O'Regan, S. 85:111
—, role of interfacial structured water in membrane: osmotic properties of L-α-egg lecithin liposomes, Das, S., Singhal, G.S. 86:221
Lithium
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
—, selective transport of Li^+ across lipid bilayer membranes mediated by an ionophore of novel design (ETH1644), Zeevi, A., Margalit, R. 86:61
Loop diuretic
—, role of passive potassium fluxes in cell volume regulation in cultured HeLa cells, Tivey, D.R., Simmons, N.L., Aiton, J.F. 87:93
Loop of Henle
—, intercellular fibrillar skeleton in the basal interdigitations of kidney tubular cells, Zampighi, G., Kreman, M. 88:33
Lucifer Yellow
—, cell-to-cell communication in monolayers of epithelioid cells (MDCK) as a function of the age of the monolayer, Cereijido, M., Robbins, E., Sabatini, D.D., Stefani, E. 81:41
Lymphoma cells
—, electric pulse-induced fusion of mouse lymphoma cells: roles of divalent cations and membrane lipid domains, Ohno-Shosaku, T., Okada, Y. 85:269
Magnesium
—, electric pulse-induced fusion of mouse lymphoma cells: roles of divalent cations and membrane lipid domains, Ohno-Shosaku, T., Okada, Y. 85:269
Malic acid
—, mechanism of passive malic-acid efflux from vacuoles of the CAM plant *Kalanchoe daigremontiana*, Luttge, U., Smith, J.A.C. 81:149
Mammalian cells
—, ionic modulation of electrically induced fusion of mammalian cells, Blangero, C., Teissie, J. 86:247
—, K^+:Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, role of membrane transport in metabolism and function of glutathione in mammals, Bannai, S., Tateishi, N. 89:1
Mammalian neurones
—, surface charge of mammalian neurones as revealed by microelectrophoresis, Mironov, S.L., Dolgaya, E.V. 86:197
Mammalian urinary bladder
—, apical membrane area of rabbit urinary bladder increases by fusion of intracellular vesicles: an electrophysiological study, Lewis, S.A., de Moura, J.L.C. 82:123
—, general method for the derivation and numerical solution of epithelial transport models, Latta, R., Clausen, C., Moore, L.C. 82:67
Manduca sexta CHE cells
—, delta endotoxin inhibits Rb^+ uptake, lowers cytoplasmic pH and inhibits a K^+-ATPase in *Manduca sexta* CHE cells, English, L.H., Cantley, L.C. 85:199
Mast cell protease
—, proteolysis of cardiac gap junctions during their isolation from rat hearts, Manjunath, C.K., Goings, G.E., Page, E. 85:159
Mathematical models
—, general method for the derivation and numerical solution of epithelial transport models, Latta, R., Clausen, C., Moore, L.C. 82:67
MDCK cells
—, cell-to-cell communication in monolayers of epithelioid cells (MDCK) as a function of the age of the monolayer, Cereijido, M., Robbins, E., Sabatini, D.D., Stefani, E. 81:41
—, changes in paracellular and cellular ionic permeabilities of monolayers of MDCK cells infected with influenza or vesicular stomatitis viruses, López-Vancell, R., Beaty, G., Stefani, E., Rodríguez-Boulan, E.E., Cereijido, M. 81:171

—, tight junction formation in cultured epithelial cells (MDCK), Gonzalez-Mariscal, L., Chavez de Ramirez, B., Cereijido, M. 86:113
Melittin-induced osmotic lysis
—, melittin lysis of red cells, Tosteson, M.T., Holmes, S.J., Razin, M., Tosteson, D.C. 87:35
Membrane
—, effects of pH and light on the membrane conductance measured in the acid and basic zones of *Chara*, Smith, J.R., Walker, N.A. 83:193
—, inward membrane current in *Chara inflata*: I. a voltage- and time-dependent Cl^- component, Tyerman, S.D., Findlay, G.P., Paterson, G.J. 89:139
—, ion channels in the membrane of *Chara inflata*, Coleman, H.A., Findlay, G.P. 83:109
—, rubidium uptake in single cells, Kirk, R.G., Andrews, S.B., Lee, P. 82:137
—, voltage dependence and ion selectivity of the mitochondrial channel, VDAC, are modified by succinic anhydride, Doring, C., Colombini, M. 83:81
Membrane asymmetry
—, thermotropic behavior of retinal rod membranes and dispersions of extracted phospholipids, Miljanich, G.P., Brown, M.F., Mabrey-Gaud, S., Dratz, E.A., Sturtevant, J.M. 85:79
Membrane capacitance
—, protoplast rotation in a rotating electric field: the influence of cold acclimation, Lovelace, R.V.E., Stout, D.G., Steponkus, P.L. 82:157
Membrane exchange
—, dynamics of membrane exchange of the plasma membrane and the lysis of isolated protoplasts during rapid expansions in area, Wolfe, J., Dowgert, M.F., Steponkus, P.L. 86:127
Membrane fusion
—, action of polyethylene glycol on the fusion of human erythrocyte membranes, Hui, S.W., Isac, T., Boni, L.T., Sen, A. 84:137
Membrane glycoproteins
—, identification of high molecular weight antigens structurally related to gamma-glutamyl transferase in epithelial tissues, Castle, J.D., Cameron, R.S., Patterson, P.L., Ma, A.K. 87:13
Membrane heterogeneity
—, relationship between fluidity and ionic permeability of bilayers from natural mixtures of phospholipids, Rossignol, M., Uso, T., Thomas, P. 87:269
Membrane impedance
—, frequency-dependent membrane impedance in *Chara corallina* estimated by Fourier analysis, Ross, S.M., Ferrier, J.M., Dainty, J. 85:233
—, theory of negative capacitance in membrane impedance measurements, Ferrier, J.M., Dainty, J., Ross, S.M. 85:245
Membrane infoldings
—, slow potential changes due to transport number effects in cells with unstirred membrane invaginations or dendrites, Barry, P.H. 82:221
Membrane invaginations
—, slow potential changes due to transport number effects in cells with unstirred membrane invaginations or dendrites, Barry, P.H. 82:221
Membrane isolation
—, identification of apical membranes from tight epithelia using spin-labeled amiloride and electron paramagnetic resonance spectroscopy, Costa, C.J., Kirschner, L.B., Cragoe, E.J., Jr. 82:49
Membrane L-antigen
—, thiol-dependent passive K^+Cl^- transport in sheep red blood cells: VI. functional heterogeneity and immunologic identity with volume-stimulated $K^+(Rb^+)$ fluxes, Lauf, P.K. 82:167
Membrane lipid
—, electric pulse-induced fusion of mouse lymphoma cells: roles of divalent cations and membrane lipid domains, Ohno-Shosaku, T., Okada, Y. 85:269
Membrane permeability
—, basolateral membrane potassium conductance is independent of sodium pump activity and membrane voltage in canine tracheal epithelium, Welsh, M.J. 84:25
—, diacylglycerol downregulates junctional membrane permeability. TMB-8 blocks this effect, Yada, T., Rose, B., Loewenstein, W.R. 88:217
—, mechanism of passive malic-acid efflux from vacuoles of the CAM plant *Kalanchoe daigremontiana*, Luttge, U., Smith, J.A.C. 81:149
—, permeability of small nonelectrolytes through lipid bilayer membranes, Walter, A., Gutknecht, J. 90:207
—, proton/hydroxide conductance through lipid bilayer membranes, Gutknecht, J. 82:105
—, transient breakdown in the selective permeability of the plasma membrane of *Chlorella emersonii* in response to hyperosmotic shock: implications for cell water relations and osmotic adjustment, Reed, R.H. 82:83
Membrane pore
—, cyanine dye fluorescence used to measure membrane potential changes due to the assembly of complement proteins C5b-9, Wiedmer, T., Sims, P.J. 84:249
Membrane potential
—, apical sodium entry in split frog skin: current-voltage relationship, DeLong, J., Civan, M. 82:25
—, Ba^{2+}-sensitive potassium permeability of the apical membrane in newt kidney proximal tubule, Kawahara, K. 88:283
—, basolateral membrane potential and conductance in frog skin exposed to high serosal potassium, Klemperer, G., Garcia-Diaz, J.F., Nagel, W., Essig, A. 90:89
—, cell K activity in frog skin in the presence and absence of cell current, Garcia-Diaz, J.F., Baxendale, L.M., Klemperer, G., Essig, A. 85:143
—, cyanine dye fluorescence used to measure membrane potential changes due to the assembly of complement proteins C5b-9, Wiedmer, T., Sims, P.J. 84:249
—, cyclic AMP-induced changes in membrane conductance of *Necturus* gallbladder epithelial cells, Zeldin, D.C., Corcia, A., Armstrong, W.McD. 84:193
—, effects of intracellular sodium and potassium iontophoresis on membrane potentials and resistances in toad urinary bladder, Narvarte, J., Finn, A.L. 84:1
—, effects of membrane potential on sodium-dependent calcium uptake by sarcolemma-enriched preparations from canine ventricle, Hungerford, R.T., Lindenmayer, G.E. 84:207
—, interactions involving the cyanine dye, diS-$C_3(5)$, cytochrome *c* and liposomes and their implications for estimations of $\Delta\psi$ in cytochrome *c* oxidase-reconstituted proteoliposomes, Singh, A.P., Chanady, G.A., Nicholls, P. 84:183
—, intracellular calcium activity in split frog skin epithelium:

effect of cAMP, Kelepouris, E., Agus, Z.S., Civan, M.M. 88:113
—, mechanism of interaction of the cyanine dye DiS-C_3-(5) with renal brush-border vesicles, Cabrini, G., Verkman, A.S. 90:163
—, mechanisms of $1,25(OH)_2D_3$-induced rapid changes of membrane potential in proximal tubule: role of Ca-dependent K^+-channels, Edelman, A., Garabedian, M., Anagnostopoulos, T. 90:137
—, membrane potential and surface potential in mitochondria: uptake and binding of lipophilic cations, Rottenberg, H. 81:127
—, permeability change in transformed mouse fibroblasts caused by ionophores, and its relationship to membrane permeabilization by exogenous ATP, Friedberg, I., Weisman, G.A., De, B.K. 83:251
—, phlorizin binding to isolated enterocytes: membrane potential and sodium dependence, Restrepo, D., Kimmich, G.A. 89:269
—, potential-dependent phase partitioning of fluorescent hydrophobic ions in phospholipid vesicles, Raines, D.E., Cafiso, D.S. 82:241
—, relationship between the shape and the membrane potential of human red blood cells, Bifano, E.M., Novak, T.S., Freedman, J.C. 82:1
—, the mechanistic nature of the membrane potential dependence of sodium-sugar cotransport in small intestine, Restrepo, D., Kimmich, G.A. 87:159

Membrane proteins
—, biological membrane structure as "seen" by x-ray and neutron diffraction techniques, Blasie, J.K., Herbette, L., Pachence, J. 86:1
—, evidence for titratable gating charges controlling the voltage dependence of the outer mitochondrial membrane channel, VDAC, Bowen, K.A., Tam, K., Colombini, M. 86:51
—, rat heart gap junctions as disulfide-bonded connexon multimers: their depolymerization and solubilization in deoxycholate, Manjunath, C.K., Page, E. 90:43
—, stability of transmembrane regions in bacteriorhodopsin studied by progressive proteolysis, Dumont, M.E., Trewhella, J., Engelman, D.M., Richards, F.M. 88:233
—, transformation in *Haemophilus*: a problem in membrane biology, Kahn, M.E., Smith, H.O. 81:89

Membrane redox transport, light-induced
—, bluelight-induced, flavin-mediated transport of redox equivalents across artificial bilayer membranes, Schmidt, W. 82:113

Membrane resistance
—, cell-to-cell communication in monolayers of epithelioid cells (MDCK) as a function of the age of the monolayer, Cereijido, M., Robbins, E., Sabatini, D.D., Stefani, E. 81:41
—, effects of intracellular sodium and potassium iontophoresis on membrane potentials and resistances in toad urinary bladder, Narvarte, J., Finn, A.L. 84:1

Membrane shuttle hypothesis
—, isolation and characterization of granules of the toad bladder, Masur, S.K., Cooper, S., Massardo, S., Gronowicz, G., Rubin, M.S. 89:39

Membrane transport
—, role of membrane transport in metabolism and function of glutathione in mammals, Bannai, S., Tateishi, N. 89:1
—, substrate specificity of the intestinal brush-border proline/sodium (*IMINO*) transporter, Stevens, B.R., Wright, E.M. 87:27
—, transport of hydrophobic ions in erythrocyte membrane: I. zero membrane potential properties, Hunziker, A., Orme, F.W., Macey, R.I. 84:147

Membrane vesicles
—, characterization of a Na:K:2Cl cotransport system in the apical membrane of a renal epithelial cell line (LLC-PK_1), Brown, C.D.A., Murer, H. 87:131
—, transformation in *Haemophilus*: a problem in membrane biology, Kahn, M.E., Smith, H.O. 81:89

Metabolic coupling
—, junctional transfer in cultured vascular endothelium: II. dye and nucleotide transfer, Larson, D.M., Sheridan, J.D. 83:157

Metabolism
—, effect of metabolic depletion on the furosemide-sensitive Na and K fluxes in human red cells, Dagher, G., Brugnara, C., Canessa, M. 86:145

Metastable states
—, temperature dependence of single channel currents and the peptide libration mechanism for ion transport through the gramicidin A transmembrane channel, Urry, D.W., Alonso-Romanowski, S., Venkatachalam, C.M., Bradley, R.J., Harris, R.D. 81:205

Methotrexate
—, characterization of the multiple transport routes for methotrexate in L1210 cells using phthalate as a model anion substrate, Henderson, G.B., Zevely, E.M. 85:263

Methylamine distribution
—, evaluation of ion gradient-dependent H^+ transport systems in isolated enterocytes from the chick, Montrose, M.H., Bebernitz, G., Kimmich, G.A. 88:55

Methylation
—, synthesis and characterization of methylbromoamiloride, a potential biochemical probe of epithelial Na^+ channels, Lazorick, K., Miller, C., Sariban-Sohraby, S., Benos, D. 86:69

MgATP
—, caffeine inhibition of calcium accumulation by the sarcoplasmic reticulum in mammalian skinned fibers, Sorenson, M.M., Coelho, H.S.L., Reuben, J.P. 90:219

Microelectrophoresis
—, surface charge of mammalian neurones as revealed by microelectrophoresis, Mironov, S.L., Dolgaya, E.V. 86:197

Microsomes
—, demarcation of Ca^+ transport processes in guinea pig stomach smooth muscle, Sakai, Y., Isobe, A., Ichikawa, S. 89:65

Microtubules
—, are axoplasmic microtubules necessary for membrane excitation? Terakawa, S., Nakayama, T. 85:65

Mineralocorticoids
—, mechanisms of aldosterone action in tight epithelia, Garty, H. 90:193
—, sodium-dependent modulation of the renal Na-K-ATPase: influence of mineralocorticoids on the cortical collecting duct, O'Neil, R.G., Hayhurst, R.A. 85:169
—, thyroid hormone antagonizes an aldosterone-induced protein: a candidate mediator for the late mineralocorticoid response, Truscello, A., Gäggeler, H.P., Rossier, B.C. 89:173

Mitochondria
—, Ba^{2+} uptake and the inhibition by Ba^{2+} flux into rat liver mitochondria, Diwan, J.J. 84:165
—, membrane potential and surface potential in mitochondria: uptake and binding of lipophilic cations, Rottenberg, H. 81:127

Mitochondrial ATPase inhibitors
—, presence of an extramitochondrial anion-stimulated ATPase in the rabbit kidney: localization along the nephron and effect of corticosteroids, Abdelkhalek, M.B., Barlet, C., Doucet, A. 89:225
Mitochondrial channel
—, the mitochondrial voltage-dependent channel, VDAC, is modified asymmetrically by succinic anhydride, Doring, C., Colombini, M. 83:87
—, voltage dependence and ion selectivity of the mitochondrial channel, VDAC, are modified by succinic anhydride, Doring, C., Colombini, M. 83:81
Mobile charges
—, characterization of the mobile charges in the membrane of *Valonia utricularis*, Buchner, K.-H., Rosenheck, K., Zimmermann, U. 88:131
Model substrates
—, on the strategy of kinetic discrimination of amino acid transport systems, Christensen, H.N. 84:97
Molecular volume
—, permeability of small nonelectrolytes through lipid bilayer membranes, Walter, A., Gutknecht, J. 90:207
Molluscan neurones
—, single Cl^- channels in molluscan neurones: multiplicity of the conductance states, Geletyuk, V.I., Kazachenko, V.N. 86:9
Monoolein
—, optical and electrical properties of thin monoolein lipid bilayers, Dilger, J.P., Benz, R. 85:181
mRNA
—, translation and functional expression of cell-cell channel mRNA in *Xenopus* oocytes, Werner, R., Miller, T., Azarnia, R., Dahl, G. 87:253
Mucosal acidification
—, effects of internal and external pH on amiloride-blockable Na^+ transport across toad urinary bladder vesicles, Garty, H., Civan, E.D., Civan, M.M. 87:67
N-ethylmaleimide
—, $K^+:Cl^-$ cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, thiol-dependent passive K^+Cl^- transport in sheep red blood cells: VI. functional heterogeneity and immunologic identity with volume-stimulated $K^+(Rb^+)$ fluxes, Lauf, P.K. 82:167
Na/Na^+, *see* Sodium *entries*
Na^+/Ca^+ countertransport
—, Na^+/Ca^{2+} countertransport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Haase, W., Schulz, I. 87:107
Na:K:2Cl cotransport
—, characterization of a Na:K:2Cl cotransport system in the apical membrane of a renal epithelial cell line ($LLC\text{-}PK_1$), Brown, C.D.A., Murer, H. 87:131
Na,K-ATPase
—, mechanisms of aldosterone action in tight epithelia, Garty, H. 90:193
—, optical study of active ion transport in lipid vesicles containing reconstituted Na,K-ATPase, Apell, H.-J., Marcus, M.M., Anner, B.M., Oetliker, H., Läuger, P. 85:49
—, sodium-dependent modulation of the renal Na-K-ATPase: influence of mineralocorticoids on the cortical collecting duct, O'Neil, R.G., Hayhurst, R.A. 85:169
^{23}Na NMR
—, *in vitro* ethanol effects on the transport properties of isolated renal brush-border membrane vesicles, Elgavish, A., Elgavish, G.A. 88:123
Necturus gallbladder
—, cyclic AMP-induced changes in membrane conductance of *Necturus* gallbladder epithelial cells, Zeldin, D.C., Corcia, A., Armstrong, W.McD. 84:193
—, protamine reversibly decreases paracellular cation permeability in *Necturus* gallbladder, Fromm, M., Palant, C.E., Bentzel, C.J., Hegel, U. 87:141
—, water permeability of *Necturus* gallbladder epithelial cell membranes measured by nuclear magnetic resonance, Steward, M.C., Garson, M.J. 86:203
Negative cooperativity
—, on the strategy of kinetic discrimination of amino acid transport systems, Christensen, H.N. 84:97
Nephron segments
—, presence of an extramitochondrial anion-stimulated ATPase in the rabbit kidney: localization along the nephron and effect of corticosteroids, Abdelkhalek, M.B., Barlet, C., Doucet, A. 89:225
Nerve impulse
—, molecular motion underlying activation and inactivation of sodium channels in squid giant axons, Landowne, D. 88:173
Nervous block
—, isomers of long-chain alkane derivatives and nervous impulse blockage, Requena, J., Velaz, M.E., Guerrero, J.R., Medina, J.D. 84:229
—, slow potential changes due to transport number effects in cells with unstirred membrane invaginations or dendrites, Barry, P.H. 82:221
Neurons
—, apparent loss of calcium-activated potassium current in internally perfused snail neurons is due to accumulation of free intracellular calcium, Levitan, E.S., Levitan, I.B. 90:59
—, phosphorylation of ion channels, Levitan, I.B. 87:177
Neutron diffraction
—, biological membrane structure as "seen" by x-ray and neutron diffraction techniques, Blasie, J.K., Herbette, L., Pachence, J. 86:1
NH_4^+
—, inward membrane current in *Chara inflata*: II. effects of pH, Cl^--channel blockers and NH_4^+, and significance for the hyperpolarized state, Tyerman, S.D., Findlay, G.P., Paterson, G.J. 89:153
Nitella flexilis
—, potassium channels in plasmalemma of *Nitella* cells at rest, Sokolik, A.I., Yurin, V.M. 89:9
Nitrogen-linked oligosaccharides
—, biosynthesis and metabolic degradation of receptors for epidermal growth factor, Soderquist, A.M., Carpenter, G. 90:97
Node of Ranvier
—, effects of chemical modification of carboxyl groups on the voltage-clamped nerve fiber of the frog, Rack, M., Woll, K.-H. 82:41
Nonelectrolytes
—, permeability of small nonelectrolytes through lipid bilayer membranes, Walter, A., Gutknecht, J. 90:207
—, permeability of the giant squid axon to organic cations and small nonelectrolytes, McKinney, L.C., Danko, M., Smith, C.J., Begenisich, T. 83:177
—, transepithelial transport of nonelectrolytes in the rabbit

mandibular salivary gland, Case, R.M., Cook, D.I., Hunter, M., Steward, M.C., Young, J.A. 84:239
Nonsaturable migration
—, on the strategy of kinetic discrimination of amino acid transport systems, Christensen, H.N. 84:97
Nonselective cation channel
—, single calcium-dependent cation channels in mouse pancreatic acinar cells, Maruyama, Y., Petersen, O.H. 81:83
Nuclear magnetic resonance
—, ^2H and ^{31}P nuclear magnetic resonance studies of membranes containing bovine rhodopsin, Albert, A.D., Lane, S.A., Yeagle, P.L. 87:211
—, potassium-39 NMR of K^+ interaction with the gramicidin channel and NMR-derived conductance ratios for Na^+, K^+ and Rb^+, Urry, D.W., Trapane, T.L., Venkatachalam, C.M. 89:107
—, water exchange through erythrocyte membranes: nuclear magnetic resonance studies on resealed ghosts compared to human erythrocytes, Benga, G., Borza, V., Popescu, O., Pop, V.I., Muresan, A. 89:127
—, water permeability of *Necturus* gallbladder epithelial cell membranes measured by nuclear magnetic resonance, Steward, M.C., Garson, M.J. 86:203
Nystatin
—, effects of nystatin on intracellular contents and membrane transport of alkali cations, and cell volume in HeLa cells, Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Miyamoto, H. 90:231
3-O-methylglucose uptake
—, Na^+-sensitive component of 3-O-methylglucose uptake in frog skeletal muscle, Kitasato, H., Marunaka, Y. 87:225
Off-rate constants
—, potassium-39 NMR of K^+ interaction with the gramicidin channel and NMR-derived conductance ratios for Na^+, K^+ and Rb^+, Urry, D.W., Trapane, T.L., Venkatachalam, C.M. 89:107
Optical probes
—, Ca^+ buffer sites in intact bovine rod outer segments: introduction to a novel optical probe to measure ionic permeabilities in suspensions of small particles, Schnetkamp, P.P.M. 88:249
—, ionic permeabilities of the plasma membrane of isolated intact bovine rod outer segments as studied with a novel optical probe, Schnetkamp, P.P.M. 88:263
Optical retardation
—, molecular motion underlying activation and inactivation of sodium channels in squid giant axons, Landowne, D. 88:173
Oriented films
—, effects of polyhydric alcohols on the conformational stability of the purple membrane, Draheim, J.E., Cassim, J.Y. 86:229
Osmometric behavior
—, transient breakdown in the selective permeability of the plasma membrane of *Chlorella emersonii* in response to hyperosmotic shock: implications for cell water relations and osmotic adjustment, Reed, R.H. 82:83
Osmotic expansion
—, dynamics of membrane exchange of the plasma membrane and the lysis of isolated protoplasts during rapid expansions in area, Wolfe, J., Dowgert, M.F., Steponkus, P.L. 86:127
Osmotic permeability
—, glutaraldehyde fixation preserves the permeability properties of the ADH-induced water channels, Parisi, M., Merot, J., Bourguet, J. 86:239
—, isolation and characterization of granules of the toad bladder, Masur, S.K., Cooper, S., Massardo, S., Gronowicz, G., Rubin, M.S. 89:39
Osmotic responses
—, transient breakdown in the selective permeability of the plasma membrane of *Chlorella emersonii* in response to hyperosmotic shock: implications for cell water relations and osmotic adjustment, Reed, R.H. 82:83
Osmotic shrinkage
—, role of interfacial structured water in membrane: osmotic properties of L-α-egg lecithin liposomes, Das, S., Singhal, G.S. 86:221
Osmotic swelling
—, action of polyethylene glycol on the fusion of human erythrocyte membranes, Hui, S.W., Isac, T., Boni, L.T., Sen, A. 84:137
Ouabain
—, basolateral membrane potassium conductance is independent of sodium pump activity and membrane voltage in canine tracheal epithelium, Welsh, M.J. 84:25
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
—, feedback inhibition of NaCl entry in *Necturus* gallbladder epithelial cells, Jensen, P.K., Fisher, R.S., Spring, K.R. 82:95
—, implications of an anomalous intracellular electrical response in bullfrog corneal epithelium, Reinach, P., Nagel, W. 87:201
Ouabain-insensitive K^+ fluxes
—, thiol-dependent passive K^+Cl^+ transport in sheep red blood cells: VI. functional heterogeneity and immunologic identity with volume-stimulated $K^+(Rb^+)$ fluxes, Lauf, P.K. 82:167
Ouabain-resistant
—, morphological and physiological studies of rat kidney cortex slices undergoing isosmotic swelling and its reversal: a possible mechanism for ouabain-resistant control of cell volume, Russo, M.A., Ernst, S.A., Kapoor, S.C., van Rossum, G.D.V. 85:1
—, ouabain-resistant Na^+, K^+ transport system in mouse NIH 3T3 cells, Atlan, H., Snyder, D., Panet, R. 81:181
Outer membrane
—, the mitochondrial voltage-dependent channel, VDAC, is modified asymmetrically by succinic anhydride, Doring, C., Colombini, M. 83:87
—, voltage dependence and ion selectivity of the mitochondrial channel, VDAC, are modified by succinic anhydride, Doring, C., Colombini, M. 83:81
Oxalate/chloride exchange
—, substrate and inhibitor specificity of anion exchangers on the brush border membrane of rabbit ileum, Knickelbein, R.G., Aronson, P.S., Dobbins, J.W. 88:199
Oxyntic cell stimulation
—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
^{31}P NMR
—, effect of micellar lipids on rabbit intestinal brush-border membrane phospholipid bilayer integrity studied by ^{31}P NMR, Vallet-Strouve, C., Tellier, C., Poignant, S., Boucrot, P. 84:73
—, *in vitro* ethanol effects on the transport properties of isolated renal brush-border membrane vesicles, Elgavish, A., Elgavish, G.A. 88:123

p-aminohippurate
—, effects of trypsin and protein modification on the renal transporter of *p*-aminohippurate, Tse, S.S., Bildstein, C.L., Mamelok, R.D. 82:249
Pacemaker
—, comparison of steady-state electrophysiological properties of isolated cells from bullfrog atrium and sinus venosus, Moore, L.E., Clark, R.B., Shibata, E.F., Giles, W.R. 89:131
Pancreatic acinar cells
—, action of tetraethylammonium on calcium-activated potassium channels in pig pancreatic acinar cells studied by patch-clamp single-channel and whole-cell current recording, Iwatsuki, N., Petersen, O.H. 86:139
—, characterization of calcium uptake into rough endoplasmic reticulum of rat pancreas, Bayerdörffer, E., Streb, H., Eckhardt, L., Haase, W., Schulz, I. 81:69
—, effect of inositol-1,4,5-trisphosphate on isolated subcellular fractions of rat pancreas, Streb, H., Bayerdörffer, E., Haase, W., Irvine, R.F., Schulz, I. 81:241
—, electrogenic calcium transport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Eckhardt, L., Haase, W., Schulz, I. 84:45
—, Na^+/Ca^{2+} countertransport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Haase, W., Schulz, I. 87:107
—, single calcium-dependent cation channels in mouse pancreatic acinar cells, Maruyama, Y., Petersen, O.H. 81:83
Pancreatic islet cells
—, high-conductance K^+ channel in pancreatic islet cells can be activated and inactivated by internal calcium, Findlay, I., Dunne, M.J., Petersen, O.H. 83:169
Paracellular pathway
—, vibrating probe analysis of teleost opercular epithelium: correlation between active transport and leak pathways of individual chloride cells, Foskett, J.K., Machen, T.E. 85:25
Partition coefficient
—, permeability of small nonelectrolytes through lipid bilayer membranes, Walter, A., Gutknecht, J. 90:207
Passive permeability
—, permeabilization of transformed cells in culture by external ATP, Heppel, L.A., Weisman, G.A., Friedberg, I. 86:189
—, transport of neutral and cationic amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:1
Patch clamp
—, action of tetraethylammonium on calcium-activated potassium channels in pig pancreatic acinar cells studied by patch-clamp single-channel and whole-cell current recording, Iwatsuki, N., Petersen, O.H. 86:139
—, ATP-sensitive inward rectifier and voltage- and calcium-activated K^+ channels in cultured pancreatic islet cells, Findlay, I., Dunne, M.J., Petersen, O.H. 88:165
—, high-conductance K^+ channel in pancreatic islet cells can be activated and inactivated by internal calcium, Findlay, I., Dunne, M.J., Petersen, O.H. 83:169
—, modification of single cardiac Na^+ channels by DPI 201-106, Kohlhardt, M., Frobe, U., Herzig, J.W. 89:163
—, single calcium-dependent cation channels in mouse pancreatic acinar cells, Maruyama, Y., Petersen, O.H. 81:83
—, single-channel analysis of a potassium inward rectifier in myocytes of newborn rat heart, Payet, M.D., Rousseau, E., Sauve, R. 86:79
—, single Cl^- channels in molluscan neurones: multiplicity of the conductance states, Geletyuk, V.I., Kazachenko, V.N. 86:9
Pb/Pb^{2+}, *see* Lead *entries*
PCMBS (*p*-chloromercuribenzene sulfonate)
—, interaction of thiourea with band 3 in human red cell membranes, Dorogi, P.L., Solomon, A.K. 85:37
—, thermodynamics of all-or-none water channel closure in red cells, Moura, T.F., Macey, R.I., Chien, D.Y., Karan, D., Santos, H. 81:105
Permeability (*also see* Membrane permeability)
—, channel formation in phospholipid bilayer membranes by the toxin of *Heminthosporium maydis*, Race T, Holden, M.J., Colombini, M., Sze, H. 87:151
—, hydrosmotic salt effect in toad skin: urea permeability and glutaraldehyde fixation of water channels, Aboulafia, J., Lacaz-Vieira, F. 87:249
—, melittin lysis of red cells, Tosteson, M.T., Holmes, S.J., Razin, M., Tosteson, D.C. 87:35
—, osmotic water permeability of small intestinal brush-border membranes, Worman, H.J., Field, M. 87:233
—, permeability change in transformed mouse fibroblasts caused by ionophores, and its relationship to membrane permeabilization by exogenous ATP, Friedberg, I., Weisman, G.A., De, B.K. 83:251
—, permeability of the squid giant axon to organic cations and small nonelectrolytes, McKinney, L.C., Danko, M., Smith, C.J., Begenisich, T. 83:177
—, protamine reversibly decreases paracellular cation permeability in *Necturus* gallbladder, Fromm, M., Palant, C.E., Bentzel, C.J., Hegel, U. 87:141
—, relationship between fluidity and ionic permeability of bilayers from natural mixtures of phospholipids, Rossignol, M., Uso, T., Thomas, P. 87:269
—, structure of zonulae occludentes and the permeability of the epithelium to short-chain fatty acids in the proximal and the distal colon of guinea pig, Luciano, L., Reale, E., Rechkemmer, G., Engelhardt, W.v. 82:145
—, thermodynamics of all-or-none water channel closure in red cells, Moura, T.F., Macey, R.I., Chien, D.Y., Karan, D., Santos, H. 81:105
—, transport of hydrophobic ions in erythrocyte membrane: I. zero membrane potential properties, Hunziker, A., Orme, F.W., Macey, R.I. 84:147
Permeabilized cells
—, characterization of calcium uptake into rough endoplasmic reticulum of rat pancreas, Bayerdörffer, E., Streb, H., Eckhardt, L., Haase, W., Schulz, I. 81:69
Peptide libration mechanism
—, temperature dependence of single channel currents and the peptide libration mechanism for ion transport through the gramicidin A transmembrane channel, Urry, D.W., Alonso-Romanowski, S., Venkatachalam, C.M., Bradley, R.J., Harris, R.D. 81:205
pH
—, a kinetic analysis of the electrogenic pump of *Chara corallina*: II. dependence of the pump activity on external pH, Takeuchi, Y., Kishimoto, U., Ohkawa, T., Kami-ike, N. 86:17
—, cellular mechanism of HCO_3^- and Cl^- transport in insect salt gland, Strange, K., Phillips, J.E. 83:25
—, effects of pH and light on the membrane conductance measured in the acid and basic zones of *Chara*, Smith, J.R., Walker, N.A. 83:193
—, frequency-dependent membrane impedance in *Chara corallina* estimated by Fourier analysis, Ross, S.M., Ferrier, J.M., Dainty, J. 85:233

—, inward membrane current in *Chara inflata*: II. effects of pH, Cl^--channel blockers and NH_4^+, and significance for the hyperpolarized state, Tyerman, S.D., Findlay, G.P., Paterson, G.J. 89:153
—, water exchange through erythrocyte membranes: nuclear magnetic resonance studies on resealed ghosts compared to human erythrocytes, Benga, G., Borza, V., Popescu, O., Pop, V.I., Muresan, A. 89:127
pH dependence
—, a kinetic analysis of the electrogenic pump of *Chara corallina*: II. dependence of the pump activity on external pH, Takeuchi, Y., Kishimoto, U., Ohkawa, T., Kami-ike, N. 86:17
—, channels formed by colicin El in planar lipid bilayers are large and exhibit pH-dependent ion selectivity, Raymond, L., Slatin, S.L., Finkelstein, A. 84:173
—, current-voltage characteristics of the proton pump at *Chara* plasmalemma: I. pH dependence, Beilby, M.J. 81:113
—, effects of internal and external pH on amiloride-blockable Na^+ transport across toad urinary bladder vesicles, Garty, H., Civan, E.D., Civan, M.M. 87:67
pH homeostasis
—, bioenergetics of alkalophilic bacteria, Krulwich, T.A. 89:113
pH regulation
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
—, mechanisms of regulation of the Na^+/H^+ exchanger, Grinstein, S., Rothstein, A. 90:1
pH sensors
—, evaluation of ion gradient-dependent H^+ transport systems in isolated enterocytes from the chick, Montrose, M.H., Bebernitz, G., Kimmich, G.A. 88:55
Phase diagram
—, miscibility of phosphatidylcholine binary mixtures in unilamellar vesicles: phase equilibria, Matubayasi, N., Shigematsu, T., Iehara, T., Kamaya, H., Ueda, I. 90:37
Phase partitioning
—, complex subcellular distributions of enzymatic markers in intestinal epithelial cells, Mircheff, A.K., Ahnen, D.J., Islam, A., Santiago, N.A., Gray, G.M. 83:95
Phase transition
—, dose-dependent nonlinear response of the main phase-transition temperature of phospholipid membranes to alcohols, Kamaya, H., Ma, S., Lin, S.H. 90:157
—, local dielectric properties around polar region of lipid bilayer membranes, Kimura, Y., Ikegami, A. 85:225
—, miscibility of phosphatidylcholine binary mixtures in unilamellar vesicles: phase equilibria, Matubayasi, N., Shigematsu, T., Iehara, T., Kamaya, H., Ueda, I. 90:37
Phenamil
—, binding of ^{3}H-phenamil, an irreversible amiloride analog, to toad urinary bladder: effects of aldosterone and vasopressin, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 90:107
—, phenamil: an irreversible inhibitor of sodium channels in the toad urinary bladder, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 87:45
Phloretin
—, asymmetrical binding of phloretin to the glucose transport system of human erythrocytes, Krupka, R.M. 83:71
—, reaction of the glucose carrier of erythrocytes with sodium tetrathionate: evidence for inward-facing and outward-facing carrier conformations, Krupka, R.M. 84:35
Phlorizin
—, phlorizin binding to isolated enterocytes: membrane potential and sodium dependence, Restrepo, D., Kimmich, G.A. 89:269
Phorbol esters
—, diacylglycerol downregulates junctional membrane permeability. TMB-8 blocks this effect, Yada, T., Rose, B., Loewenstein, W.R. 88:217
Phosphatidylcholine
—, miscibility of phosphatidylcholine binary mixtures in unilamellar vesicles: phase equilibria, Matubayasi, N., Shigematsu, T., Iehara, T., Kamaya, H., Ueda, I. 90:37
Phosphatidylethanolamine
—, compartmentation of newly synthesized phosphatidylethanolamine in rat brain microsomes, Binaglia, L., Roberti, R., Freysz, L., Arienti, G., Corazzi, L., Porcellati, G. 90:29
Phosphatidylinositol
—, diacylglycerol downregulates junctional membrane permeability. TMB-8 blocks this effect, Yada, T., Rose, B., Loewenstein, W.R. 88:217
—, the role of phosphoinositides in signal transduction, Sekar, M.C., Hokin, L.E. 89:193
Phosphatidylserine
—, effect of phospholipid surface charge on the conductance and gating of a Ca^{2+}-activated K^+ channel in planar lipid bilayers, Moczydlowski, E., Alvarez, O., Vergara, C., Latorre, R. 83:273
Phosphoinositides
—, the role of phosphoinositides in signal transduction, Sekar, M.C., Hokin, L.E. 89:193
Phospholipids
—, channel formation in phospholipid bilayer membranes by the toxin of *Heminthosporium maydis*, Race T, Holden, M.J., Colombini, M., Sze, H. 87:151
—, dose-dependent nonlinear response of the main phase-transition temperature of phospholipid membranes to alcohols, Kamaya, H., Ma, S., Lin, S.H. 90:157
—, effect of different phospholipids on the reconstitution of two functions of the lactose carrier of *Escherichia coli*, Seto-Young, D., Chen, C.-C., Wilson, T.H. 84:259
—, effect of gangliosides on phospholipid bilayers: a study with the lipophilic ions relaxation method, Usai, C., Robello, M., Gambele, F., Marchetti, C. 82:15
—, effect of micellar lipids on rabbit intestinal brush-border membrane phospholipid bilayer integrity studied by ^{31}P NMR, Vallet-Strouve, C., Tellier, C., Poignant, S., Boucrot, P. 84:73
—, miscibility of phosphatidylcholine binary mixtures in unilamellar vesicles: phase equilibria, Matubayasi, N., Shigematsu, T., Iehara, T., Kamaya, H., Ueda, I. 90:37
—, phosphorylation of ion channels, Levitan, I.B. 87:177
—, relationship between fluidity and ionic permeability of bilayers from natural mixtures of phospholipids, Rossignol, M., Uso, T., Thomas, P. 87:269
—, renal cortical brush-border and basolateral membranes: cholesterol and phospholipid composition and relative turnover, Molitoris, B.A., Simon, F.R. 83:207
—, thermotropic behavior of retinal rod membranes and dispersions of extracted phospholipids, Miljanich, G.P., Brown, M.F., Mabrey-Gaud, S., Dratz, E.A., Sturtevant, J.M. 85:79

Phosphorylation
—, conformational states of sarcoplasmic reticulum Ca^{2+}-ATPase as studied by proteolytic cleavage, Andersen, J.P., Jorgensen, P.L. 88:187
—, phosphorylation of ion channels, Levitan, I.B. 87:177
—, transferrin receptor: its biological significance, May, W.S., Jr., Cuatrecasas, P. 88:205
Photoreceptors
—, Ca^{2+} buffer sites in intact bovine rod outer segments: introduction to a novel optical probe to measure ionic permeabilities in suspensions of small particles, Schnetkamp, P.P.M. 88:249
—, comparison of time constants of single channel patches, quantum bumps, and noise analysis in *Limulus* ventral photoreceptors, Dirnberger, G., Keiper, W., Schnakenberg, J., Stieve, H. 83:39
—, ionic permeabilities of the plasma membrane of isolated intact bovine rod outer segments as studied with a novel optical probe, Schnetkamp, P.P.M. 88:263
—, phosphorylation of ion channels, Levitan, I.B. 87:177
Phthalate
—, characterization of the multiple transport routes for methotrexate in L1210 cells using phthalate as a model anion substrate, Henderson, G.B., Zevely, E.M. 85:263
—, properties of an anion/H^+ cotransport system in L1210 cells that utilizes phthalate as a nonphysiological substrate, Henderson, G.B., Zevely, E.M. 89:99
Piperazine indole
—, modification of single cardiac Na^+ channels by DPI 201-106, Kohlhardt, M., Frobe, U., Herzig, J.W. 89:163
Planar bilayer membranes (*also see* Bilayer lipid membranes)
—, apparent activation volumes of hydrophobic ions and carriers in planar lipid bilayers, Moronne, M., Macey, R.I. 84:221
—, effect of phospholipid surface charge on the conductance and gating of a Ca^{2+}-activated K^+ channel in planar lipid bilayers, Moczydlowski, E., Alvarez, O., Vergara, C., Latorre, R. 83:273
—, evidence for titratable gating charges controlling the voltage dependence of the outer mitochondrial membrane channel, VDAC, Bowen, K.A., Tam, K., Colombini, M. 86:51
—, temperature-jump and voltage-jump experiments at planar lipid membranes support an aggregational (micellar) model of the gramicidin A ion channel, Stark, G., Strässle, M., Takácz, Z. 89:23
—, the mitochondrial voltage-dependent channel, VDAC, is modified asymmetrically by succinic anhydride, Doring, C., Colombini, M. 83:87
—, transport of potassium ions across planar lipid membranes by the antibiotic, grisorixin: I. the equilibrium state and self-diffusion K^+ fluxes, Amblard, G., Sandeaux, R., Sandeaux, J., Gavach, C. 88:15
—, voltage dependence and ion selectivity of the mitochondrial channel, VDAC, are modified by succinic anhydride, Doring, C., Colombini, M. 83:81
Plasma membrane
—, dynamics of membrane exchange of the plasma membrane and the lysis of isolated protoplasts during rapid expansions in area, Wolfe, J., Dowgert, M.F., Steponkus, P.L. 86:127
—, electrogenic calcium transport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Eckhardt, L., Haase, W., Schulz, I. 84:35
—, intercellular fibrillar skeleton in the basal interdigitations of kidney tubular cells, Zampighi, G., Kreman, M. 88:33
—, ionic permeabilities of the plasma membrane of isolated intact bovine rod outer segments as studied with a novel optical probe, Schnetkamp, P.P.M. 88:263
—, isolation and characterization of granules of the toad bladder, Masur, S.K., Cooper, S., Massardo, S., Gronowicz, G., Rubin, M.S. 89:39
—, Na^+/Ca^{2+} countertransport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Haase, W., Schulz, I. 87:107
—, possible role of transient electric fields in freezing-induced membrane destabilization, Steponkus, P.L., Stout, D.G., Wolfe, J., Lovelace, R.V.E. 85:191
—, protoplast rotation in a rotating electric field: the influence of cold acclimation, Lovelace, R.V.E., Stout, D.G., Steponkus, P.L. 82:157
—, transient breakdown in the selective permeability of the plasma membrane of *Chlorella emersonii* in response to hyperosmotic shock: implications for cell water relations and osmotic adjustment, Reed, R.H. 82:83
Plasmalemma
—, compartment analysis of plant cells by means of turgor pressure relaxation: I. theoretical considerations, Wendler, S., Zimmermann, U. 85:121
—, compartment analysis of plant cells by means of turgor pressure relaxation: II. experimental results on *Chara corallina*, Wendler, S., Zimmermann, U. 85:133
—, current-voltage characteristics of the proton pump at *Chara* plasmalemma: I. pH dependence, Beilby, M.J. 81:113
—, potassium channels and different states of *Chara* plasmalemma, Beilby, M.J. 89:241
—, potassium channels in plasmalemma of *Nitella* cells at rest, Sokolik, A.I., Yurin, V.M. 89:9
Plasmic reticulum
—, complex subcellular distributions of enzymatic markers in intestinal epithelial cells, Mircheff, A.K., Ahnen, D.J., Islam, A., Santiago, N.A., Gray, G.M. 83:95
Platelet
—, lysis of platelets and erythrocytes by the incorporation of a unique oxygenated sterol: 22R-hydroxycholesterol, Saito, Y., Shimada, H., Imada, T., Kikuchi, T., Ikekawa, N., Inada, Y. 83:187
Polyene antibiotics
—, mechanism of anion-cation selectivity of amphotericin B channels, Borisova, M.P., Brutyan, R.A., Ermishkin, L.N. 90:13
Polyethylene glycol
—, action of polyethylene glycol on the fusion of human erythrocyte membranes, Hui, S.W., Isac, T., Boni, L.T., Sen, A. 84:137
Polyhydric alcohols
—, effects of polyhydric alcohols on the conformational stability of the purple membrane, Draheim, J.E., Cassim, J.Y. 86:229
Pore
—, evidence for titratable gating charges controlling the voltage dependence of the outer mitochondrial membrane channel, VDAC, Bowen, K.A., Tam, K., Colombini, M. 86:51
Potassium
—, calcium effects on electrogenic pump and passive permeability of the plasma membrane of *Chara corallina*, Bisson, M.A. 81:59
—, effects of the anion transport inhibitor, SITS, on the proxi-

mal straight tubule of the rabbit perfused *in vitro*, Biagi, B.A. 88:25
—, electrophysiological properties of cellular and paracellular conductive pathways of the rabbit cortical collecting duct, O'Neil, R.G., Sansom, S.C. 82:281
—, single-channel analysis of a potassium inward rectifier in myocytes of newborn rat heart, Payet, M.D., Rousseau, E., Sauve, R. 86:79
—, single Cl^- channels in molluscan neurones: multiplicity of the conductance states, Geletyuk, V.I., Kazachenko, V.N. 86:9
Potassium activity
—, cell K activity in frog skin in the presence and absence of cell current, Garcia-Diaz, J.F., Baxendale, L.M., Klemperer, G., Essig, A. 85:143
Potassium adaptation
—, resistance properties of the diluting segment of *Amphiuma* kidney: influence of potassium adaptation, Oberleithner, H., Guggino, W., Giebisch, G. 88:139
Potassium channel selectivity
—, monovalent cation permeabilities of the potassium systems in the crab giant axon, Quinta-Ferreira, M.E., Soria, B., Rojas, E. 84:117
Potassium channels
—, action potential-like responses due to the inward rectifying potassium channel, Tourneur, Y. 90:115
—, differential blockage of two types of potassium channels in the crab giant axon, Soria, B., Arispe, N., Quinta-Ferreira, M.E., Rojas, E. 84:127
—, effect of phospholipid surface charge on the conductance and gating of a Ca^{2+}-activated K^+ channel in planar lipid bilayers, Moczydlowski, E., Alvarez, O., Vergara, C., Latorre, R. 83:273
—, gating of sodium and potassium channels, Bezanilla, F. 88:97
—, monovalent cation permeabilities of the potassium systems in the crab giant axon, Quinta-Ferreira, M.E., Soria, B., Rojas, E. 84:117
—, phosphorylation of ion channels, Levitan, I.B. 87:177
—, potassium channels in plasmalemma of *Nitella* cells at rest, Sokolik, A.I., Yurin, V.M. 89:9
Potassium/chloride transport
—, feedback inhibition of NaCl entry in *Necturus* gallbladder epithelial cells, Jensen, P.K., Fisher, R.S., Spring, K.R. 82:95
—, K^+:Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
Potassium conductance
—, basolateral membrane potassium conductance is independent of sodium pump activity and membrane voltage in canine tracheal epithelium, Welsh, M.J. 84:25
—, implications of an anomalous intracellular electrical response in bullfrog corneal epithelium, Reinach, P., Nagel, W. 87:201
—, mechanism of inhibition of net ion transport across frog corneal epithelium by calcium channel antagonists, Huff, J.W., Reinach, P.S. 85:215
—, resistance properties of the diluting segment of *Amphiuma* kidney: influence of potassium adaptation, Oberleithner, H., Guggino, W., Giebisch, G. 88:139
Potassium current
—, action potential-like responses due to the inward rectifying potassium channel, Tourneur, Y. 90:115
—, apparent loss of calcium-activated potassium current in internally perfused snail neurons is due to accumulation of free intracellular calcium, Levitan, E.S., Levitan, I.B. 90:59
Potassium fluxes
—, effect of metabolic depletion on the furosemide-sensitive Na and K fluxes in human red cells, Dagher, G., Brugnara, C., Canessa, M. 86:145
—, ouabain-resistant Na^+, K^+ transport system in mouse NIH 3T3 cells, Atlan, H., Snyder, D., Panet, R. 81:181
Potassium gating
—, differential blockage of two types of potassium channels in the crab giant axon, Soria, B., Arispe, N., Quinta-Ferreira, M.E., Rojas, E. 84:127
Potassium inactivation
—, differential blockage of two types of potassium channels in the crab giant axon, Soria, B., Arispe, N., Quinta-Ferreira, M.E., Rojas, E., 84:127
Potassium ion channels
—, action of tetraethylammonium on calcium-activated potassium channels in pig pancreatic acinar cells studied by patch-clamp single-channel and whole-cell current recording, Iwatsuki, N., Petersen, O.H. 86:139
—, ATP-sensitive inward rectifier and voltage- and calcium-activated K^+ channels in cultured pancreatic islet cells, Findlay, I., Dunne, M.J., Petersen, O.H. 88:165
—, effect of phospholipid surface charge on the conductance and gating of a Ca^{2+}-activated K^+ channel in planar lipid bilayers, Moczydlowski, E., Alvarez, O., Vergara, C., Latorre, R. 83:273
—, growth hormone-releasing factor reduces voltage-gated Ca^{2+} channel current in rat GH_3 cells, Yamashita, N., Takuwa, Y., Ogata, E. 87:241
—, high-conductance K^+ channel in pancreatic islet cells can be activated and inactivated by internal calcium, Findlay, I., Dunne, M.J., Petersen, O.H. 83:169
—, ion channels in the membrane of *Chara inflata*, Coleman, H.A., Findlay, G.P. 83:109
—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
—, mechanisms of $1,25(OH)_2D_3$-induced rapid changes of membrane potential in proximal tubule: role of Ca-dependent K^+-channels, Edelman, A., Garabedian, M., Anagnostopoulos, T. 90:137
—, potassium channels and different states of *Chara* plasmalemma, Beilby, M.J. 89:241
—, single-file diffusion through the Ca^{2+}-activated K^+ channel of human red cells, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 88:67
Potassium ion conductance
—, effects of anions on cellular volume and transepithelial Na^+ transport across toad urinary bladder, Lewis, S.A., Butt, A.G., Bowler, M.J., Leader, J.P., Macknight, D.C. 83:119
Potassium ion depolarization
—, basolateral membrane potential and conductance in frog skin exposed to high serosal potassium, Klemperer, G., Garcia-Diaz, J.F., Nagel, W., Essig, A. 90:89
Potassium ion flux
—, Ba^{2+} uptake and the inhibition by Ba^{2+} flux into rat liver mitochondria, Diwan, J.J. 84:165
Potassium ion transport
—, electrogenic K^+-basic amino-acid cotransport in the midgut of lepidopteran larvae, Giordana, B., Parenti, P., Hanozet, G.M., Sacchi, V.F. 88:45

—, K^+:Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, resistance properties of the diluting segment of *Amphiuma* kidney: influence of potassium adaptation, Oberleithner, H., Guggino, W., Giebisch, G. 88:139
—, role of passive potassium fluxes in cell volume regulation in cultured HeLa cells, Tivey, D.R., Simmons, N.L., Aiton, J.F. 87:93
—, sodium-dependent ion cotransport in steady-state Ehrlich ascites tumor cells, Levinson, C. 87:121
—, transport of potassium ions across planar lipid membranes by the antibiotic, grisorixin: I. the equilibrium state and self-diffusion K^+ fluxes, Amblard, G., Sandeaux, R., Sandeaux, J., Gavach, C. 88:15
Potassium ions
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
Potassium permeability
—, Ba^{2+}-sensitive potassium permeability of the apical membrane in newt kidney proximal tubule, Kawahara, K. 88:283
—, influence of lead ions on cation permeability in human red cell ghosts, Simons, T.J.B. 84:61
Potassium transport
—, barium modifies the concentration dependence of active potassium transport by insect midgut, Moffett, D.F., Koch, A.R. 86:89
—, L- and D-alanine transport in brush border membrane vesicles from lepidopteran midgut: evidence for two transport systems, Hanozet, G.M., Giordana, B., Parenti, P., Guerritore, A. 81:233
—, ouabain-resistant Na^+, K^+ transport system in mouse NIH 3T3 cells, Atlan, H., Snyder, D., Panet, R. 81:181
Potential sensitive dye
—, optical study of active ion transport in lipid vesicles containing reconstituted Na,K-ATPase, Apell, H.-J., Marcus, M.M., Anner, B.M., Oetliker, H., Läuger, P. 85:49
$pp60^{src}$
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:205
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:212
Pressure
—, apparent activation volumes of hydrophobic ions and carriers in planar lipid bilayers, Moronne, M., Macey, R.I. 84:221
Proline transport
—, Na^+ (Li^+)-proline in *Escherichia coli*, Chen, C.-C., Tsuchiya, T., Yamane, Y., Wood, J.M., Wilson, T.H. 84:157
—, substrate specificity of the intestinal brush-border proline/sodium (*IMINO*) transporter, Stevens, B.R., Wright, E.M. 87:27
Promotor
—, determinants of triad junction reformation: identification and isolation of an endogenous promotor for junction reformation in skeletal muscle, Corbett, A.M., Caswell, A.H., Brandt, N.R., Brunschwig, J.P. 86:267
Protamine
—, protamine reversibly decreases paracellular cation permeability in *Necturus* gallbladder, Fromm, M., Palant, C.E., Bentzel, C.J., Hegel, U. 87:141
Protein denaturation
—, thermotropic behavior of retinal rod membranes and dispersions of extracted phospholipids, Miljanich, G.P., Brown, M.F., Mabrey-Gaud, S., Dratz, E.A., Sturtevant, M. 85:79
Protein kinase
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
—, phosphorylation of ion channels, Levitan, I.B. 87:177
Protein modification
—, evidence for titratable gating charges controlling the voltage dependence of the outer mitochondrial membrane channel, VDAC, Bowen, K.A., Tam, K., Colombini, M. 86:51
—, the mitochondrial voltage-dependent channel, VDAC, is modified asymmetrically by succinic anhydride, Doring, C., Colombini, M. 83:87
—, voltage dependence and ion selectivity of the mitochondrial channel, VDAC, are modified by succinic anhydride, Doring, C., Colombini, M. 83:81
Protein structure
—, conformational state of sarcoplasmic reticulum Ca^{2+}-ATPase as studied by proteolytic cleavage, Andersen, J.P., Jorgensen, P.L. 88:187
Protein titration
—, evidence for titratable gating charges controlling the voltage dependence of the outer mitochondrial membrane channel, VDAC, Bowen, K.A., Tam, K., Colombini, M. 86:51
Proteinase K
—, stability of transmembrane regions in bacteriorhodopsin studied by progressive proteolysis, Dumont, M.E., Trewhella, J., Engelman, D.M., Richards, F.M. 88:233
Proteoliposomes
—, ATP-induced ΔpH formation in chloroplast ATP synthase proteoliposomes, Admon, A., Pick, U., Avron, M. 86:45
—, effect of different phospholipids on the reconstitution of two functions of the lactose carrier of *Escherichia coli*, Seto-Young, D., Chen, C.-C., Wilson, T.H. 84:259
—, functional reconstitution of lens gap junction proteins into proteoliposomes, Nikaido, H., Rosenberg, E.Y. 85:87
—, interactions involving the cyanine dye, diS-C_3-(5), cytochrome *c* and liposomes and their implications for estimations of $\Delta\psi$ in cytochrome *c* oxidase-reconstituted proteoliposomes, Singh, A.P., Chanady, G.A., Nicholls, P. 84:183
Proteolysis
—, proteolysis of cardiac gap junctions during their isolation from rat hearts, Manjunath, C.K., Goings, G.E., Page, E. 85:159
—, stability of transmembrane regions in bacteriorhodopsin studied by progressive proteolysis, Dumont, M.E., Trewhella, J., Engelman, D.M., Richards, F.M. 88:233
Proton ATPase
—, presence of an extramitochondrial anion-stimulated ATPase in the rabbit kidney: localization along the nephron and effect of corticosteroids, Abdelkhalek, M.B., Barlet, C., Doucet, A. 89:225

Proton conductance
—, proton/hydroxide conductance through lipid bilayer membranes, Gutknecht, J. 82:105
—, relationship between fluidity and ionic permeability of bilayers from natural mixtures of phospholipids, Rossignol, M., Uso, T., Thomas, P. 87:269
Proton electrochemical potential
—, membrane potential and surface potential in mitochondria: uptake and binding of lipophilic cations, Rottenberg, H. 81:127
Proton motive force
—, bioenergetics of alkalophilic bacteria, Krulwich, T.A. 89:113
Proton pump
—, current-voltage characteristics of the proton pump at *Chara* plasmalemma: I. pH dependence, Beilby, M.J. 81:113
—, determination of retinal chromophore structure in bacteriorhodopsin with resonance Raman spectroscopy, Smith, S.O., Lugtenburg, J., Mathies, R.A. 85:95
—, the chromaffin granule proton pump and calcium-dependent exocytosis in bovine adrenal medullary cells, Knight, D.E., Baker, P.F. 83:147
Proton transport
—, presence of an extramitochondrial anion-stimulated ATPase in the rabbit kidney: localization along the nephron and effect of corticosteroids, Abdelkhalek, M.B., Barlet, C., Doucet, A. 89:225
Protonophores
—, the kinetic mechanism by which CCCP (carbonyl cyanide *m*-chlorophenylhydrazone) transports protons across membranes, Kasianowicz, J., Benz, R., McLaughlin, S. 82:179
Protons
—, calcium effects on electrogenic pump and passive permeability of the plasma membrane of *Chara corallina*, Bisson, M.A. 81:59
Protoplasts
—, dynamics of membrane exchange of the plasmia membrane and the lysis of isolated protoplasts during rapid expansions in area, Wolfe, J., Dowgert, M.F., Steponkus, P.L. 86:127
—, protoplast rotation in a rotating electric field: the influence of cold acclimation, Lovelace, R.V.E., Stout, D.G., Steponkus, P.L. 82:157
Proximal tubule
—, Ba^{2+}-sensitive potassium permeability of the apical membrane in newt kidney proximal tubule, Kawahara, K. 88:283
—, effects of the anion transport inhibitor, SITS, on the proximal straight tubule of the rabbit perfused *in vitro*, Biagi, B.A. 88:25
—, mechanisms of $1,25(OH)_2D_3$-induced rapid changes of membrane potential in proximal tubule: role of Ca-dependent K^+-channels, Edelman, A., Garabedian, M., Anagnostopoulos, T. 90:137
—, Ba^+-sensitive potassium permeability of the apical membrane in newt kidney proximal tubule, Kawahara, K. 88:283
Pump current
—, cell K activity in frog skin in the presence and absence of cell current, Garcia-Diaz, J.F., Baxendale, L.M., Klemperer, G., Essig, A. 85:143
Punchthrough
—, inward membrane current in *Chara inflata*: I. a voltage- and time-dependent Cl^- component, Tyerman, S.D., Findlay, G.P., Paterson, G.J. 89:139
Purple membrane
—, effects of polyhydric alcohols on the conformational stability of the purple membrane, Draheim, J.E., Cassim, J.Y. 86:229
—, stability of transmembrane regions in bacteriorhodopsin studied by progressive proteolysis, Dumont, M.E., Trewhella, J., Engelman, D.M., Richards, F.M. 88:233
Quantitative microscopy
—, volume regulation by *Necturus* gallbladder: basolateral KCl exit, Larson, M., Spring, K.R. 81:219
Quantum bumps
—, comparison of time constants of single channel patches, quantum bumps, and noise analysis in *Limulus* ventral photoreceptors, Dirnberger, G., Keiper, W., Schnakenberg, J., Stieve, H. 83:39
Rabbit
—, apical membrane area of rabbit urinary bladder increases by fusion of intracellular vesicles: an electrophysiological study, Lewis, S.A., de Moura, J.L.C. 82:123
—, asymmetric block of a monovalent cation-selective channel of rabbit cardiac sarcoplasmic reticulum by succinyl choline, Gray, M.A., Montgomery, R.A.P., Williams, A.J. 88:85
—, effects of the anion transport inhibitor, SITS, on the proximal straight tubule of the rabbit perfused *in vitro*, Biagi, B.A. 88:25
—, kinetics of the effect of amiloride on the permeability of the apical membrane of rabbit descending colon to sodium, Moran, W.M., Hudson, R.L., Schultz, S.G. 87:55
—, presence of an extramitochondrial anion-stimulated ATPase in the rabbit kidney: localization along the nephron and effect of corticosteroids, Abdelkhalek, M.B., Barlet, C., Doucet, A. 89:225
—, purinergic regulation of basal and arginine vasopressin-stimulated hydraulic conductivity in rabbit cortical collecting tubule, Dillingham, M.A., Anderson, R.J. 88:277
—, subcellular fractionation and subcellular localization of aminopeptidase N in the rabbit enterocytes, Moktari, S., Feracci, H., Gorvel, J.-P., Mishal, Z., Rigal, A., Maroux, S. 89:53
—, transepithelial transport of nonelectrolytes in the rabbit mandibular salivary gland, Case, R.M., Cook, D.I., Hunter, M., Steward, M.C., Young, J.A. 84:239
—, transport of imino acids and non-α-amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:15
—, transport of neutral and cationic amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:1
Radical interactions
—, spin probe clustering in human erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 84:81
Radioactive tracer flux
—, transport of potassium ions across planar lipid membranes by the antibiotic, grisorixin: I. the equilibrium state and self-diffusion K^+ fluxes, Amblard, G., Sandeaux, R., Sandeaux, J., Gavach, C. 88:15
Radioiodination
—, identification of high molecular weight antigens structurally related to gamma-glutamyl transferase in epithelial tissues, Castle, J.D., Cameron, R.S., Patterson, P.L., Ma, A.K. 87:13

Rana esculenta
—, glutaraldehyde fixation preserves the permeability properties of the ADH-induced water channels, Parisi, M., Merot, J., Bourguet, J. 86:239
Rat colon epithelium
—, indirect effects of adenosine triphosphate on chloride secretion in mammalian colon, Cuthbert, A.W., Hickman, M.E. 86:157
Rat EDL muscle
—, intracellular chloride activity in the extensor digitorum longus (EDL) muscle of the rat, McCaig, D., Leader, J.P. 81:9
Rats
—, Ba^{2+} uptake and the inhibition by Ba^{2+} flux into rat liver mitochondria, Diwan, J.J. 84:165
—, cellular ions in intact and denervated muscles of the rat, Leader, J.P., Bray, J.J., Macknight, A.D.C., Mason, D.R., McCaig, D., Mills, R.G. 81:19
—, characterization of calcium uptake into rough endoplasmic reticulum of rat pancreas, Bayerdörffer, E., Streb, H., Eckhardt, L., Haase, W., Schulz, I. 81:69
—, compartmentation of newly synthesized phosphatidylethanolamine in rat brain microsomes, Binaglia, L., Roberti, R., Freysz, L., Arienti, G., Corazzi, L., Porcellati, G. 90:29
—, effect of inositol-1,4,5-trisphosphate on isolated subcellular fractions of rat pancreas, Streb, H., Bayerdörffer, E., Irvine, R.F., Haase, W., Schulz, I. 81:241
—, electrogenic calcium transport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Eckhardt, E., Haase, W., Schulz, I. 84:45
—, growth hormone-releasing factor reduces voltage-gated Ca^{2+} channel current in rat GH_3 cells, Yamashita, N., Takuwa, Y., Ogata, E. 87:241
—, Na^+/Ca^{2+} countertransport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Haase, W., Schulz, I. 87:107
—, proteolysis of cardiac gap junctions during their isolation from rat hearts, Manjunath, C.K., Goings, G.E., Page, E. 85:159
—, rat heart gap junctions as disulfide-bonded connexon multimers: their depolymerization and solubilization in deoxycholate, Manjunath, C.K., Page, E. 90:43
—, single-channel analysis of a potassium inward rectifier in myocytes of newborn rat hearts, Payet, M.D., Rousseau, E., Sauve, R. 86:79
Rb/Rb^+, *see* Rubidium *entries*
Reaction theory
—, a minimum mechanism for Na^+–Ca^{++} exchange: net and unidirectional Ca^{++} fluxes as functions of ion composition and membrane potential, Johnson, E.A., Kootsey, J.M. 86:167
Receptor cycling
—, transferrin receptor: its biological significance, May, W.S., Jr., Cuatrecasas, P. 88:205
Receptor endocytosis
—, transferrin receptor: its biological significance, May, W.S., Jr., Cuatrecasas, P. 88:205
Receptor phosphorylation
—, transferrin receptor: its biological significance, May, W.S., Jr., Cuatrecasas, P. 88:205
Recombination
—, effect of different phospholipids on the reconstitution of two functions of the lactose carrier of *Escherichia coli*, Seto-Young, D., Chen, C.-C., Wilson, T.H. 84:259
—, transformation in *Haemophilus*: a problem in membrane biology, Kahn, M.E., Smith, H.O. 81:89
Reconstitution
—, a new method for the reconstitution of the anion transport system of the human erythrocyte membrane, Scheuring, U., Kollewe, K., Haase, W., Schubert, D. 90:123
—, effect of different phospholipids on the reconstitution of two functions of the lactose carrier of *Escherichia coli*, Seto-Young, D., Chen, C.-C., Wilson, T.H. 84:259
—, functional reconstitution of lens gap junction proteins into proteoliposomes, Nikaido, H., Rosenberg, E.Y. 85:87
—, ^2H and ^{31}P nuclear magnetic resonance studies of membranes containing bovine rhodopsin, Albert, A.D., Lane, S.A., Yeagle, P.L. 87:211
—, lens cell-to-cell channel protein: I. self-assembly into liposomes and permeability regulation by calmodulin, Girsch, S.J., Peracchia, C. 83:217
—, optical study of active ion transport in lipid vesicles containing reconstituted Na,K-ATPase, Apell, H.-J., Marcus, M.M., Anner, B.M., Oetliker, H., Läuger, P. 85:49
—, phosphorylation of ion channels, Levitan, I.B. 87:177
—, reconstitution of carrier-mediated choline transport in proteoliposomes prepared from presynaptic membranes of *Torpedo* electric organ, and its internal and external ionic requirements, Vyas, S., O'Regan, S. 85:111
—, reconstitution of the β-adrenergic receptor, Lefkowitz, R.J., Cerione, R.A., Codina, J., Birnbaumer, L., Caron, M.G. 87:1
—, the purification of ion channels from excitable cells, Talvenheimo, J.A. 87:77
Red cells
—, binding of chloride and a disulfonic stilbene transport inhibitor to red cell band 3, Dix, J.A., Verkman, A.S., Solomon, A.K. 89:211
—, interaction of thiourea with band 3 in human red cell membranes, Dorogi, P.L., Solomon, A.K. 85:37
—, K^+:Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, measurement and stoichiometry of bumetanide-sensitive (2Na:1K:3Cl) cotransport in ferret red cells, Hall, A.C., Ellory, J.C. 85:205
—, rubidium uptake in single cells, Kirk, R.G., Andrews, S.B., Lee, P. 82:137
Regular solution theory
—, dose-dependent nonlinear response of the main phase-transition temperature of phospholipid membranes to alcohols, Kamaya, H., Ma, S., Lin, S.H. 90:157
Relaxation
—, compartment analysis of plant cells by means of turgor pressure relaxation: I. theoretical considerations, Wendler, S., Zimmermann, U. 85:121
—, compartment analysis of plant cells by means of turgor pressure relaxation: II. experimental results on *Chara corallina*, Wendler, S., Zimmermann, U. 85:133
—, voltage dependence of Na channel blockage by amiloride: relaxation effects in admittance spectra, Warncke, J., Lindemann, B. 86:255
Resonance Raman spectroscopy
—, determination of retinal chromophore structure in bacteriorhodopsin with resonance Raman spectroscopy, Smith, S.O., Lugtenburg, J., Mathies, R.A. 85:95

Resonance scattering
—, biological membrane structure as "seen" by x-ray and neutron diffraction techniques, Blasie, J.K., Herbette, L., Pachence, J. 86:1
Restricted diffusion space
—, slow potential due to transport number effects in cells with unstirred membrane invaginations or dendrites, Barry, P.H. 82:221
Retinal isotopic derivatives
—, determination of retinal chromophore structure in bacteriorhodopsin with resonance Raman spectroscopy, Smith, S.O., Lugtenburg, J., Mathies, R.A. 85:95
Retinal rod membranes
—, thermotropic behavior of retinal rod membranes and dispersions of extracted phospholipids, Miljanich, G.P., Brown, M.F., Mabrey-Gaud, S., Dratz, E.A., Sturtevant, J.M. 85:79
—, ^{2}H and ^{31}P nuclear magnetic resonance studies of membranes containing bovine rhodopsin, Albert, A.D., Lane, S.A., Yeagle, P.L. 87:211
Rhodopsin
—, thermotropic behavior of retinal rod membranes and dispersions of extracted phospholipids, Miljanich, G.P., Brown, M.F., Mabrey-Gaud, S., Dratz, E.A., Sturtevant, J.M. 85:79
Right-side-out vesicles
—, a new method for the reconstitution of the anion transport system of the human erythrocyte membrane, Scheuring, U., Kollewe, K., Haase, W., Schubert, D. 90:123
Rod photoreceptors
—, Ca^{2+} buffer sites in intact bovine rod outer segments: introduction to a novel optical probe to measure ionic permeabilities in suspensions of small particles, Schnetkamp, P.P.M. 88:249
—, ionic permeabilities of the plasma membrane of isolated intact bovine rod outer segments as studied with a novel optical probe, Schnetkamp, P.P.M. 88:263
Rotational correlation times
—, potassium-39 NMR of K^+ interaction with the gramicidin channel and NMR-derived conductance ratios for Na^+, K^+ and Rb^+, Urry, D.W., Trapane, T.L., Venkatachalam, C.M. 89:107
Rough endoplasmic reticulum
—, characterization of calcium uptake into rough endoplasmic reticulum of rat pancreas, Bayerdörffer, E., Streb, H., Eckhardt, L., Haase, W., Schulz, I. 81:69
—, electrogenic calcium transport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Eckhardt, L., Haase, W., Schulz, I. 84:45
Rous sarcoma virus
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
Rubidium fluxes
—, ouabain-resistant Na^+, K^+ transport system in mouse NIH 3T3 cells, Atlan, H., Snyder, D., Panet, R. 81:181
Rubidium uptake
—, rubidium uptake in single cells, Kirk, R.G., Andrews, S.B., Lee, P. 82:137
Salivary glands
—, transepithelial transport of nonelectrolytes in the rabbit mandibular salivary gland, Case, R.M., Cook, D.I., Hunter, M., Steward, M.C., Young, J.A. 84:239
Sarcolemma
—, calcium at the surface of cardiac plasma membrane vesicles: cation binding, surface charge screening, and Na-Ca exchange, Bers, D.M., Philipson, K.D., Peskoff, A. 85:251
—, effects of membrane potential on sodium-dependent calcium uptake by sarcolemma-enriched preparations from canine ventricle, Hungerford, R.T., Lindenmayer, G.E. 84:207
Sarcoplasmic reticulum
—, asymmetric block of a monovalent cation-selective channel of rabbit cardiac sarcoplasmic reticulum by succinyl choline, Gray, M.A., Montgomery, R.A.P., Williams, A.J. 88:85
—, caffeine inhibition of calcium accumulation by the sarcoplasmic reticulum in mammalian skinned fibers, Sorenson, M.M., Coelho, H.S.L., Reuben, J.P. 90:219
—, conformational states of sarcoplasmic reticulum Ca^{2+}-ATPase as studied by proteolytic cleavage, Andersen, J.P., Jorgensen, P.L. 88:187
—, experimental and theoretical studies on Tl^+ interactions with the cation-selective channel of the sarcoplasmic reticulum, Fox, J., Ciani, S. 84:9
—, linear electrical properties of isolated cardiac cells, Moore, L.E., Schmid, A., Isenberg, G. 81:29
Sea urchin eggs
—, uptake of valine and alanine by a neutral amino-acid carrier in sea urchin eggs: cyclic variations in the early cleavage stage, Allemand, D., De Renzis, G., Maistre, C., Girard, J.-P., Payan, P. 87:217
Secretion
—, Cl transport in the frog cornea: an electron-microprobe analysis, Rick, R., Beck, F.X., Dörge, A., Thurau, K. 83:235
—, indirect effects of adenosine triphosphate on chloride secretion in mammalian colon, Cuthbert, A.W., Hickman, M.E. 86:157
—, K^+ and Cl^- conductances in the apical membrane from secreting oxyntic cells are concurrently inhibited by divalent cations, Wolosin, J.M., Forte, J.G. 83:261
—, mechanism of Cl secretion in canine trachea: changes in intracellular chloride activity with secretion, Shorofsky, S.R., Field, M., Fozzard, H.A. 81:1
—, the chromaffin granule proton pump and calcium-dependent exocytosis in bovine adrenal medullary cells, Knight, D.E., Baker, P.F. 83:147
Selectivity
—, ionic channels formed by *Staphylococcus aureus* alpha-toxin: voltage-dependent inhibition by divalent and trivalent cations, Menestrina, G. 90:177
Sheep red cells
—, thiol-dependent passive K^+Cl^- transport in sheep red blood cells: VI. functional heterogeneity and immunologic identity with volume-stimulated $K^+(Rb^+)$ fluxes, Lauf, P.K. 82:167
Short-chain fatty acids
—, structure of zonulae occludentes and the permeability of the epithelium to short-chain fatty acids in the proximal and the distal colon of guinea pig, Luciano, L., Reale, E., Rechkemmer, G., Engelhardt, W.v. 82:145

Short-circuit current
—, barium modifies the concentration dependence of active potassium transport by insect midgut, Moffett, D.F., Koch, A.R. 86:89
—, intracellular calcium activity in split frog skin epithelium: effect of cAMP, Kelepouris, E., Agus, Z.S., Civan, M.M. 88:113
Simian virus 40
—, intercellular communication and the control of growth: XII. alteration of junctional permeability by simian virus 40. roles of the large and small *T* antigens, Azarnia, R., Loewenstein, W.R. 82:213
Single channels
—, action of tetraethylammonium on calcium-activated potassium channels in pig pancreatic acinar cells studied by patch-clamp single-channel and whole-cell current recording, Iwatsuki, N., Petersen, O.H. 86:139
—, gating of sodium and potassium channels, Bezanilla, F. 88:97
—, high-conductance K^+ channel in pancreatic islet cells can be activated and inactivated by internal calcium, Findlay, I., Dunne, M.J., Petersen, O.H. 83:169
—, mechanism of anion-cation selectivity of amphotericin B channels, Borisova, M.P., Brutyan, R.A., Ermishkin, L.N. 90:13
—, single calcium-dependent cation channels in mouse pancreatic acinar cells, Maruyama, Y., Petersen, O.H. 81:83
—, single-channel analysis of a potassium inward rectifier in myocytes of newborn rat heart, Payet, M.D., Rousseau, E., Sauve, R. 86:79
—, temperature dependence of single channel currents and the peptide libration mechanism for ion transport through the gramicidin A transmembrane channel, Urry, D.W., Alonso-Romanowski, S., Venkatachalam, C.M., Bradley, R.J., Harris, R.D. 81:205
Single-shelled vesicle
—, bluelight-induced, flavin-mediated transport of redox equivalents across artificial bilayer membranes, Schmidt, W. 82:113
Sinus venosus
—, comparison of steady-state electrophysiological properties of isolated cells from bullfrog atrium and sinus venosus, Moore, L.E., Clark, R.B., Shibata, E.F., Giles, W.R. 89:131
SITS (4-acetamido-4′-isothiocyanostilbene-2,2′-disulfonate)
—, effects of the anion transport inhibitor, SITS, on the proximal straight tubule of the rabbit perfused *in vitro*, Biagi, B.A. 88:25
Size fractionation
—, translation and functional expression of cell-cell channel mRNA in *Xenopus* oocytes, Werner, R., Miller, T., Azarnia, R., Dahl, G. 87:253
Skeletal muscle
—, cellular ions in intact and denervated muscles of the rat, Leader, J.P., Bray, J.J., Macknight, A.D.C., Mason, D.R., McCaig, D., Mills, R.G. 81:19
—, determinants of triad junction reformation: identification and isolation of an endogenous promotor for junction reformation in skeletal muscle, Corbett, A.M., Caswell, A.H., Brandt, N.R., Brunschwig, J.P. 86:267
Slip models
—, generalized kinetic analysis of ion-driven cotransport systems: II. random ligand binding as a simple explanation for non-Michaelian kinetics, Sanders, D. 90:67
Slow conductance changes
—, slow potential changes due to transport number effects in cells with unstirred membrane invaginations or dendrites, Barry, P.H. 82:221
Slow-cycling rhodopsin
—, bacterial rhodopsins monitored with fluorescent dyes in vesicles and *in vivo*, Ehrlich, B.E., Schen, C.R., Spudich, J.L. 82:89
Slow potential changes
—, slow potential changes due to transport number effects in cells with unstirred membrane invaginations or dendrites, Barry, P.H. 82:221
Small intestine
—, osmotic water permeability of small intestinal brush-border membranes, Worman, H.J., Field, M. 87:233
—, transport of imino acids and non-α-amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:15
—, transport of neutral and cationic amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:1
Smooth muscle
—, demarcation of Ca^{2+} transport processes in guinea pig stomach smooth muscle, Sakai, Y., Isobe, A., Ichikawa, S. 89:65
SO_4/OH exchange
—, substrate and inhibitor specificity of anion exchangers on the brush border membrane of rabbit ileum, Knickelbein, R.G., Aronson, P.S., Dobbins, J.W. 88:199
Sodium
—, determination of the electromotive force of active sodium transport in frog skin epithelium (*Rana temporaria*) from pre-steady-state flux ratio experiments, Eskesen, K., Ussing, H.H. 86:105
—, effects of membrane potential on sodium-dependent calcium uptake by sarcolemma-enriched preparations from canine ventricle, Hungerford, R.T., Lindenmayer, G.E. 84:207
—, effects of the anion transport inhibitor, SITS, on the proximal straight tubule of the rabbit perfused *in vitro*, Biagi, B.A. 88:25
—, evaluation of transport pathways for Na^+ across frog skin epithelium by means of presteady-state flux ratio, Eskesen, K., Lim, J.J., Ussing, H.H. 86:99
Sodium butyrate
—, thyroid hormone antagonizes an aldosterone-induced protein: a candidate mediator for the late mineralocorticoid response, Truscello, A., Gäggeler, H.P., Rossier, B.C. 89:173
Sodium/calcium exchange
—, a minimum mechanism for Na^+-Ca^{++} exchange: net and unidirectional Ca^{++} fluxes as functions of ion composition and membrane potential, Johnson, E.A., Kootsey, J.M. 86:167
—, calcium at the surface of cardiac plasma membrane vesicles: cation binding, surface charge screening, and Na-Ca exchange, Bers, D.M., Philipson, K.D., Peskoff, A. 85:251
—, effects of membrane potential on sodium-dependent calcium uptake by sarcolemma-enriched preparations from canine ventricle, Hungerford, R.T., Lindenmayer, G.E. 84:207
Sodium channels
—, are axoplasmic microtubules necessary for membrane excitation? Terakawa, S., Nakayama, T. 85:65

—, binding of ^{3}H-phenamil, an irreversible amiloride analog, to toad urinary bladder: effects of aldosterone and vasopressin, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 90:107
—, effects of internal and external pH on amiloride-blockable Na^+ transport across toad urinary bladder, Garty, H., Civan, E.D., Civan, M.M. 87:67
—, gating of sodium and potassium channels, Bezanilla, F. 88:97
—, interactions of amiloride and other blocking cations with the apical Na channel in the toad urinary bladder, Palmer, L.G. 87:191
—, intracellular binding of cationized ferritin prolongs the time course of sodium channel inactivation in squid giant axons, Furuya, K., Hirano, H., Nishiyama, F., Kukita, F., Yamagishi, S. 89:75
—, modification of apical Na permeability of the toad urinary bladder by intracellular Na, Ca, and H, Palmer, L.G. 83:57
—, molecular motion underlying activation and inactivation of sodium channels in squid giant axons, Landowne, D. 88:173
—, permeability of the squid giant axon to organic cations and small nonelectrolytes, McKinney, L.C., Danko, M., Smith, C.J., Begenisich, T. 83:177
—, phenamil: an irreversible inhibitor of sodium channels in the toad urinary bladder, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 87:45
—, phosphorylation of ion channels, Levitan, I.B. 87:177
—, structure-activity relationship of amiloride analogs as blockers of epithelial Na channels: I. pyrazine-ring modifications, Li, J.H.-Y., Cragoe, E.J., Jr., Lindemann, B. 83:45
—, the purification of ion channels from excitable cells, Talvenheimo, J.A. 87:77
—, voltage dependence of Na channel blockage by amiloride: relaxation effects in admittance spectra, Warncke, J., Lindemann, B. 86:255

Sodium/chloride cotransport
—, feedback inhibition of NaCl entry in *Necturus* gallbladder epithelial cells, Jensen, P.K., Fisher, R.S., Spring, K.R. 82:95

Sodium/chloride exchange
—, feedback inhibition of NaCl entry in *Necturus* gallbladder epithelial cells, Jensen, P.K., Fisher, R.S., Spring, K.R. 82:95

Sodium-coupled cotransport
—, histidyl residues at the active site of the Na/succinate cotransporter in rabbit renal brush borders, Bindslev, N., Wright, E.M. 81:159
—, substrate specificity of the intestinal brush-border proline/sodium (*IMINO*) transporter, Stevens, B.R., Wright, E.M. 87:27

Sodium current
—, effects of chemical modification of carboxyl groups on the voltage-clamped nerve fiber of the frog, Rack, M., Woll, K.-H. 82:41

Sodium fluxes
—, ouabain-resistant Na^+, K^+ transport system in mouse NIH 3T3 cells, Atlan, H., Snyder, D., Panet, R. 81:181

Sodium/glycine cotransport
—, Na^+-coupled glycine transport in reticulocyte vesicles of distinct sidedness: stoichiometry and symmetry, Weigensberg, A.M., Blostein, R. 86:37

Sodium/hydrogen exchange
—, amiloride-sensitive Na^+ transport in human red cells: evidence for a Na/H exchange system, Escobales, N., Canessa, M. 90:21
—, evaluation of ion gradient-dependent H^+ transport systems in isolated enterocytes from the chick, Montrose, M.H., Bebernitz, G., Kimmich, G.A. 88:55
—, mechanisms of regulation of the Na^+/H^+ exchanger, Grinstein, S., Rothstein, A. 90:1

Sodium inactivation
—, intracellular binding of cationized ferritin prolongs the time course of sodium channel inactivation in squid giant axons, Furuya, K., Hirano, H., Nishiyama, F., Kukita, F., Yamagishi, S. 89:75
—, molecular motion underlying activation and inactivation of sodium channels in squid giant axons, Landowne, D. 88:173

Sodium ion activity
—, cellular and transepithelial responses of goldfish intestinal epithelium to chloride substitutions, Zuidema, T., van Riel, J.W., Siegenbeek van Heukelom, J. 88:293
—, modification of single cardiac Na^+ channels by DPI 201-106, Kohlhardt, M., Frobe, U., Herzig, J.W. 89:163

Sodium ion channels
—, amiloride blockable sodium fluxes in toad bladder membrane vesicles, Garty, H. 82:269
—, mechanisms of aldosterone action in tight epithelia, Garty, H. 90:193
—, modification of single cardiac Na^+ channels by DPI 201-106, Kohlhardt, M., Frobe, U., Herzig, J.W. 89:163
—, synthesis and characterization of methylbromoamiloride, a potential biochemical probe of epithelial Na^+ channels, Lazorick, K., Miller, C., Sariban-Sohraby, S., Benos, D. 86:69

Sodium ion dependence
—, on the strategy of kinetic discrimination of amino acid transport systems, Christensen, H.N. 84:97

Sodium ion exchange
—, amiloride-sensitive Na^+ transport in human red cells: evidence for a Na/H exchange system, Escobales, N., Canessa, M. 90:21
—, demarcation of Ca^{2+} transport processes in guinea pig stomach smooth muscle, Sakai, Y., Isobe, A., Ichikawa, S. 89:65
—, mechanisms of regulation of the Na^+/H^+ exchanger, Grinstein, S., Rothstein, A. 90:1
—, Na^{2+}/Ca^{2+} countertransport in plasma membrane of rat pancreatic acinar cells, Bayerdörffer, E., Haase, W., Schulz, I. 87:107

Sodium ion permeability
—, effects of internal and external pH on amiloride-blockable Na^+ transport across toad urinary bladder vesicles, Garty, H., Civan, E.D., Civan, M.M. 87:67
—, sodium-dependent modulation of the renal Na-K-ATPase: influence of mineralocorticoids on the cortical collecting duct, O'Neil, R.G., Hayhurst, R.A. 85:169

Sodium ion transport
—, effects of anions on cellular volume and transepithelial Na^+ transport across toad urinary bladder, Lewis, S.A., Butt, A.G., Bowler, M.J., Leader, J.P., Macknight, A.D.C. 83:119
—, mechanisms of aldosterone action in tight epithelia, Garty, H. 90:193
—, sodium-dependent ion cotransport in steady-state Ehrlich ascites tumor cells, Levinson, C. 87:121
—, sodium-dependent modulation of the renal Na-K-ATPase: influence of mineralocorticoids on the cortical collecting duct, O'Neil, R.G., Hayhurst, R.A. 85:169

Sodium permeability
—, kinetics of the effect of amiloride on the permeability of the

apical membrane of rabbit descending colon to sodium, Moran, W.M., Hudson, R.L., Schultz, S.G. 87:55
Sodium/potassium chloride cotransport
—, measurement and stoichiometry of bumetanide-sensitive (2Na:1K:3Cl) cotransport in ferret red cells, Hall, A.C., Ellory, J.C. 85:205
Sodium/proton antiport
—, bioenergetics of alkalophilic bacteria, Krulwich, T.A. 89:113
Sodium pump
—, effects of anions on cellular volume and transepithelial Na^+ transport across toad urinary bladder, Lewis, S.A., Butt, A.G., Bowler, M.J., Leader, J.P., Macknight, A.D.C. 83:119
—, effects of intracellular sodium and potassium iontophoresis on membrane potentials and resistances in toad urinary bladder, Narvarte, J., Finn, A.L. 84:1
—, sodium-dependent modulation of the renal Na-K-ATPase: influence of mineralocorticoids on the cortical collecting duct, O'Neil, R.G., Hayhurst, R.A. 85:169
Sodium/sugar cotransport
—, the mechanistic nature of the membrane potential dependence of sodium-sugar cotransport in small intestine, Restrepo, D., Kimmich, G.A. 87:159
Sodium transport
—, amiloride-sensitive Na^+ transport in human red cells: evidence for a Na/H exchange system, Escobales, N., Canessa, M. 90:21
—, apical membrane area of rabbit urinary bladder increases by fusion of intracellular vesicles: an electrophysiological study, Lewis, S.A., de Moura, J.L.C. 82:123
—, cell K activity in frog skin in the presence and absence of cell current, Garcia-Diaz, J.F., Baxendale, L.M., Klemperer, G., Essig, A. 85:143
—, determination of the electromotive force of active sodium transport in frog skin epithelium (*Rana temporaria*) from pre-steady-state flux ratio experiments, Eskesen, K., Ussing, H.H. 86:105
—, effects of intracellular sodium and potassium iontophoresis on membrane potentials and resistances in toad urinary bladder, Narvarte, J., Finn, A.L. 84:1
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
—, general method for the derivation and numerical solution of epithelial transport models, Latta, R., Clausen, C., Moore, L.C. 82:67
—, identification of apical membranes from tight epithelia using spin-labeled amiloride and electron paramagnetic resonance spectroscopy, Costa, C.J., Kirschner, L.B., Cragoe, E.J., Jr. 82:49
—, ouabain-resistant Na^+, K^+ transport system in mouse NIH 3T3 cells, Atlan, H., Snyder, D., Panet, R. 81:181
—, thyroid hormone antagonizes an aldosterone-induced protein: a candidate mediator for the late mineralocorticoid response, Truscello, A., Gäggeler, H.P., Rossier, B.C. 89:173
Solute polarization
—, slow potential changes due to transport number effects in cells with unstirred membrane invaginations or dendrites, Barry, P.H. 82:221
Solute transport
—, bioenergetics of alkalophilic bacteria, Krulwich, T.A. 89:113
Solvent drag
—, transepithelial transport of nonelectrolytes in the rabbit mandibular salivary gland, Case, R.M., Cook, D.I., Hunter, M., Steward, M.C., Young, J.A. 84:239
Spin probe
—, spin probe clustering in human erythrocyte ghosts, Gordon, L.M., Looney, F.D., Curtain, C.C. 84:81
Squid axon
—, are axoplasmic microtubules necessary for membrane excitation? Terakawa, S., Nakayama, T. 85:65
—, gating of sodium and potassium channels, Bezanilla, F. 88:97
—, intracellular binding of cationized ferritin prolongs the time course of sodium channel inactivation in squid giant axons, Furuya, K., Hirano, H., Nishiyama, F., Kukita, F., Yamagishi, S. 89:75
—, measurements of amino acid transport in internally dialyzed giant axons, Horn, L.W. 89:185
—, molecular motion underlying activation and inactivation of sodium channels in squid giant axons, Landowne, D. 88:173
—, permeability of the squid giant axon to organic cations and small nonelectrolytes, McKinney, L.C., Danko, M., Smith, C.J., Begenisich, T. 83:177
—, phosphorylation of ion channels, Levitan, I.B. 87:177
src gene
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
Standing-gradient model
—, water permeability of *Necturus* gallbladder epithelial cell membranes measured by nuclear magnetic resonance, Steward, M.C., Garson, M.J. 86:203
Staphylococcus aureus
—, ionic channels formed by *Staphylococcus aureus* alpha-toxin: voltage-dependent inhibition by divalent and trivalent cations, Menestrina, G. 90:177
Starvation
—, effect of metabolic depletion on the furosemide-sensitive Na and K fluxes in human red cells, Dagher, G., Brugnara, C., Canessa, M. 86:145
Steroids
—, mechanisms of $1,25(OH)_2D_3$-induced rapid changes of membrane potential in proximal tubule: role of Ca-dependent K^+-channels, Edelman, A., Garabedian, M., Anagnostopoulos, T. 90:137
Stilbene inhibitor
—, binding of chloride and a disulfonic stilbene transport inhibitor to red cell band 3, Dix, J.A., Verkman, A.S., Solomon, A.K. 89:211
—, interaction of thiourea with band 3 in human red cell membranes, Dorogi, P.L., Solomon, A.K. 85:37
Stilbenes
—, evidence for coupled transport of bicarbonate and sodium in cultured bovine corneal endothelial cells, Jentsch, T.J., Keller, S.K., Koch, M., Wiederholt, M. 81:189
Stimulus secretion coupling
—, effect of inositol-1,4,5-trisphosphate on isolated subcellular fractions of rat pancreas, Streb, H., Bayerdörffer, E., Haase, W., Irvine, R.F., Schulz, I. 81:241
Stoichiometry
—, a minimum mechanism for Na^+-Ca^{++} exchange: net and unidirectional Ca^{++} fluxes as functions of ion composition

and membrane potential, Johnson, E.A., Kootsey, J.M. 86:167
—, measurement and stoichiometry of bumetanide-sensitive (2Na:1K:3Cl) cotransport in ferret red cells, Hall, A.C., Ellory, J.C. 85:205
—, Na^+-coupled glycine transport in reticulocyte vesicles of distinct sidedness: stoichiometry and symmetry, Weigensberg, A.M., Blostein, R. 86:37
Stopped flow
—, interaction of thiourea with band 3 in human red cell membranes, Dorogi, P.L., Solomon, A.K. 85:37
—, mechanism of interaction of the cyanine dye DiS-C_3-(5) with renal brush-border vesicles, Cabrini, G., Verkman, A.S. 90:163
—, osmotic water permeability of small intestinal brush-border membranes, Worman, H.J., Field, M. 87:233
Structure-activity relationship
—, structure-activity relationship of amiloride analogs as blockers of epithelial Na channels: I. pyrazine-ring modifications, Li, J.H.-Y., Cragoe, E.J., Jr., Lindemann, B. 83:45
Succinyl choline
—, asymmetric block of a monovalent cation-selective channel of rabbit cardiac sarcoplasmic reticulum by succinyl choline, Gray, M.A., Montgomery, R.A.P., Williams, A.J. 88:85
Sugar transport
—, Na^+-sensitive component of 3-O-methylglucose uptake in frog skeletal muscle, Kitasato, H., Marunaka, Y. 87:225
—, phlorizin binding to isolated enterocytes: membrane potential and sodium dependence, Restrepo, D., Kimmich, G.A. 89:269
—, the mechanistic nature of the membrane potential dependence of sodium-sugar cotransport in small intestine, Restrepo, D., Kimmich, G.A. 87:159
—, transport of neutral and cationic amino acids across the brush-border membrane of the rabbit ileum, Munck, B.G. 83:1
Sulfhydryl groups
—, K^+:Cl^- cotransport: sulfhydryls, divalent cations, and the mechanism of volume activation in a red cell, Lauf, P.K. 88:1
—, thiol-dependent passive K^+Cl^- transport in sheep red blood cells: VI. functional heterogeneity and immunologic identity with volume-stimulated $K^+(Rb^+)$ fluxes, Lauf, P.K. 82:167
Sulfhydryl residues
—, histidyl residues at the active site of the Na/succinate cotransporter in rabbit renal brush borders, Bindslev, N., Wright, E.M. 81:159
Superoxide
—, bluelight-induced, flavin-mediated transport of redox equivalents across artificial bilayer membranes, Schmidt, W. 82:113
Surface charge
—, Ca^{2+} buffer sites in intact bovine rod outer segments: introduction to a novel optical probe to measure ionic permeabilities in suspensions of small particles, Schnetkamp, P.P.M. 88:249
—, calcium at the surface of cardiac plasma membrane vesicles: cation binding, surface charge screening, and Na-Ca exchange, Bers, D.M., Philipson, D., Peskoff, A. 85:251
—, effect of phospholipid surface charge on the conductance and gating of a Ca^{2+}-activated K^+ channel in planar lipid bilayers, Moczydlowski, E., Alvarez, O., Vergara, C., Latorre, R. 83:273
—, intracellular binding of cationized ferritin prolongs the time course of sodium channel inactivation in squid giant axon, Furuya, K., Hirano, H., Nishiyama, F., Kukita, F., Yamagishi, S. 89:75
—, surface charge of mammalian neurones as revealed by microelectrophoresis, Mironov, S.L., Dolgaya, E.V. 86:197
Symmetry
—, Na^+-coupled glycine transport in reticulocyte vesicles of distinct sidedness: stoichiometry and symmetry, Weigensberg, A.M., Blostein, R. 86:37
Synaptosomes
—, kinetics of irreversible inhibition of choline transport in synaptosomes by ethylcholine mustard aziridinium, Curti, D., Marchbanks, R.M. 82:259
T-tubule
—, determinants of triad junction reformation: identification and isolation of an endogenous promotor for junction reformation in skeletal muscle, Corbett, A.M., Caswell, A.H., Brandt, N.R., Brunschwig, J.P. 86:267
Taurine
—, measurements of amino acid transport in internally dialyzed giant axons, Horn, L.W. 89:185
TEA action
—, action of tetraethylammonium on calcium-activated potassium channels in pig pancreatic acinar cells studied by patch-clamp single-channel and whole-cell current recording, Iwatsuki, N., Petersen, O.H. 86:139
TEA^+ effects
—, ion channels in the membrane of *Chara inflata*, Coleman, H.A., Findlay, G.P. 83:109
Temperature dependence
—, characterization of the mobile charges in the membrane of *Valonia utricularis*, Buchner, K.-H., Rosenheck, K., Zimmermann, U. 88:131
—, temperature dependence of single channel currents and the peptide libration mechanism for ion transport through the gramicidin A transmembrane channel, Urry, D.W., Alonso-Romanowski, S., Venkatachalam, C.M., Bradley, R.J., Harris, R.D. 81:205
Temperature jump
—, temperature-jump and voltage-jump experiments at planar lipid membranes support an aggregational (micellar) model of the gramicidin A ion channel, Stark, G., Strässle, M., Takácz, Z. 89:23
Terminal cisternae
—, determinants of triad junction reformation: identification and isolation of an endogenous promotor for junction reformation in skeletal muscle, Corbett, A.M., Caswell, A.H., Brandt, N.R., Brunschwig, J.P. 86:267
Tetraphenylarsonium
—, transport of hydrophobic ions in erythrocyte membrane: I. zero membrane potential properties, Hunziker, A., Orme, F.W., Macey, R.I. 84:147
Tetraphenylphosphonium
—, permeability change in transformed mouse fibroblasts caused by ionophores and its relationship to membrane permeabilization by exogenous ATP, Friedberg, I., Weisman, G.A., De, B.K. 83:251
Tetrathionate
—, reaction of the glucose carrier of erythrocytes with sodium tetrathionate: evidence for inward-facing and outward-facing carrier conformations, Krupka, R.M. 84:35

Tetrodotoxin
—, indirect effects of adenosine triphosphate on chloride secretion in mammalian colon, Cuthbert, A.W., Hickman, M.E. 86:157
Thallium
—, experimental and theoretical studies on Tl^+ interactions with the cation-selective channel of the sarcoplasmic reticulum, Fox, J., Ciani, S. 84:9
Thermodynamics
—, thermodynamics of all-or-none water channel closure in red cells, Moura, T.F., Macey, R.I., Chien, D.Y., Karan, D., Santos, H. 81:105
Thickness
—, characterization of a Na:K:2Cl cotransport system in the apical membrane of a renal epithelial cell line (LLC-PK_1), Brown, C.D.A., Murer, H. 87:131
—, optical and electrical properties of thin monoolein lipid bilayers, Dilger, J.P., Benz, R. 85:181
Thiourea
—, interaction of thiourea with band 3 in human red cell membranes, Dorogi, P.L., Solomon, A.K. 85:37
Tight epithelia
—, general method for the derivation and numerical solution of epithelial transport models, Latta, R., Clausen, C., Moore, L.C. 82:67
—, mechanisms of aldosterone action in tight epithelia, Garty, H. 90:193
—, modification of apical Na permeability of the toad urinary bladder by intracellular Na, Ca, and H, Palmer, L.G. 83:57
Tight junctions
—, protamine reversibly decreases paracellular cation permeability in *Necturus* gallbladder, Fromm, M., Palant, C.E., Bentzel, C.J., Hegel, U. 87:141
—, tight junction formation in cultured epithelial cells (MDCK), Gonzalez-Mariscal, L., Chavez de Ramirez, B., Cereijido, M. 86:113
Time averaged
—, biological membrane structure as "seen" by x-ray and neutron diffraction techniques, Blasie, J.K., Herbette, L., Pachence, J. 86:1
Time constants of membrane signals
—, comparison of time constants of single channel patches, quantum bumps, and noise analysis in *Limulus* ventral photoreceptors, Dirnberger, G., Keiper, W., Schnakenberg, J., Stieve, H. 83:39
Time resolved
—, biological membrane structure as "seen" by x-ray and neutron diffraction techniques, Blasie, J.K., Herbette, L., Pachence, J. 86:1
TMB-8
—, diacylglycerol downregulates junctional membrane permeability. TMB-8 blocks this effect, Yada, T., Rose, B., Loewenstein, W.R. 88:217
Toad bladder
—, amiloride blockable sodium fluxes in toad bladder membrane vesicles, Garty, H. 82:269
—, binding of ^{3}H-phenamil, an irreversible amiloride analog, to toad urinary bladder: effects of aldosterone and vasopressin, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 90:107
—, effects of anions on cellular volume and transepithelial Na^+ transport across toad urinary bladder, Lewis, S.A., Butt, A.G., Bowler, M.J., Leader, J.P., Macknight, A.D.C 83:119
—, effects of internal and external pH on amiloride-blockable Na^+ transport across toad urinary bladder vesicles, Garty, H., Civan, E.D., Civan, M.M. 87:67
—, effects of intracellular sodium and potassium iontophoresis on membrane potentials and resistances in toad urinary bladder, Narvarte, J., Finn, A.L. 84:1
—, glutaraldehyde fixation preserves the permeability properties of the ADH-induced water channels, Parisi, M., Merot, J., Bourguet, J. 86:239
—, interactions of amiloride and the blocking cations with the apical Na channel in the toad urinary bladder, Palmer, L.G. 87:191
—, isolation and characterization of granules of the toad bladder, Masur, S.K., Cooper, S., Massardo, S., Gronowicz, G., Rubin, M.S. 89:39
—, mechanisms of aldosterone action in tight epithelia, Garty, H. 90:193
—, modulation of apical Na permeability of the toad urinary bladder by intracellular Na, Ca, and H, Palmer, L.G. 83:57
—, phenamil: an irreversible inhibitor of sodium channels in the toad urinary bladder, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 87:45
—, thyroid hormone antagonizes an aldosterone-induced protein: a candidate mediator for the late mineralocorticoid response, Truscello, A., Gäggeler, H.P., Rossier, B.C. 89:173
—, voltage dependence of Na channel blockage by amiloride: relaxation effects in admittance spectra, Warncke, J., Lindemann, B. 86:255
Tonoplast
—, compartment analysis of plant cells by means of turgor pressure relaxation: I. theoretical considerations, Wendler, S., Zimmermann, U. 85:121
—, compartment analysis of plant cells by means of turgor pressure relaxation: II. experimental results on *Chara corallina*, Wendler, S., Zimmermann, U. 85:133
—, mechanism of passive malic-acid efflux from vacuoles of the CAM plant *Kalanchoe daigremontiana*, Luttge, U., Smith, J.A.C. 81:149
TPA
—, diacylglycerol downregulates junctional membrane permeability. TMB-8 blocks this effect, Yada, T., Rose, B., Loewenstein, W.R. 88:217
TPP^+ (tetraphenylphosphonium) influx technique
—, the mechanistic nature of the membrane potential dependence of sodium-sugar cotransport in small intestine, Restrepo, D., Kimmich, G.A. 87:159
Tracheal epithelium
—, ion transport by primary cultures of canine tracheal epithelium: methodology, morphology, and electrophysiology, Welsh, M.J. 88:149
—, mechanism of Cl secretion in canine trachea: changes in intracellular chloride activity with secretion, Shorofsky, S.R., Field, M., Fozzard, H.A. 81:1
Transepithelial resistance
—, protamine reversibly decreases paracellular cation permeability in *Necturus* gallbladder, Fromm, M., Palant, C.E., Bentzel, C.J., Hegel, U. 87:141
Transepithelial transport
—, Cl transport in the frog cornea: an electron-microprobe analysis, Rick, R., Beck, F.X., Thurau, K. 83:235
Transferrin receptor
—, transferrin receptor: its biological significance, May, W.S., Jr., Cuatrecasas, P. 88:205

Transformasomes
—, transformation in *Haemophilus*: a problem in membrane biology, Kahn, M.E., Smith, H.O. 81:89
Transformation
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in a revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
—, intercellular communication and the control of growth. XII. alteration of junctional permeability by simian virus 40. roles of the large and small *T* antigens, Azarnia, R., Loewenstein, W.R. 82:213
Transformed cells
—, permeabilization of transformed cells in culture by external ATP, Heppel, L.A., Weisman, G.A., Friedberg, I. 86:189
Translocation rates
—, kinetics of irreversible inhibition of choline transport in synaptosomes by ethylcholine mustard aziridinium, Curte, D., Marchbanks, R.M. 82:259
Transmembrane peptides
—, stability of transmembrane regions in bacteriorhodopsin studied by progressive proteolysis, Dumont, M.E., Trewhella, J., Engelman, D.M., Richards, F.M. 88:233
Transport
—, Ba^{2+} uptake and the inhibition by Ba^{2+} of K^+ flux into rat liver mitochondria, Diwan, J.J. 84:165
—, characterization of the multiple transport routes for methotrexate in L1210 cells using phthalate as a model anion substrate, Henderson, G.B., Zevely, E.M. 85:163
—, effect of metabolic depletion on the furosemide-sensitive Na and K fluxes in human red cells, Dagher, G., Brugnara, C., Canessa, M. 86:145
—, effects of trypsin and protein modification on the renal transporter of *p*-aminohippurate, Tse, S.S., Liu, D., Bildstein, C.L., Mamelok, R.D. 82:249
—, hypoxanthine transport in mammalian cells: cell type-specific differences in sensitivity to inhibition by dipyridamole and uridine, Plagemann, P.G.W., Wohlhueter, R.M. 81:255
—, *in vitro* ethanol effects on the transport properties of isolated renal brush-border membrane vesicles, Elgavish, A., Elgavish, G.A. 88:123
—, Na^+-sensitive component of 3-O-methylglucose uptake in frog skeletal muscle, Kitasato, H., Marunaka, Y. 87:225
—, osmotic water permeability of small intestinal brush-border membranes, Worman, H.J., Field, M. 87:233
—, rubidium uptake in single cells, Kirk, R.G., Andrews, S.B., Lee, P. 82:137
—, solution of carrier-type transport models: general solution for an arbitrarily complex rapid equilibrium model, Turner, R.J. 88:77
—, transport of hydrophobic ions in erythrocyte membrane: I. zero membrane potential properties, Hunziker, A., Orme, F.W., Macey, R.I. 84:147
—, uptake of valine and alanine by a neutral amino-acid carrier in sea urchin eggs: cyclic variations in the early cleavage stage, Allemand, D., De Renzis, G., Maistre, C., Girard, J.-P., Payan, P. 87:217
Transport kinetics
—, barium modifies the concentration dependence of active potassium transport by insect midgut, Moffett, D.F., Koch, A.R. 86:89
—, optical study of active ion transport in lipid vesicles containing reconstituted Na,K-ATPase, Apell, H.-J., Marcus, M.M., Anner, B.M., Oetliker, H., Läuger, P. 85:49
—, solution of carrier-type transport models: general solution for an arbitrarily complex rapid equilibrium model, Turner, R.J. 88:77
Transport number effects
—, slow potential changes due to transport number effects in cells with unstirred membrane invaginations or dendrites, Barry, P.H. 82:221
Transport potential
—, reconstitution of carrier-mediated choline transport in proteoliposomes prepared from presynaptic membranes of *Torpedo* electric organ, and its internal and external ionic requirements, Vyas, S., O'Regan, S. 85:111
Transport regulation
—, hexose regulation of sodium-hexose transport in LLC-PK_1 epithelia: the nature of the signal, Moran, A., Turner, R.J., Handler, J.S. 82:59
—, on the strategy of kinetic discrimination of amino acid transport systems, Christensen, H.N. 84:97
Transstimulation
—, electrogenic K^+-basic amino-acid cotransport in the midgut of lepidopteran larvae, Giordana, B., Parenti, P., Hanozet, G.M., Sacchi, V.F. 88:45
Triad junction
—, determinants of triad junction reformation: identification and isolation of an endogenous promotor for junction reformation in skeletal muscle, Corbett, A.M., Caswell, A.H., Brandt, N.R., Brunschwig, J.P. 86:267
Triiodothyronine
—, thyroid hormone antagonizes an aldosterone-induced protein: a candidate mediator for the late mineralocorticoid response, Truscello, A., Gäggeler, H.P., Rossier, B.C. 89:173
Trout gill
—, identification of apical membranes from tight epithelia using spin-labeled amiloride and electron paramagnetic resonance spectroscopy, Costa, C.J., Kirschner, L.B., Cragoe, E.J., Jr. 82:49
Trout kidney
—, identification of apical membranes from tight epithelia using spin-labeled amiloride and electron paramagnetic resonance spectroscopy, Costa, C.J., Kirschner, L.B., Cragoe, E.J., Jr. 82:49
Trypsin
—, conformational states of sarcoplasmic reticulum Ca^{2+}-ATPase as studied by proteolytic cleavage, Andersen, J.P., Jorgensen, P.L. 88:187
—, effects of trypsin and protein modification on the renal transporter of *p*-aminohippurate, Tse, S.S., Liu, D., Bildstein, C.L., Mamelok, R.D. 82:249
Tryptophanyl residues
—, histidyl residues at the active site of the Na/succinate cotransporter in rabbit renal brush border, Bindslev, N., Wright, E.M. 81:159
Tumor antigens
—, intercellular communication and the control of growth: XII. alteration of junctional permeability by simian virus 40. roles of the large and small *T* antigens, Azarnia, R., Loewenstein, W.R. 82:213

Tumor cells
—, sodium-dependent ion cotransport in steady-state Ehrlich ascites tumor cells, Levinson, C. 87:121
Turgor pressure
—, calcium-dependent anion channel in the water mold, *Blastocladiella emersonii*, Caldwell, J.H., Van Brunt, J., Harold, F.M. 89:85
—, compartment analysis of plant cells by means of turgor pressure relaxation: I. theoretical considerations, Wendler, S., Zimmermann, U. 85:121
—, compartment analysis of plant cells by means of turgor pressure relaxation: II. experimental results on *Chara coralina*, Wendler, S., Zimmermann, U. 85:133
Turnover
—, renal cortical brush-border and basolateral membranes: cholesterol and phospholipid composition and relative turnover, Molitoris, B.A., Simon, F.R. 83:207
Tyrosine kinase
—, biosynthesis and metabolic degradation of receptors for epidermal growth factor, Soderquist, A.M., Carpenter, G. 90:97
Tyrosine phosphorylation
—, intercellular communication and the control of growth: X. alteration of junctional permeability by the *src* gene. a study with temperature-sensitive mutant rous sarcoma virus, Azarnia, R., Loewenstein, W.R. 82:191
—, intercellular communication and the control of growth: XI. alteration of junctional permeability by the *src* gene in the revertant cell with normal cytoskeleton, Azarnia, R., Loewenstein, W.R. 82:207
Uncouplers
—, the kinetic mechanism by which CCCP (carbonyl cyanide *m*-chlorophenylhydrazone) transports protons across membranes, Kasanowicz, J., Benz, R., McLaughlin, S. 82:179
Uncoupling
—, communicating junctions and calmodulin: inhibition of electrical uncoupling in *Xenopus* embryo by calmidazolium, Peracchia, C. 81:49
Unicellular alga
—, transient breakdown in the selective permeability of the plasma membrane of *Chlorella emersonii* in response to hyperosmotic shock: implications for cell water relations and osmotic adjustment, Reed, R.H. 82:83
Unidirectional flux
—, a minimum mechanism for Na^+-Ca^{++} exchange: net and unidirectional Ca^{++} fluxes as functions of ion composition and membrane potential, Johnson, E.A., Kootsey, J.M. 86:167
Urea
—, hydrosmotic salt effect in toad skin: urea permeability and glutaraldehyde fixation of water channels, Aboulafia, J., Lacaz-Vieira, F. 87:249
—, interaction of thiourea with band 3 in human red cell membranes, Dorogi, P.L., Solomon, A.K. 85:37
Urine acidification
—, presence of an extramitochondrial anion-stimulated ATPase in the rabbit kidney: localization along the nephron and effect of corticosteroids, Abdelkhalek, M.B., Barlet, C., Doucet, A. 89:225
Ussing model
—, general method for the derivation and numerical solution of epithelial transport models, Latta, R., Clausen, C., Moore, L.C. 82:67
Valine transport
—, uptake of valine and alanine by a neutral amino-acid carrier in sea urchin eggs: cyclic variations in the early cleavage stage, Allemand, D., De Renzis, G., Maistre, C., Girard, J.-P., Payan, P. 87:217
Valinomycin
—, transport of alkali cations through thin lipid membranes by (222)C_{10}-cryptand, an ionizable mobile carrier, Castaing, M., Morel, F., Lehn, J.-M. 89:251
Valonia utricularis
—, characterization of the mobile charges in the membrane of *Valonia utricularis*, Buchner, K.-H., Rosenheck, K., Zimmermann, U. 88:131
Vascular endothelium
—, junctional transfer in cultured endothelium: II. dye and nucleotide transfer, Larson, D.M., Sheridan, J.D. 83:157
Vascular smooth muscle cells
—, junctional transfer in cultured vascular endothelium: II. dye and nucleotide transfer, Larson, D.M., Sheridan, J.D. 83:157
Vasopressin
—, binding of ^{3}H-phenamil, an irreversible amiloride analog, to toad urinary bladder: effects of aldosterone and vasopressin, Garvin, J.L., Simon, S.A., Cragoe, E.J., Jr., Mandel, L.J. 90:107
—, purinergic regulation of basal and arginine vasopressin-stimulated hydraulic conductivity in rabbit cortical collecting tubule, Dillingham, M.A., Anderson, R.J. 88:277
Ventral photoreceptor of *Limulus*
—, comparison of time constants of single channel patches, quantum bumps, and noise analysis in *Limulus* ventral photoreceptors, Dirnberger, G., Keiper, W., Schnakenberg, J., Stieve, H. 83:39
Ventricular cells
—, single-channel analysis of a potassium inward rectifier in myocytes of newborn rat heart, Payet, M.D., Rousseau, E., Sauve, R. 86:79
Vesicle fusion
—, apical membrane area of rabbit urinary bladder increases by fusion of intracellular vesicles: an electrophysiological study, Lewis, S.A., de Moura, J.L.C. 82:123
Vesicles
—, a new method for the reconstitution of the anion transport system of the human erythrocyte membrane, Scheuring, U., Kollewe, K., Haase, W., Schubert, D. 90:123
—, amiloride blockable sodium fluxes in toad bladder membrane vesicles, Garty, H. 82:269
—, calcium at the surface of cardiac plasma membrane vesicles: cation binding, surface charge screening, and Na-Ca exchange, Bers, D.M., Philipson, K.D., Peskoff, A. 85:251
—, effects of trypsin and protein modification on the renal transporter of *p*-aminohippurate, Tse, S.S., Liu, D., Bildstein, C.L., Mamelok, R.D. 82:249
—, miscibility of phosphatidylcholine binary mixtures in unilamellar vesicles: phase equilibria, Matubayasi, N., Shigematsu, T., Iehara, T., Kamaya, H., Ueda, I. 90:37
—, morphological and physiological studies of rat kidney cortex slices undergoing isosmotic swelling and its reversal: a possible mechanism for ouabain-resistant control of cell volume, Russo, M.A., Ernst, S.A., Kapoor, S.C., van Rossum, G.D.V. 85:1
—, Na^+-coupled glycine transport in reticulocyte vesicles of distinct sidedness: stoichiometry and symmetry, Weigensberg, A.M., Blostein, R. 86:37

Vibrational assignments
—, determination of retinal chromophore structure in bacteriorhodopsin with resonance Raman spectroscopy, Smith, S.O., Lugtenburg, J., Mathies, R.A. 85:95
Virus infection
—, changes in paracellular and cellular ionic permeabilities of monolayers of MDCK cells infected with influenza or vesicular stomatitis viruses, López-Vancell, R., Beaty, G., Stefani, E., Rodríguez-Boulan, E.E., Cereijido, M. 81:171
Virus production
—, changes in paracellular and cellular ionic permeabilities of monolayers of MDCK cells infected with influenza or vesicular stomatitis viruses, López-Vancell, R., Beaty, G., Stefani, E., Rodríguez-Boulan, E.E., Cereijido, M. 81:171
Vision
—, ionic permeabilities of the plasma membrane of isolated intact bovine rod outer segments as studied with a novel optical probe, Schnetkamp, P.P.M. 88:263
—, thermotropic behavior of retinal rod membranes and dispersions of extracted phospholipids, Miljanich, G.P., Brown, M.F., Mabrey-Gaud, S., Dratz, E.A., Sturtevant, J.M. 85:79
Vitamin D
—, characterization of 1,25-dihydroxyvitamin D_3-dependent calcium uptake in isolated chick duodenal cells, Liang, C.T., Barnes, J., Balakir, R.A., Sacktor, B. 90:145
Voltage clamp
—, action potential-like responses due to the inward rectifying potassium channel, Tourneur, Y. 90:115
—, basolateral membrane potential and conductance in frog skin exposed to high serosal potassium, Klemperer, G., Garcia-Diaz, J.F., Nagel, W., Essig, A. 90:89
—, calcium-dependent anion channel in the water mold, *Blastocladiella emersonii*, Caldwell, J.H., Van Brunt, J., Harold, F.M. 89:85
—, effects of chemical modification of carboxyl groups on the voltage-clamped nerve fiber of the frog, Rack, M., Woll, K.-H. 82:41
—, permeability of the squid giant axon to organic cations and small nonelectrolytes, McKinney, L.C., Danko, M., Smith, C.J., Begenisich, T. 83:177
—, potassium channels and different states of *Chara* plasmalemma, Beilby, M.J. 89:241
—, single Cl^- channels in molluscan neurones: multiplicity of the conductance states, Geletyuk, V.I., Kazachenko, V.N. 86:9
Voltage-dependent block
—, interactions of amiloride and other blocking cations with the apical Na channel in the toad urinary bladder, Palmer, L.G. 87:191
Voltage divider ratio
—, Na^{2+}-sensitive potassium permeability of the apical membrane in newt kidney proximal tubule, Kawahara, K. 88:283
Voltage gating
—, evidence for titratable gating charges controlling the voltage dependence of the outer mitochondrial membrane channel, VDAC, Bowen, K.A., Tam, K., Colombini, M. 86:51
—, gating of sodium and potassium channels, Bezanilla, F. 88:97
—, growth hormone-releasing factor reduces voltage-gated Ca^{2+} channel current in rat GH_3 cells, Yamashita, N., Takuwa, Y., Ogata, E. 87:241
—, ionic channels formed by *Staphylococcus aureus* alpha-toxin: voltage-dependent inhibition by divalent and trivalent cations, Menestrina, G. 90:177
—, the mitochondrial voltage-dependent channel, VDAC, is modified asymmetrically by succinic anhydride, Doring, C., Colombini, M. 83:87
—, voltage dependence and ion selectivity of the mitochondrial channel, VDAC, are modified by succinic anhydride, Doring, C., Colombini, M. 83:81
Voltage jump
—, temperature-jump and voltage-jump experiments at planar lipid membranes support an aggregational (micellar) model of the gramicidin A ion channel, Stark, G., Strässle, M., Takácz, Z. 89:23
Voltage-sensitive dye
—, bacterial rhodopsins monitored with fluorescent dyes in vesicles and *in vivo*, Ehrlich, B.E., Schen, C.R., Spudich, J.L. 82:89
Volume regulation
—, mechanisms of regulation of the Na^+/H^+ exchanger, Grinstein, S., Rothstein, A. 90:1
—, morphological and physiological studies of rat kidney cortex slices undergoing isosmotic swelling and its reversal: a possible mechanism for ouabain-resistant control of cell volume, Russo, M.A., Ernst, S.A., Kapoor, S.C., van Rossum, G.D.V. 85:1
Volume regulatory decrease
—, volume regulation by *Necturus* gallbladder: basolateral KCl exit, Larson, M., Spring, K.R. 81:219
Wash out
—, apparent loss of calcium-activated potassium current in internally perfused snail neurons is due to accumulation of free intracellular calcium, Levitan, E.S., Levitan, I.B. 90:59
Water (*also see* Ions and water)
—, proton/hydroxide conductance through lipid bilayer membranes, Gutknecht, J. 82:105
Water channels
—, glutaraldehyde fixation preserves the permeability properties of the ADH-induced water channels, Parisi, M., Merot, J., Bourguet, J. 86:239
—, hydrosmotic salt effect in toad skin: urea permeability and glutaraldehyde fixation of water channels, Aboulafia, J., Lacaz-Vieira, F. 87:249
—, thermodynamics of all-or-none water channel closure in red cells, Moura, T.F., Macey, R.I., Chien, D.Y., Karan, D., Santos, H. 81:105
Water permeability
—, hydrosmotic salt effect in toad skin: urea permeability and glutaraldehyde fixation of water channels, Aboulafia, J., Lacaz-Vieira, F. 87:249
—, osmotic water permeability of small intestinal brush-border membranes, Worman, H.J., Field, M. 87:233
—, role of interfacial structured water in membrane: osmotic properties of L-α-egg lecithin liposomes, Das, S., Singhal, G.S. 86:221
—, water exchange through erythrocyte membranes: nuclear magnetic resonance studies on resealed ghosts compared to human erythrocytes, Benga, G., Borza, V., Popescu, O., Pop, V.I., Muresan, A. 89:127
—, water permeability of *Necturus* gallbladder epithelial cell membranes measured by nuclear magnetic resonance, Steward, M.C., Garson, M.J. 86:203
Water structure
—, role of interfacial structured water in membrane: osmotic

properties of L-α-egg lecithin liposomes, Das, S., Singhal, G.S. 86:221
Water transport
—, purinergic regulation of basal and arginine vasopressin-stimulated hydraulic conductivity in rabbit cortical collecting tubule, Dillingham, M.A., Anderson, R.J. 88:277
Workman-Reynolds effect
—, possible role of transient fields in freezing-induced membrane destabilization, Steponkus, P.L., Stout, D.G., Wolfe, J., Lovelace, R.V.E. 85:191
Xenopus embryos
—, communicating junctions and calmodulin: inhibition of electrical uncoupling in *Xenopus* embryo by calmidazolium, Peracchia, C. 81:49
—, translation and functional expression of cell-cell channel mRNA in *Xenopus* oocytes, Werner, R., Miller, T., Azarnia, R., Dahl, G. 87:253
X-ray diffraction
—, biological membrane structure as "seen" by x-ray and neutron diffraction techniques, Blasie, J.K., Herbette, L., Pachence, J. 86:1
X-ray microanalysis
—, rubidium uptake in single cells, Kirk, R.G., Andrews, S.B., Lee, P. 82:137
Zonulae occludentes
—, structure of zonulae occludentes and the permeability of the epithelium to short-chain fatty acids in the proximal and the distal colon of guinea pig, Luciano, L., Reale, E., Rechkemmer, G., Engelhardt, W.v. 82:145